ISSN 0021-9673

CUMULATIVE AUTHOR AND SUBJECT INDEXES VOLUMES 111–120

Supplied free of charge to the 1976 subscribers of the Journal of Chromatography

CHROMATOGRAPHY

INTERNATIONAL JOURNAL OF CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

EDITOR, Michael Lederer (Rome)
ASSOCIATE EDITOR, K. Macek (Prague)
EDITORIAL BOARD
W. A. Aue (Halifax)
V. G. Berezkin (Moscow)
A Bevenue (Honolulu, Hawaii)
P. Boulanger (Lille)
A. A. Boulton (Saskatoon)
G. P. Cartoni (Rome)
K. V. Chmutov (Moscow)
G. Duyckaerts (Liège)
L. Fishbein (Jefferson, Ark.)
A. Frigerio (Milan)
C. W. Gehrke (Columbia, Mo.)
E. Gil-Av (Rehovot)
G. Guiochon (Palaiseau)
I. M. Hais (Hradec Králové)
N. G. L. Harding (Cambridge)
E. Heftmann (Berkeley, Calif.)
S. Hjertén (Uppsala)
E. C. Horning (Houston, Texas)
J. F. K. Huber (Vienna)
A. T. James (Sharnbrook)
J. Janák (Brno)
A. I. M. Keulemans (Eindhoven)
K. A. Kraus (Oak Ridge, Tenn.)
E. Lederer (Gif-sur-Yvette)
A. Liberti (Rome)
H. M. McNair (Blacksburg, Va.)
Y. Marcus (Jerusalem)
G. B. Marini-Bettòlo (Rome)
R. Neher (Basel)
G. Nickless (Bristol)
J. Novák (Brno)
O. Samuelson (Göteborg)
G.-M. Schwab (Munich)
G. Semenza (Zürich)
L. R. Snyder (Tarrytown, N.Y.)
A. Zlatkis (Houston, Texas)
EDITORS, BIBLIOGRAPHY SECTION
K. Macek (Prague), J. Janák (Brno), Z. Deyl (Prague)
EDITOR, BOOK REVIEW SECTION
R. Amos (Abingdon)
EDITOR, NEWS SECTION
J. F. K. Huber (Vienna)
COORD. EDITOR, DATA SECTION
J. Gasparič (Hradec Králové)

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

Journal of Chromatography Library

A series of books devoted to chromatographic techniques and their applications. Although complementary to the Journal of Chromatography, each volume in the library series is an important and independent contribution in the field of chromatography. It should be stressed that the library contains no material reprinted from the journal itself.

Volume 1

CHROMATOGRAPHY OF ANTIBIOTICS

by G. H. Wagman and M. J. Weinstein.

1973 ix + 238 pages
Price: US $26.95 / Dfl. 65.00
ISBN 0-444-41106-2

At the present time thousands of antibiotics are known, yet the systematic chromatographic classification of these substances is extremely difficult. This book has been written to aid the identification of very similar compounds by use of specific chromatographic techniques. It contains detailed data on paper and thin-layer chromatography, electrophoresis, counter-current distribution and gas chromatographic systems for over 1,200 antibiotics and their derivatives, and provides information on chromatographic media, solvents, detection methodology and mobility of the antibiotics. Complete references are given for all methods.

CONTENTS: Chromatographic classification of antibiotics. Detection of antibiotics on chromatograms. Comments on the use of this index. Abbreviations. Index - chromatography of antibiotics. Index by compound.

Volume 2

EXTRACTION CHROMATOGRAPHY

edited by T. Braun and G. Ghersini.

1975 xviii + 566 pages
Price: US $54.25 / Dfl. 130.00
ISBN 0-444-99878-0

This volume is the result of the collective work of many specialists, each responsible for a chapter in which a definite aspect of column extraction chromatography is thoroughly presented and discussed. Subjects presented include the basic and technical aspects of the method, the organic stationary phases and supports, the separation of elements with particular reference to radiochemical problems, the separation of lanthanides, actinides and fission products, radiotoxicological separations and the preconcentration of trace elements in various materials prior to their determination.

Author and subject indices are included.

Volume 3

LIQUID COLUMN CHROMATOGRAPHY

A survey of modern techniques and applications.

edited by Z. Deyl, K. Macek and J. Janák.

1975 xxii + 1176 pages
Price: US $120.95 / Dfl. 290.00
ISBN 0-444-41156-9

This book provides an up-to-date account of liquid column chromatography for the specialist and non-specialist. The main attention is focussed on techniques developed or widely used during the past 10 years. Both classical and modern techniques of chromatographic separation are treated in detail, thus providing a clear reflection of the present situation in the field.
The wide selection of applications in various fields of chemistry and biochemistry, written by specialists in the area, makes this volume a necessary reference work for those involved in chromatographic investigations.

CONTENTS: Theoretical Aspects of Liquid Chromatography. Techniques of Liquid Cromatography. Practice of Liquid Cromatography. Applications. Subject index. List of compounds chromatographed.

Volume 4

DETECTORS IN GAS CHROMATOGRAPHY

by J. Ševčík.

1976 192 pages
Price: US $24.00 / Dfl. 60.00
ISBN 0-444-99857-8

This publication is devoted to the function and optimal working conditions of gas chromatographic detectors. The first systematic treatment of gas chromatographic detection techniques, it devotes special attention to so-called specific detectors and working conditions which strongly influence results (e.g. gas flow, effect of additives in gases, working temperature, detector form and dimensions). Anomalous detector responses are explained and the form and size of response for various working conditions are indicated. The problems presented are illustrated by experimental data which are summarized in numerous tables and figures. The book should be of interest to all who use gas chromatography in research and who would like to explore the possibilities and working conditions of different detector systems.

Prices are subject to change without prior notice.

Distributed in the U.S.A. and Canada by:
American Elsevier Publishing Company, Inc., 52 Vanderbilt Ave., New York, N.Y. 10017

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
P.O. Box 211, Amsterdam, The Netherlands

1725E a

JOURNAL OF CHROMATOGRAPHY

Cumulative Author and Subject Indexes

Volumes 111–120

PUBLISHER's NOTE

This issue of the Journal of Chromatography contains cumulative author and subject indexes covering volumes 111–120. In each entry, the volume number is placed in parentheses before the page number. The correspondence between volume number and year of publication is indicated as follows:

Volume No.	*Year*
111–115	1975
116–120	1976

JOURNAL
of
CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY,
ELECTROPHORESIS AND RELATED METHODS

Cumulative Author and Subject Indexes Volumes 111-120 (1975-1976)

EDITOR

MICHAEL LEDERER (Rome)

ASSOCIATE EDITOR

K. MACEK (Prague)

EDITORIAL BOARD

W.A. Aue (Halifax), V.G. Berezkin (Moscow), A. Bevenue (Honolulu, Hawaii), P. Boulanger (Lille), A.A. Boulton (Saskatoon), C.P. Cartoni (Rome), K.V. Chmutov (Moscow), G. Duyckaerts (Liège), L. Fishbein (Jefferson, Ark.), A. Frigerio (Milan), C.W. Gehrke (Columbia, Mo.), E. Gil-Av (Rehovot), G. Guiochon (Palaiseau), I.M. Hais (Hradec Králové), N.G.L. Harding (Cambridge), E. Heftmann (Berkeley, Calif.), S. Hjertén (Uppsala), E.C. Horning (Houston, Texas), J.F.K. Huber (Vienna), A.T. James (Sharnbrook), J. Janák (Brno), A.I.M. Keulemans (Eindhoven), K.A. Kraus (Oak Ridge, Tenn.), E. Lederer (Gif-sur-Yvette), A. Liberti (Rome), H.M. McNair (Blacksburg, Va.), Y. Marcus (Jerusalem), G.B. Marini-Bettòlo (Rome), R. Neher (Basel), G. Nickless (Bristol), J. Novák (Brno), O. Samuelson (Göteborg), G.-M. Schwab (Munich), G. Semenza (Zürich), L.R. Snyder (Tarrytown, N.Y.), A. Zlatkis (Houston, Texas)

EDITORS, BIBLIOGRAPHY SECTION

K. Macek (Prague), J. Janák (Brno), Z. Deyl (Prague)

EDITOR, BOOK REVIEW SECTION

R. Amos (Abingdon)

EDITOR, NEWS SECTION

J. F. K. Huber (Vienna)

COORDINATING EDITOR, DATA SECTION

J. Gasparič (Hradec Králové)

1976

© ELSEVIER SCIENTIFIC PUBLISHING COMPANY – 1976

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Scientific Publishing Company, P.O. Box 330, Amsterdam, The Netherlands.

Submission of an article for publication implies the transfer of the copyright from the author to the publisher and is also understood to imply that the article is not being considered for publication elsewhere.

Printed in The Netherlands

AUTHOR INDEX

VOLUMES 111–120

A

Abdeddaim, K.
---, Belabbes, R. and Vergnaud, J.-M.
Chromatographie utilisant simultanément la programmation de la température et l'inversion du sens du gaz vecteur. Influence des paramètres (111) 253
Adam, M., see Vytásek, R. (119) 549
Adam, S.
--- and Jennings, W.G.
Gas chromatographic separation of silylated derivatives of disaccharide mixtures on open tubular glass capillary columns (115) 218
Agarwal, N.
--- and Mital, R.L.
Thin-layer chromatography of some new angular heterocyclics (115) 264
Agarwal, N.L.
--- and Mital, R.L.
Thin-layer chromatographic separation and differentiation of some nuclear acetamides (120) 213
Agurell, S., see Fonseka, K. (120) 343
Aitzetmüller, K.
The liquid chromatography of lipids, A critical review (review) (113) 231
Akiyama, J.
--- and Mizuno, T.
Sensitivity of a newly designed potential gradient detector for isotachophoresis (119) 605
Al-Babbili, O., see Liebich, H.M. (112) 539
Albaigés, J., see Firpo, G. (117) 105
---, see Guardino, X. (118) 13
Albaugh, E.W.
High-performance liquid chromatographic dat data (111) 250
Ambrosius, D., see Klimisch, H.-J. (120) 299
Amico, V.
---, Oriente G. and Tringali, C.
Quantitative gas–liquid chromatography of non-protein amino acids (116) 439
Amin, M.
--- and Sepp, W.
Quantitative thin-layer chromatographic analysis of ergotamine tartrate and caffeine in the nanogram range (118) 225
Amneus, H.
---, Gabel, D. and Kasche, V.
Resolution in affinity chromatography. The effect of the heterogeneity of immobilized soybean trypsin inhibitor on the separation of pancreatic proteases (120) 391
Anderson, E., see Bertsch, W. (112) 701
Anderson, G.L., see Kauffman, G.B. (114) 465, (117) 455
Ando, T., see Fujimura, K. (114) 15
Andrawes, F.
---, Brazell, R., Parr, W. and Zlatkis, A.
Methionine dipeptide stationary phases for the resolution of enantiomers (112) 197
---, see Zlatkis, A. (112) 533
Angeles, R.M., see Freeman, D.H. (118) 157
Anisimov, A.F.
---, Berezkin, V.G., Zhuravleva, M.A., Lipavsky, V.N., Markelov, V.F. and Shkolina L.A.
Investigation of pre-column sample dilution in chromatographic systems with packed capillary columns (111) 409
Arlinger, L.
Preparative capillary isotachophoresis. Principle and some applications (119) 9
Arustamova, L.G., see Sultanov, N.T. (115) 553
Arx, E. von, see Von Arx, E. (120) 224
Ashes, J.R.
--- and Haken, J.K.
Gas chromatography of homologous esters. IX. Structure–retention increments of unsaturated esters (111) 171
--- and Haken, J.K.
Extension to the scheme of Rohrschneider. II. Substance polarity factors of the homologous esters (118) 183
Asmus, P.A.
---, Low, C.-E. and Novotný, M.
Preparation and chromatographic evaluation of chemically bonded ion-exchange stationary phases. I. Strong anion-exchanger (119) 25
Asshauser, J., see Halász, I. (112) 37

Aue, W.A.
---, Daniewski, M.M., Pickett, E.E. and McCullough, P.R.
Preparation of diatomaceous surfaces for the synthesis of bonded phases and trace analysis (111) 37
---, Hastings Vogt, C.R. and Younker, D.R.
A gas chromatographic cartridge desorption port (114) 184
--- and Kapila, S.
Hypercoulometric response in a d.c. electron capture detector (112) 247
---, see Kapila, S. (118) 233
Audino, J., see Kawano, Y. (115) 289

B

Baars, A.J.
---, Vermeulen, R.J. and Breimer, D.D.
Gas chromatographic determination of the laxative 1,8-dihydroxyanthraquinone in urine and faeces (120) 217
Bachman, A., see Vestergaard, P. (111) 75
Back, M.H., see Scacchi, G. (114) 255
Baerheim Svendsen, A., see Scheffer, J.J.C. (115) 607
---, see Verpoorte, R. (120) 203
Bailey, D.G.
---, Wilson, T.W. and Johnson, G.E.
A gas chromatographic method for measuring 6-mercaptopurine in serum (111) 305
Bajaj, K.L.
--- and Bhatia, M.S.
Structure-specific reagents for the detection of phenolic compounds (117) 445
Baker, K.M.
--- and Boyce, G.E.
The qualitative and quantitative determination of toluenesulphonic acid isomers (117) 471
Balinova, A.
Thin-layer chromatographic detection of some systemic fungicides and their metabolites (111) 197
Balzoni, M., see Ossicini, L. (117) 464
Bandyapadhyay, G.K.
--- and Dutta, J.
Separation of methyl esters of polyunsaturated fatty acids by argentation thin-layer chromatography (114) 280
Bandyopadhyay, P.K., see Ghosh, A.K. (117) 29
Bannard, R.A.B., see Bovenkamp, J.W. (118) 345
Bardou, L., see Berthou, F. (118) 135
Bárkai, J., see Bojti, E. (119) 321
Bartley, D.A., see Ottenstein, D.M. (119) 401
Batten, C.F., see Wentworth, W.E. (112) 229
Battilotti, M., see Lederer, M. (114) 488
Baty, J.D., see Chan, K. (120) 349
Baydarovtseva, M.A., see Rudenko, B.A. (112) 373
Bebris, N.K.
---, Vorobieva, R.G. Kiselev, A.V., Nikitin, Yu.S., Tarasova, L.V., Frolov, I.I. and Yashin, Ya.I.
Liquid chromatography on macroporous silica modified by layers of carbon and weakly polar polymers (117) 257
Beitler, U., see Charles, R. (112) 121
Békési, L., see Szentirmay, Zs. (119) 333
Belabbes, R., see Abdeddaim, K. (111) 253
---, Le Parlouer, P. and Vergnaud, J.-M.
Chromatographie en phase gazeuse avec "backflushing" et avec programmation du gradient longitudinal positif de température durant l'inversion du sens du gaz vecteur (120) 81
Belvedere, G.
---, Burti, L., Frigerio, A. and Pantarotto, C.
Gas chromatographic–mass fragmentographic determination of "steady-state" plasma levels of imipramine and desipramine in chronically treated patients (111) 313
---, Frigerio, A. and Pantarotto, C.
Gas chromatographic–mass fragmentographic determination of trazodone in rat plasma (112) 631
---, Pachecka, J., Cantoni, L., Mussini, E. and Salmona, M.
A specific gas chromatographic method for the determination of microsomal styrene monooxygenase and styrene epoxide hydratase activities (118) 387
Benedetto, S., see Mondino, A. (117) 236
Berezkin, V.G., see Anisimov, A.F. (111) 409
--- and Gavrichev, V.S.
Retention of hydrocarbons on gas chromatographic sorbents containing an organoclay (116) 9
---, Loschilova, V.D. and Pankov, A.G.
Development of a combined partition–chromatographic method (112) 353
--- and Shkolina, L.A.
Ammonia as a carrier gas and flame-forming agent in gas chromatography (119) 33
Berg, J.H.M. van den, see Deelder, R.S. (119) 99

Berlet, H.H., see Völkl, A. (115) 485
Bernard, D.M.
--- and Vercauteren, R.E.
A fluorogenic spray for the detection of phospholipids on thin-layer chromatograms (120) 211
Bernát, I., see Lombosi, T.S. (119) 307
Bernát, Zs. sz., see Lombosi, T.S. (119) 307
Berry, D.J.
Gas chromatographic analysis of 4-prenyl-1,2-diphenyl-3,5-pyrazolidinedione (feprazone) at therapeutic levels in human plasma (114) 159
Berthou, F.
---, Picart, D., Bardou, L. and Floch, H.H.
Separation of C_{19} and C_{21} dihydroxysteroids by open-hole tubular glass columns and lipophilic gel chromatography (118) 135
Bertilsson, L.
--- and Costa, E.
Mass fragmentographic quantitation of glutamic acid and γ-aminobutyric acid in cerebellar nuclei and sympathetic ganglia of rats (118) 395
Bertol, E.
---, Mari, F. and Froldi, R.
Détection de l'ibogaïne dans les liquides organiques (117) 239
Bertoni, G., see Bruner, F. (120) 200, 307
Bertsch, W.
---, Anderson, E. and Holzer, G.
Trace analysis of organic volatiles in water by gas chromatography–mass spectrometry with glass capillary columns (112) 701
Bethke, H., see Gübitz, G. (117) 337
Betina, V., see Ďuračková, Z. (116) 141, 155
Bevers, J., see Verachtert, H. (117) 295
Bhardwaj, T.R., see Singh, H. (114) 270
Bhatia, M.S., see Bajaj, K.L. (117) 445
Bhattacharjee, A.
--- and Bhaumik, A.
Rubidium benzenesulphonate as a stationary phase in the gas chromatography and separation of isomers of phenols and pyridine bases (115) 250
Bhaumik, A., see Bhattacharjee, A. (115) 250
---, see Guha, O.K. (119) 181
Bianchetti, G., see Vereczkey, L. (116) 451
Biemann, K., see Wong, L.K. (116) 321
Bier, M., see Kopwillem, A. (118) 35
Biller, E., see Schindlbauer, H. (115) 311
Billiar, R.B., see Castracane, V.D. (115) 244
Bishara, R.H.
--- and Jakovljevic, I.M.
Thin-layer chromatography of cinoxacin and some related compounds (116) 485
Black, C., see Ruh, M.F. (116) 480
Blagrove, R.J., see Frenkel, M.J. (111) 397
Blakeney, A., see Holmes, M.G. (115) 652
Blank, C.L.
Dual electrochemical detector for liquid chromatography (117) 35
Blomberg, L.
Deactivation of glass capillary columns for gas chromatography (115) 365
Bloom, P.J.
Application des chromatographies sur couche mince et gaz–liquide à l'analyse qualitative et quantitative des esters des acides aliphatiques dicarboxyliques (115) 571
Blu, G., see Martin, M. (112) 399
Blum, K., see Wallace, J.E. (114) 433
Bobeyko, W., see Wilkomirski, B. (116) 482
Bobotas, G., see Fiala, E.S. (117) 181
Boček, P.
---, Lekova, K., Deml, M. and Janák, J.
Separation of some typical Krebs cycle acids by high-speed isotachophoresis (117) 97
Bocquet, J.F.
--- and Pommier, C.
Utilisation des cristaux liquides comme phases stationnaires en chromatographie gaz–liquide. I. Thermodynamique des solutions de décane dans le 4,4'-dihexyloxyazoxybenzène (117) 315
Bodrogi, L., see Fehér, T. (111) 125
Bojti, E.
---, Mihók, M., Borbély, I., Bárkai, J.
General contribution to the theory of retention index systems in gas–liquid chromatography. II. Additivity of gas chromatographic interactions expressed by retention indices (119) 321
Bombardelli, E.
---, Bonati, A., Gabetta, B., Martinelli, E.M., Mustich, G. and Danieli, B.
Gas–liquid chromatographic and mass spectrometric identification of anthocyanidins (120) 115
Bonastre, J., see Grenier-Loustalot, M.F. (118) 1
Bonati, A., see Bombardelli, E. (120) 115
Borbély, I., see Bojti, E. (119) 321
Borisov, V.N., see Ioffe, B.V. (112) 311

Bortnikov, G.N.
---, Gorbunova, L.V., Kiselev, A.V., Makarenko, N.P., Mamysheva, O.N. and Yashin, Ya.I.
Study of the oxidation products of phenol-silicon compounds by molecular liquid chromatography (116) 169
Bossche, W. van den, see Crombez, E. (117) 161
Botha, D., see Serfontein, W.J. (115) 507
Boulton, A.A.
---, Gietz, W. and Pollak, V.
An experimental high-performance photodensitometer for quantitative chromatography. II. Preliminary assessment (paper) (115) 349
---, see Hui, K.S. (115) 581
---, see Pollak, V. (115) 335
Bournot, P.
---, Prost, M. and Maume, B.F.
Separation and characterization of the reduced metabolites of the 18-hydroxydeoxycorticosterone hormone by gas–liquid chromatography–mass spectrometry. Occurrence of stereoisomeric forms in rat adrenals and liver (112) 617
Bovenkamp, J.W.
---, Moir, R.Y., Casselman, A.A. and Bannard, R.A.B.
Gas–liquid chromatography of several families of isomeric 1,2,3-trisubstituted cyclohexanols and cyclopentanols and their acetates (118) 345
Boyce, G.E., see Baker, K.M. (117) 471
Brain, K.R., see Lines, D.S. (117) 59
Brazell, R., see Andrawes, F. (112) 197
Brechbühler, S., see Degen, P.H. (118) 363
---, see Jack, D.B. (115) 87
Breimer, D.D., see Baars, A.J. (120) 217
Brennan, P.J., see Hackett, J.A. (117) 436
Breter, H.-J.
---, Seibert, G. and Zahn, R.K.
The use of high-pressure liquid cation-exchange chromatography for determination of the 5-methylcytosine content of DNA (118) 242
Breyer, U.
--- and Villumsen, D.
Thin-layer chromatographic determination of barbiturates and phenytoin in serum and blood (115) 493
Brinkman, U.A.Th.
---, Seetz, J.W.F.L. and Reymer, H.G.M.
High-speed liquid chromatography of polychlorinated biphenyls and related compound (116) 353
---, Van Schaik, T.A.M., De Vries, G. and De Visser, A.C.
Analysis and purification of 2-hydroxyethyl methacrylate by means of thin-layer chromatography (115) 195
Bronsgeest, J.M., see Tuinstra, L.G.M.Th. (111) 448
Brooks, C.J.W., see Edmonds, C.G. (116) 173
--- and Smith, A.G.
Cholesterol oxidase. Further studies of substrate specificity in relation to the analytical characterisation of steroids (112) 499
Brown, J.H.
---, Walker, S., Casto, L. and Howell, R.R.
Computerized data analysis of amino acids in physiologic fluids (116) 293
Brown, P.R., see Hartwick, R.A. (112) 651
Bruening, W.
--- and Concha, F.J.M.
Selective detector for gas chromatography based on the chemiluminescence of ozone reactions (112) 253
Brugger, M., see Von Arx, E. (120) 224
Bruner, F.
---, Bertoni, G. and Ciccioli, P.
Comparison of physical and gas chromatographic properties of Sterling FT and Carbopack C graphitized carbon blacks (120) 307
---, Ciccioli, P. and Bertoni, G.
Analysis of sulphur compounds in environmental samples with specific detection and selective columns (120) 200
Budd, R., see Jain, N.C. (116) 194
Budd, R.D., see Jain, N.C. (115) 519
Büchert, A.
--- and Løkke, H.
Gas chromatographic–mass spectrometric identification of phenylurea herbicides after N-methylation (115) 682
Buonocore, V.
---, Poerio, E., Gramenzi, F. and Silano, V.
Affinity column purification of amylases on protein inhibitors from wheat kernel (114) 109
Burns, D.T.
---, Stretton, R.J. and Jayatilake, S.D.A.K.
Pyrolysis gas chromatography as an aid to the identification of *Penicillium* species (116) 107
Burt, R.J.
---, Ridge, B. and Rydon, H.N.
4,4'-Bis(dimethylaminodiphenylcarbinol), a sensitive spray reagent for the detection of thiols and carboxylic acids (118) 240

Burti, L., see Belvedere, G. (111) 313
Busbice, M.E.
--- and Wankat, P.C.
pH Cycling zone separation of sugars. A preparative separation technique for counter-current distribution and chromatography (114) 369
Buser, H.-R.
Polychlorinated dibenzo-*p*-dioxins. Separation and identification of isomers by gas chromatography–mass spectrometry (114) 95
Bush, L.P.
--- and Jefferson, J.A.D.
Isolation and separation of tall fescue and ryegrass alkaloids (111) 165
Butaeva, I.L., see Vitenberg, A.G. (112) 319
Buttler, G.W., see Ross, W.D. (112) 719
Bye, A.
--- and Land, G.
Determination of 3-(5-tetrazolyl) thioxanthone 10,10-dioxide in human plasma, urine and faeces (115) 93

C

Cadet, J.
--- and Téoule, R.
Séparation des quatre diastéréoisomères de l'hydroxy-6-dihydro-5,6-thymidine formés par radiolyse γ de la thymidine en solution aqueuse désaérée (115) 191

Caissie, G.E.
--- and Mallet, V.N.
The fluorometric detection of pesticides on aluminium oxide layers (117) 129

Caldes, G.
--- and Prescott, B.
A simple method for the detection and determination of trehalose by spot elution paper chromatography (111) 466

Caletka, R.
---, Tympl, M. and Kotas, P.
Sorption properties of iron(II) sulphide prepared by the sol–gel method (111) 93

Callmer, K.
Separation and quantitative determination of trimethylolpropane and pentaerythritols in industrial synthesis solutions by high-performance liquid chromatography (115) 397

Calvey, T.N., see Chan, K. (120) 349

Camara, S.A., see Valle, L.B.S. (115) 183

Campillo, J.P. see Grenier-Loustalot, M.F. (118) 1

Cano, J.P., see Viala, A. (111) 299

Cantoni, L., see Belvedere, G. (118) 387

Carbó, R., see Firpo, G. (117) 105

Cardinaud, R.
--- and Holguin, J.
Thin-layer chromatography of purine and pyrimidine bases and deoxyribonucleoside analogues. II. (115) 673

Casselman, A.A., see Bovenkamp, J.W. (118) 345

Cassidy, R.M.
A selective method for elemental sulfur analysis by high-speed liquid chromatography (117) 71

Castello, G.
--- and D'Amato, G.
Influence of vapour pressure, activity coefficient and structure on the retention volumes of branched-chain nonanes (116) 249

Castells, R.C.
The determination of solution and adsorption enthalpies in systems with mixed mechanisms (111) 1

Castiglioni, M., see Volpe, P. (114) 23

Castle, M.C.
Isolation and quantitation of picomole quantities of digoxin, digitoxin and their metabolites by high-pressure liquid chromatography (115) 437

Casto, L., see Brown, J.H. (116) 293

Castracane, V.D.
---, Rahman, S.S. and Billiar, R.B.
Separation of 5α-pregnan-3,20-dione and progesterone on Sephadex LH-20 (115) 244

Cavallini, D., see De Marco, C. (114) 291

Celli, C., see Ossicini, L. (115) 655

Chamberlain, A.T.
A simple method for rapid alkali flame ionisation detector optimisation (116) 180

Champagnol, F.
Chromatographie d'affinité de l'anhydrase carbonique végétale (120) 489

Chan, K.
---, Williams, N.E., Baty, J.D. and Calvey, T.N.
A quantitative gas–liquid chromatographic method for the determination of neostigmine and pyridostigmine in human plasma (120) 349

Chang, J.Y.
--- and Creaser, E.H.
Separation of 4-N,N-dimethylaminoazobenzene-4'-sulfonyl amino acids on polyamide sheets (116) 215

Chang, S.H.
---, Gooding, K.M. and Regnier, F.E.
Use of oxiranes in the preparation of bonded phase supports (120) 321

Charles, R.
---, Beitler, U., Feibush, B. and Gil-Av, E.
Separation of enantiomers on packed columns containing optically active diamide phases (112) 121

Chawla, H.M.
---, Chibber, S.S. and Khera, U.
Separation and identification of some hydroxyxanthones by thin-layer chromatography (111) 246
Chen, P.N., see Kingston, D.G.I. (118) 414
Chibber, S.S., see Chawla, H.M. (111) 246
Chimiak, A.
--- and Połoński, T.
Thin-layer chromatographic separation of diaminodicarboxylic acid stereoisomers and their dansyl derivatives (115) 635
Chinn, D., see Jain, N.C. (116) 194
Chizhkov, V.P.
---, Yushina, G.A., Sinitzina, L.A. and Rudenko, B.A.
Preparative-scale circulation gas chromatography, Comparison of long pacekd columns with columns incorporated into circulation schemes (120) 35
Chmel, K.
--- and Chmelová-Hlavatá, V.
Verwendung der TAS-Methode zur Analyse der Droge Cortex Chinae (118) 276
Chmelová-Hlavatá, V., see Chmel, K. (118) 276
Chmutov, K.V., see Kalinichev, A.I. (120) 249
Choudhary, V.R.
--- and Menon, P.G.
Gas chromatographic determination of effective diffusivities and heats of adsorption of C_5–C_8 hydrocarbons on a commercial platinum–alumina reforming catalyst (116) 431
Chow, C.D.
Styragel as packing for aqueous permeation chromatography (114) 486
Chrastil, J.
A method for detecting free phenolic groups and indole derivatives in thin-layer or paper chromatography (115) 273
Christie, J.
---, White, M.W. and Wiles, J.M.
A chromatographic method for the detection of LSD in biological fluids (120) 496
Chu, S.-Y.
--- and Sennello, L.T.
High-pressure liquid chromatographic determination of 2-aminoethyl hydrogen sulfate in plasma and urine (117) 415
Chundela, B.
--- and Šlechtová, R.
Excretion of methoxyphenamine and its metabolites in urine (119) 609
Churáček, J., see Jandera, P. (115) 9
---, Komárek, K. and Komárková, H.
Eine einfache Apparaturvorrichtung für Reaktionsgaschromatographie (119) 613
---, see Komárková, H. (119) 243
Ciccioli, P., see Bruner, F. (120) 200, 307
Ciszewska, M., see Soczewiński, E. (111) 21
Ciubotariu, D., see Schulz, P. (111) 430
Clarke, B.J., see Kagi, D.A. (115) 79
Clercq, H. de, see De Clercq, H. (115) 1
Clerk, K. de, see Cloete, C.E. (120) 1, 17, 29
Cloete, C.E.
---, Smuts, T.W. and De Clerk, K.
The gas chromatographic determination of binary diffusion coefficients. I. A theoretical design study (120) 1
---, Smuts, T.W. and De Clerk, K.
The gas chromatographic determination of binary diffusion coefficients. II. An experimental evaluation (120) 17
---, Smuts, T.W. and De Clerk, K.
The chromatographic determination of the parameters in the Lennard–Jones 12–6 potential (120) 29
Cockerill, A.F.
---, Mallen, D.N.B., Osborne, D.J. and Prime, D.M.
Analysis of 1-(2-phenyladamant-1-yl)-2-methylaminopropane as its chlorodifluoroacetyl derivative (114) 151
Colin, H.
---, Eon, C. and Guiochon, G.
Modified carbon black in high-performance liquid chromatography (119) 41
Čollák, M., see Krupčik, J. (119) 271
Colombo, A., see Pinelli, A. (118) 236
Comba, M.E., see Onuska, F.I. (119) 385
Comins, N.R., see Schicke, J.D. (112) 97, (114) 190, (115) 373
Concha, F.J.M., see Bruening, W. (112) 253
Conradi, E., see Walle, T. (114) 351
Conway, W.D.
--- and Melethil, S.
A gas chromatographic assay for probenecid and its metabolites in biological fluids (115) 222
Corcia, A. Di, see Di Corcia, A. (117) 199
Cornell, J.H., see Merritt, Jr., C. (112) 301
Cossu, P., see De Marco, C. (114) 291, (115) 621
---, see Rinaldi, A. (120) 221
Costa, E., see Bertilsson, L. (118) 395
Costello, C.E., see Wong, L.K. (116) 321

Čoupek, J., see Lukáš, J. (114) 335
———, see Mikeš, O. (119) 339
———, Pokorný, S., Mareš, F., Žežulková, L., Luan, N.-T. and Pokorný, J.
Comparison of chromatographic methods for the analysis of glycerol esters (120) 411
———, see Vytášek, R. (119) 549
Cox, G.B.
Determination of 2-mercaptobenzothiazole in waste dump effluent by high-pressure liquid chromatography (116) 244
———, Loscombe, C.R., Slucutt, M.J., Sugden, K. and Upfield, J.A.
The preparation, properties and some applications of bonded ion-exchange packings based on microparticulate silica gel for high-performance liquid chromatography (117) 269
Cram, S.P.
——— and Glenn, Jr., T.H.
Instrumental contributions to band broadening in gas chromatography. I. Development of a model (112) 329
——— and Glenn, Jr., T.H.
Instrumental contributions to band broadening in gas chromatography. II. Experimental evaluation (119) 55
Cramers, C.A.
——— and Trimbos, H.F.
Development of an on-line analyzer for organic anaesthetics in inspiratory and end-tidal gases (119) 71
Crathorne, B.
———, Edwards, M.W., Jones; N.R., Walters, C.L. and Woolford, G.
Use of isomers in the detection and estimation of volatile nitrosamines by combined high-resolution mass spectrometry–gas chromatography (115) 213
Creaser, E.H., see Chang, J.Y. (116) 215
Cremer, E.
———, Deutscher, F., Fill, P. and Krämer, R.
Die Dicke der mobilen Phase bei der Dünnfilmchromatographie (119) 85
Crist, H.L.
——— and Moseman, R.F.
Improved recovery of hexachlorobenzene in adipose tissue with a modified micro multiresidue procedure (117) 143
Cristalli, A.
——— and Grassini Strazza, G.
A comparison of several silica gel pre-coated thin layers for the separation of some cobalt-(III) complexes (111) 452
Crombez, E.
———, Van den Bossche, W. and De Moerloose, P.
Gas chromatographic determination of camylofine dihydrochloride in tablets and suppositories (117) 161
Cuddeback, R.M., see Kopwillem, A. (118) 35
Cunliffe, W.J., see Edwards, J.C. (115) 283
Curtius, H. Ch.
———, Wolfensberger, M., Redweik, U., Leimbacher, W., Maibach, R.A. and Isler, W.
Mass fragmentography of 5-hydroxytryptophol and 5-methoxytryptophol in human cerebrospinal fluid (112) 523
Czajkowska, T.
——— and Waksmundzki, A.
The properties of binary stationary phases in gas–liquid partition chromatography. Complex association systems (119) 91

D

Dahle, H.K., see Skaare, J.U. (111) 426

Dalmaz, Y.
--- and Peyrin, L.
Specific ion-exchange chromatography and fluorimetric assay for urinary 3-O-methyldopamine (116) 379

D'Amato, G., see Castello, G. (116) 249

Damm, K.H., see Züllich, G. (115) 117

Danieli, B., see Bombardelli, E. (120) 115

Daniewski, M.M., see Aue, W.A. (111) 37

Danne, U., see Michael, G. (118) 104

Darby, F.J., see Pryde, A. (115) 107

Darvill, A.G.
---, Roberts, D.P. and Hall, M.A.
Improved gas–liquid chromatographic separation of methylated acetylated alditols (115) 319

Das, G., see Runeckles, V.C. (115) 240

Datar, A.G.
--- and Ramanathan, P.S.
Physico-chemical and gas–solid chromatographic evaluation of surface-modified silica gels (114) 29

Davé, B.A.
---, Vaughn, R.H. and Patel, I.B.
Preparation, separation and degradation of oligouronides produced by the polygalacturonic acid transeliminase of *Bacillus pumilus* (116) 395

David, G.S., see Wang, R. (114) 223

Davies, A.C.M.
The application of chromatographic data to commodity source identification (115) 293

Davis, B.A., see Hui, K.S. (115) 581

Davy, K.W.M.,
--- and Morris, C.J.O.R.
Applications of gas–liquid chromatography in protein chemistry. Determination of C-terminal sequences on nanomolar amounts of proteins (116) 305

De Clercq, H.
--- and Massart, D.L.
Evaluation and selection of optimal solvents and solvent combinations in thin-layer chromatography. Application of the method to basis drugs (115) 1

De Clerk, K., see Cloete, C.E. (120) 1, 17, 29

Deelder, R.S.
---, Ramaekers, J.J.M., Van den Berg, J.H.M. and Wetzels, M.L.
Study of the efficiency of support-coated open-tubular columns for steroid analysis (119) 99

Dees, S.B., see Moss, C.W. (112) 595

Degen, P.H.
---, Brechbühler, S., Schäublin, J. and Riess, W.
The determination of phanquone in biological material by gas–liquid chromatography (118) 363
---, see Geiger, U.P. (111) 293
---, see Jack, D.B. (115) 87
--- and Riess, W.
The determination of γ-amino-β-(*p*-chlorophenyl) butyric acid (balcofen) in biological material by gas–liquid chromatography (117) 399
---, Schneider, W., Vuillard, P., Geiger, U.P. and Riess, W.
The determination of clioquinol in biological materials by extractive alkylation and gas–liquid chromatography (117) 407

Deguchi, T.
Gel chromatographic behaviour of EDTA complexes on Sephadex columns (120) 159

Dehennin, L.
--- and Scholler, R.
A new derivative for the gas–liquid chromatography with electron capture detection of steroidal secondary alcohols (111) 238

Del Giudice, M.R., see Settimj, G. (116) 263

De Ligny, C.L.
---, Koole, N.J., Nelson, H.D. and Nieuwdorp, G.H.E.
Determination of complex association constants from gas chromatographic data. III. Hydrogen bonding between substituted alcohols and some hexadecyl derivatives and dioctyl compounds (114) 63

De Marco, C.
---, Cossu, P., Rinaldi, A. and Dernini, S.
Ion-exchange chromatography of some selenodiamines (115) 621
---, see Rinaldi, A. (120) 221
---, Rinaldi, A., Dernini, S., Cossu, P. and Cavallini, D.
Chromatographic separation of lysine, thialysine and selenalysine (114) 291
Dembitzky, V.M., see Vaskovsky, V.E. (115) 645
Deming, S.N., see Morgan, S.L. (112) 267
Deml, M., see Boček, P. (117) 97
De Moerloose, P., see Crombez, E. (117) 161
Den, H.
---, Malinzak, D.A. and Rosenberg, A.
Cytotoxic contaminants in commercial *Clostridium perfringens* neuraminidase preparations purified by affinity chromatography (111) 217
De Pace, A., see Verebey, K. (118) 331
Dernini, S., see De Marco, C. (114) 291, (115) 621
Desideri, P.G., see Lepri, L. (116) 131
De Silva, J.A.F., see Puglisi, C.V. (118) 371, (120) 457
Deur-Šiftar, D., see Ramljak, Z. (119) 445
Deutscher, F., see Cremer, E. (119) 85
De Villiers, L.S., see Serfontein, W.J. (115) 507
De Visser, A.C., see Brinkman, U.A.Th. (115) 195
De Vries, G., see Brinkman, U.A.Th. (115) 195
Dey, A.K., see Yadava, P.C. (119) 563
Deyl, Z., see Vytášek, R. (119) 549
De Zeeuw, R.A., see Westenberg, H.G.M. (118) 217
Di Corcia, A.
--- Samperi, R.
Gas chromatographic separation at 50°of C_4 and C_5 hydrocarbons (117) 199
Dieckmann, K.-P., see Langenbeck, U. (115) 65
Dimitrov, Chr., see Petsev, N.D. (114) 204
Dimitrova, Z.St., see Vitenberg, A.G. (112) 319
Dimov, N.
Qualitative gas chromatographic analysis and determination of solute properties. An exact equation for the calculation of the retention indices of isoalkanes on squalance (119) 109
Dineen, R.W.
--- and Grey, D.O.
Paper chromatography of the ethyl esters of aspartic acid (111) 248
Dinya, Z., see Toth-Martinez, B.L. (115) 205
DiPietro, C., see Merritt, Jr., C. (112) 301
Di Simone, L., see Settimj, G. (116) 263
Di Tullio, G., see Long, M. (117) 305
Dobson, Jr., J.G., see Trifilo, R.M. (116) 465
Dolanský, V., see Popl., M. (117) 117
Donike, M.
Control of trimethylsilylation potential and trimethylsilylation capacity by the use of colour indicators (115) 591
Donnahey, P.L., see Rees, H.H. (116) 281
Doyle, J.F., see Schwartz, R.D. (112) 111
Drevenkar, V., see Reinhard, M. (116) 43
Drozd, J.
Chemical derivatization in gas chromatography (review) (113) 303
Duffy, T.G., see Ross, W.D. (112) 719
Ďuračková, Z.
---, Betina, V. and Nemec, P.
Systematic analysis of mycotoxins by thin-layer chromatography (116) 141
---, Betina, V. and Nemec, P.
Bioautographic detection of mycotoxins on thin-layer chromatograms (116) 155
Durand, A., see Viala, A. (111) 299
Durand, M.H., see Lafosse, M. (118) 283
Durst, H.D., see Grushka, E. (112) 673
Dutta, J., see Bandyapadhyay, G.K. (114) 280
Dwight, D.J.
---, Lorch, E.A. and Lovelock, J.E.
Iron-55 as an Auger electron emitter. Novel source for gas chromatography detectors (116) 257
Dyer, A.
---, Leigh, D. and Sharples, W.E.
Gas adsorption studies on ion-exchanged forms of crystalline zirconium phosphate (118) 319

E

Edlund, M., see Kawano, Y. (115) 289
Edmonds, C.G.
--- and Brooks, C.J.W.
Separation and identification of unsaturated steroids by combined gas chromatography–mass spectrometry with Silanox®-type glass open tubular columns (116) 173
Edwards, G.T., see Vernon, F. (114) 87
Edwards, J.C.
---, Williamson, B. and Cunliffe, W.J.
Methylation of skin surface lipid free fatty acids. Comparison of methods (115) 283
Edwards, M.W., see Crathorne, B. (115) 213
Edwards, R.A., see Senanayake, U.M. (116) 468
Eichholtz, P.C.N.
Determination of therapeutic levels of amitriptyline in serum by gas–liquid chromatography (111) 456
Eikelboom, T.D., see Rodrigues de Miranda, J.F. (114) 274
Eisen, O., see Lille, Ü. (116) 1
---, see Rang, S. (119) 451
Eisenbrand, G.
---, Janzowski, C. and Preussmann, R.
Gas chromatographic determination of N-nitrosoamino acids by trimethylsilylation and single-ion mass fragmentography (115) 602
Eksborg, S., see Mellström, B. (116) 475
Elander, M., see Hoppel, C. (116) 53
Eldjarn, L., see Jellum, E. (112) 573
Elgass, H., see Engelhardt, H. (112) 415
Eltekov, Yu. A.
--- and Nazansky, A.S.
Gel permeation chromatography of polymers on macroporous silicas (116) 99
Endele, R., see Halász, I. (112) 37
--- and Lettenbauer, G.
Hochdruckflüssigchromatographische Bestimmung von Allopurinol und Oxipurinol in Serum (115) 228
Engelhardt, H.
--- and Elgass, H.
Problems in the application of gradient elution to high-pressure liquid chromatography (112) 415
Engewald, W.
---, Epsch, K., Welsch, Th. and Graefe, J.
Molekülstruktur und Retentionsverhalten. VI. Retentionsverhalten von Bicyclo[*n.m.*0]-alkanen bei der Gas-Adsorptions- und Gas-Verteilungs-Chromatographie (119) 119
---, see Hofmann, H.-J. (115) 299
Eon, C., see Martin, M. (112) 399
---, see Colin, H. (119) 41
Epsch, K., see Engewald, W. (119) 119
Epton, R.
---, Holloway, C. and McLaren, J.V.
Enzacryl®gel packings. Inorganic salt compatibility, pH stability and ion-exchange derivatives (117) 245
Erhardt, P.W.
---, Smith, R.V., Sayther, T.T. and Keiser, J.E.
Thin-layer chromatography of apomorphine and its analogs (116) 218
Ersser, R.S.
Ion-exchange chromatography of the more basic amino acids of protein hydrolysates using stepwise changes of buffers containing borate ions (115) 612
Eskes, D.
A procedure for the differentiation of the optical isomers of amphetamine and methamphetamine by thin-layer chromatography (117) 442
Ess, L., see Küllik, E. (118) 313
Ettre, L.S.
The development of gas chromatography (112) 1
---, see Hartigan, M.J. (119) 187
Evans, D.J.
---, Mayfield, R.J. and Russell, I.M.
Rapid estimation of trace amounts of ethylenimine by high-pressure liquid chromatography (115) 391
Evans, N.
---, Games, D.E., Jackson, A.H. and Matlin, S.A.
Applications of high-pressure liquid chromatography and field desorption mass spectrometry in studies of natural porphyrins and chlorophyll derivatives (115) 325
Evans, R.T.
Gas–liquid chromatographic method for the measurement of methyl urea in blood and urine (118) 357
Everaerts, F.M.
---, Geurts, M., Mikkers, F.E.P. and Verheggen, Th.P.E.M.
Analytical isotachophoresis (119) 129

F

Fagerson, I.S., see Sabbagh, N.K. (120) 55
Fallick, G.J., see Little, J.N. (112) 389
Fanali, S., see Shukla, S.K. (114) 451
Farey, M.G.
--- and Wilson, S.E.
Quantitative determination of tetryl and its degradation products by high-pressure liquid chromatography (114) 261
Faupel, M., see Von Arx, E. (120) 224
Favretto, L., see Stancher, B. (111) 459
Favretto Gabrielli, L., see Stancher, B. (111) 459
Fehér, K.G., see Fehér, T. (111) 125
Fehér, T.
---, Fehér, K.G. and Bodrogi, L.
A simple gas–liquid chromatographic method with electron capture detection for the determination of progesterone in blood of humans and domestic animals (111) 125
Feibush, B., see Charles, R. (112) 121
Felstead, G., see Murren, C. (115) 236
Fenimore, D.C.
Gradient temperature programming of short capillary columns (112) 219
Fiala, E.S.
---, Bobotas, G., Kulakis, C. and Weisburger, J.H.
Separation of 1,2-dimethylhydrazine metabolites by high-pressure liquid chromatography (117) 181
Fiala, V., see Morot-Gaudry, J.F. (117) 279
Filimonov, V.Ya., see Kalinichev, A.I. (120) 249
Fill, P., see Cremer, E. (119) 85
Filonenko, G.V.
--- and Korol, A.N.
Comparison of static and gas chromatographi solubility data (119) 157
Firpo, G.
---, Gassiot, M., Martín, M., Carbó, R., Guardino, X. and Albaigés, J.
Empirical quantum chemical approach to structure–gas chromatographic retention index relationships. II. Cyclohexane derivatives (117) 105
---, see Guardino, X. (118) 13
Fischer, G., see Michael, G. (118) 104
Fischer, G.W.
Vinyloge acylverbindungen. XV. Dünnschichtchromatographischer Nachweis toxikologisch relevanter 2-Halogenvinylketone (117) 137
Fischer, H., see Reichling, J. (115) 670
Fischer, J.R., see McCormick, J.P. (117) 428
Fitzell, D.L., see Hsieh, D.P.H. (117) 474
Floch, H.H., see Berthou, F. (118) 135
Fonseka, K.
---, Widman, M. and Agurell, S.
Chromatographic separation of cannabinoids and their monooxygenated derivatives (120) 343
Fox, K., see Klimisch, H.-J. (120) 482
Franc, J.
---, Pikeš, V. and Hájková, M.
Detection of aromatic sulphonic acids (119) 616
Fránek, M.
--- and Hruška, K.J.
Separation of free and protein-bound ligands in the radioimmunoassay by gel filtration–centrifugation (119) 167
Freeman, D.H.
---, Angeles, R.M. and Poinescu, I.C.
High-performance liquid chromatographic separation of RDX and HMX explosives on adsorptive polymers (118) 157
Frei, R.W., see Gübitz, G. (117) 337
---, see Lindner, W. (111) 365, (117) 81
---, see Santi, W. (115) 423
---, Santi, W. and Thomas, M.
Liquid chromatography of dansyl derivatives of some alkaloids and the application to the analysis of pharmaceuticals (116) 365
Frenkel, M.J.
--- and Blagrove, R.J.
Controlled pore glass chromatography of protein–sodium dodecyl sulphate complexes (111) 397
Frigerio, A., see Belvedere, G. (111) 313, (112) 631
---, see Vereczkey, L. (116) 451
Froldi, R., see Bertol, E. (117) 239
Frolov, I.I., see Bebris, N.K. (117) 257

Fujimoto, Y., see Tanaka, A. (117) 149
Fujimura, K.
--- and Ando, T.
Studies on ligand-exchange chromatography. V. Gas chromatographic separation of lower aliphatic amines by ligand exchange (114) 15
Fuller, R.K., see Neiderhiser, D.H. (117) 187
Fumero, S., see Mondino, A. (117) 236
Furner, R.L.
--- and Mellet, L.B.
Scissors for segmentation of instant thin-layer or paper chromatograms (111) 195
Furst, A., see Meagher, R.B. (117) 211

G

Gabel, D., see Amneus, H. (120) 391
Gabetta, B., see Bombardelli, E. (120) 115
Gajári, J., see Szentirmay, Zs. (119) 333
Games, D.E., see Evans, N. (115) 325
Garaj, J., see Krupčik, J. (112) 189
---, see Masaryk, J. (115) 256
Garle, M., see Hoppel, C. (116) 53
Garzó, G.
--- and Hoebbel, D.
Gas chromatographic retention characteristics of trimethylsilylated silicate anions (119) 173
Gassiot, M., see Firpo, G. (117) 105
---, see Guardino, X. (118) 13
Gavrichev, V.S., see Berezkin, V.G. (116) 9
Gehrke, C.W., see Lakings, D.B. (116) 69
Geiger, U.P., see Degen, P.H. (117) 407
---, Degen, P.H. and Siouffi, A.
Quantitative assay of diclofenac in biological material by gas–liquid chromatography (111) 293
---, Rajagopalan, T.G. and Riess, W.
Quantitative assay of maprotiline in biological fluids by gas–liquid chromatography (114) 167
Gelbke, H.P.
--- and Stubenrauch, G.
The detection of A-ring-hydroxylated estrogens and their methyl ethers on ascorbic acid-impregnated paper and thin-layer chromatograms (120) 239
Gerhart, B.B., see Kingston, D.G.I. (116) 182
Gerna, M.
--- and Morselli, P.L.
A simple and sensitive gas chromatographic method for the determination of clonazepam in human plasma (116) 445
Gerritsma, K.W., see Van der Vijver, L.M. (114) 443
Gesser, H.D., see Gough, K.M. (115) 383
Geurts, M., see Everaerts, F.M. (119) 129
Ghose, A.K., see Yadava, P.C. (119) 563
Ghosh, A.K.
---, Rajwar, D.P., Bandyopadhyay, P.K. and Ghosh, S.K.
Concentration technique for determination of air pollutants at sub-micro level. A new technique for concentration of carbon monoxide (117) 29
Ghosh, S.K., see Ghosh, A.K. (117) 29
Gietz, W., see Boulton, A.A. (115) 349
Giger, W., see Reinhard, M. (116) 43
Gil-Av, E., see Charles, R. (112) 121
Giudice, M.R. del, see Settimj, G. (116) 263
Glasl, H.
Simple and rapid determination of *cis*- and *trans*-spiroethers in *Matricaria chamomilla* by liquid chromatography (114) 215
Glenn, Jr., T.H., see Cram, S.P. (112) 329, (119) 55
Glynne-Jones, E.
---, Marshall, R., Hann, R.A. and Read, G.
The purification of chlorophyl *a* from spinach leaves by partition chromatography on Bio-Glas columns (114) 232
Görög, S., see Laukó, A. (118) 409
--- and Laukó, A.
Analysis of steroids. XXVI. Transformation of 3-methoxy-2,5(10)-diene steroids during their gas chromatographic analysis (118) 411
Gołkiewicz, W., see Soczewiński, E. (118) 91
Gonnet, C.
--- and Rocca, J.L.
Séparation de produits pharmaceutiques par chromatographie en phase liquide à haute performance. Influence de l'eau. II (120) 419
---, see Viricel, M. (115) 41
Gooding, K.M., see Chang, S.H. (120) 321
Goodrich, J.E., see Mattox, V.R. (120) 435
Goodwin, T.W., see Rees, H.H. (116) 281
Góralski, J., see Paryjczak, T. (120) 291
Gorbunova, L.V., see Bortnikov, G.N. (116) 169

Gorvin, A.E.P., see Twitchett, P.J. (120) 359
Goryacheva, N.A., see Kalinichev, A.I. (120) 249
Goto, K., see Kamata, E. (115) 660
Goto, M., see Ikawa, S. (114) 237
Gough, K.M.
--- and Gesser, H.D.
The extraction and recovery of phthalate esters from water using porous polyurethane foam (115) 383
Gough, T.A., see Russev, P. (119) 461
Graefe, J., see Engewald, W. (119) 119
Gramenzi, F., see Buonocore, V. (114) 109
Grant, F.W.
Chromogenic response of aqueous cobalt thiocyanate to lipophilic drugs (116) 230
Grassini Strazza, G., see Cristalli, A. (111) 452
Gray, D.O., see Dineen, R W. (111) 248
---, see Sharpe, S. (120) 473
Greenhouse, V.Y., see Wilson, N. (118) 75, 83
Grenier, P., see Grenier-Loustalot, M.F. (118) 1
Grenier-Loustalot, M.F.
---, Metras, F., Campillo, J.P., Bonastre, J. and Grenier, P.
Chromatograhie préparative en phase gazeuse. Programme de calcul pour l'étude de la relation entre l'efficacité, la résolution et la pureté des produits (118) 1
Gressel, J.
--- and Robards, A.W.
Polyacrylamide gel structure resolved? (114) 455
Grob, K.
--- and Zürcher, F.
Stripping of "trace" organic substances from water. Equipment and procedure (117) 285
Groschinsky, M., see Lindström, B. (114) 459
Gruber, H., see Schindlbauer, H. (115) 311
Gruber, V.F., see VandenHeuvel, W.J.A. (112) 513, (114) 476
Grundey, U.
--- and Kraus, P.
Separation of radioactively labelled isomers of hexachlorocyclohexane by preparative thin-layer chromatography (117) 242
Grushka, E.
---, Durst, H.D. and Kikta, Jr., E.J.
Liquid chromatographic separation and detection of nanogram quantities of biologically important dicarboxylic acids (112) 673
--- and Solsky, J.F.
Solid support surface effects on the chromatographic behavior of a liquid crystal stationary phase (112) 145
Grzybowski, J., see Piekos, R. (116) 315, (117) 43
Guardino, X.
---, Albaigés, J., Firpo, G., Rodriquez-Viñals, R. and Gassiot, M.
Accuracy in the determination of the Kováts retention index. Mathematical dead time (118) 13
---, see Firpo, G. (117) 105
Gübitz, G.
---, Frei, R.W. and Bethke, H.
Fluorescence densitometric method for the determination of gluconic and lactobionic acids ("sugar acids") in pharmaceutical preparations (117) 337
Gugler, R.
--- and Jensen, C.
A rapid gas chromatographic method for the determination of chlorophenoxyisobutyric acid in plasma and urine (117) 175
Guha, O.K.
--- and Bhaumik, A.
Gas chromatography of the system phenanthrene–anthracene–carbazole on a column of cadmium chloride modified with Carbowax 20M (119) 181
---, see Novák, J. (112) 365
Guiochon, G., see Colin, H. (119) 41
---, see Martin, M. (112) 399
Gump, B.H., see Kauffman, G.B. (117) 455, (118) 433
Gunatilaka, A.A.L.
Thin-layer chromatography of N-nitrosamines (120) 229
Gupta, A.P., see Qureshi, M. (118) 167
Gutman, H.R.
---, Malcjka-Giganti, D. and McIver, R.
Identification of carcinogenic acetates of fluorenylhydroxamic acids by high-pressure liquid chromatography (115) 71
Gvozdovich, T.N.
---, Kiselev, A.V. and Yashin, Ya. I.
Gas and liquid chromatography on Silochrom modified with a surface film of melone (116) 63

H

Hackett, J.A.
——— and Brennan, P.J.
Reaction of fungal ceramides containing α-hydroxy acids with the periodate–Schiff reagents (117) 436
Haefelfinger, P.
Determination of nanogram amounts of primary aromatic amines and nitro compounds in blood and plasma (111) 323
Haeffner, L.J.
———, Smith Magen, J. and Kowlessar, O.D.
The gas–liquid chromatographic separation of selected catecholamines on polyamide A103 (118) 425
Hagerman, D.D., see Kautsky, M.P. (114) 473
Hájková, M., see Franc, J. (119) 616
Håkanson, R., see Larsson, L.-I. (117) 355
Haken, J.K., see Ashes, J.R. (111) 171, (118) 183
——— and Ho, D.K.M.
Evaluation of primary, secondary and tertiary aminosilanes as stationary phases in gas chromatography (112) 135
———, Wainwright, M.S. and Phuong, N.D.
The nearest neighbour technique as a means of indicating stationary phase selectivity (117) 23
Hakozaki, M., see Matsui, M. (115) 625
Halász, I.
———, Endele, R. and Asshauer, J.
Ultimate limits in high-pressure liquid chromatography (112) 37
Hall, M.
——— and Mallen, D.N.B.
Gas chromatographic separation of isomers of benoxaprofen using liquid crystals (118) 268
Hall, M.A., see Darvill, A.G. (115) 319
Halliwell, R.E.W., see Schwartzman, R.M. (115) 129
Halpaap, H., see Ripphahn, J. (112) 81
Hamilton, H.E., see Wallace, J.E. (114) 433
Hand, C.W., see Merritt, Jr., C. (112) 301
Hann, R.A., see Glynne-Jones, E. (114) 232
Hartigan, M.J.
——— and Ettre, L.S.
Questions related to gas chromatographic systems with glass open-tubular columns (119) 187
Hartkopf, A.V., see Su, S.C. (119) 523
Hartvig, P.
——— and Näslund, B.
Electron-capture gas chromatography of methadone after oxidation to benzophenone (111) 347
———, Strandberg, S. and Näslund, B.
Determination of plasma amitriptyline by electron-capture gas chromatography after oxidation to anthraquinone (118) 65
Hartwick, R.A.
——— and Brown, P.R.
The performance of microparticle chemically-bonded anion-exchange resins in the analysis of nucleotides (112) 651
Hashimoto, K., see Inouye, H. (118) 201
Hasinski, S.
Design of an unextinguishable flame photometric detector and its measurement properties (119) 207
Hastings Vogt, C.R., see Aue, W.A. (114) 184
Havlicek, J.
——— and Samuelson, O.
Anion-exchange chromatography of oligomeric aldonic acids (114) 383
Hayashi, T.
———, Sugiura, T., Terada, H., Kawai, S. and Ohno, T.
High-speed liquid chromatographic determination of phenylpyruvic acid (118) 403
Haythorn, P., see Sheehan, M. (117) 393
Heftmann, E., see Hunter, I.R. (118) 259, (119) 223
Heidrich, D., see Hofmann, H.-J. (115) 299
Hejduk, L.J., see Neiderhiser, D.H. (117) 187
Helisten, C.
——— and Shulgin, A.T.
The detection of 1-piperidinocyclohexanecarbonitrile contamination in illicit preparations of 1-(1-phenyl-cyclohexyl)piperidine and 1-[1-thienyl)cyclohexyl]-piperidine (117) 232

Helland, P., see Jellum, E., (112) 573
Helleberg, L.
Determination of indomethacin in serum and urine by electron-capture gas–liquid chromatography (117) 167
Henderson, G.L., see Kuttab, S.H. (117) 193
Henke, U.
--- and Tschesche, R.
Separation and identification of trimethylsilyl derivatives of tyramines and methoxytyramines by gas–liquid chromatography (120) 477
Henly, R.S., see Schwartz, R.D. (112) 111
Henneberg, D.
---, Henrichs, U. and Schomburg, G.
Special techniques in the combination of gas chromatography and mass spectrometry (112) 343
Henrichs, U., see Henneberg, D. (112) 343
Herber, R.F.M.
--- and Poppe, H.
A new method for the estimation of exposure to carbon disulphide (118) 23
Hermann, K., see Schmidtlein, H. (115) 123
Hernádi, F., see Toth-Martinez, B.L. (115) 205
Higgins, J.W.
High-pressure liquid chromatographic analysis for triamcinolone acetonide in rice starch (115) 232
Hildebrand, R.P., see Kagi, D.A. (115) 79
Hill, Jr., H.H., see Karasek, F.W. (117) 327
Hill, R.M., see Horning, M.G. (112) 605
Hira, R., see Yamamoto, H. (116) 29
Hirai, M., see Inouye, H. (118) 201
Ho, D.K.M., see Haken, J.K. (112) 135
Hoebbel, D., see Garzó, G. (119) 173
Hoffman, N.E., see Wyszynski, M.J. (115) 665
Hoffmann, B., see Oehrle, K.-L. (114) 244
Hoffmann, U., see Lisboa, B.P. (115) 177
Hofmann, H.J.
---, Engewald, W., Heidrich, D., Pörschmann, J., Thieroff, K. and Uhlmann, P.
Molekülstruktur und Retentionsverhalten. V. Berechnung der Adsorptionsenergie aromatischer Kohlenwasserstoffe an graphitiertem thermischen Russ (115) 299
Hokin-Neaverson, M.
--- and Sadeghian, K.
Separation of [^{3}H]inositol monophosphates and [^{3}H] inositol on silica gel glass-fiber sheets (120) 502
Holderith, J.
---, Tóth, T. and Váradi, A.
Minimizing the time for gas chromatographic analysis. Search for optimal operational parameters by a simplex method (119) 215
Holendová, O., see Zeman, I. (119) 581
Holguin, J., see Cardinaud, R. (115) 673
Holloway, C., see Epton, R. (117) 245
Holmes, M.G.
---, Blakeney, A. and Wratten, N.
Screening for fatty acids in oilseed breeding programmes using lipase and paper chromatography (115) 652
Holotík, Š., see Krupčík, J. (112) 189
---, see Leško, J. (119) 293
Holzer, G., see Bertsch, W. (112) 701
Hoppel, C.
---, Garle, M. and Elander, M.
Mass fragmentographic determination of diphenylhydantoin and its main metabolite, 5-(4-hydroxyphenyl)-5-phenylhydantoin, in human plasma (116) 53
Horn, A., see Wenz, I. (120) 187
Horning, E.C., see Lin, S.-N. (112) 465, 483
---, see Pfaffenberger, C.D. (112) 581
Horning, M.G.
---, Nowlin, J., Stafford, M., Lertratanangkoon, K., Sommer, K.R., Hill, R.M. and Stillwell, R.N.
The use of gas chromatographic–mass spectrometric–computer systems in pharmacokinetic studies (112) 605
Hoshika, Y.
Gas chromatographic determination of the lower aliphatic primary amines as their Schiff bases (115) 596
--- and Takata, Y.
Gas chromatographic separation of carbonyl compounds as their 2,4-dinitrophenylhydrazones using glass capillary columns (120) 379
Hostettmann, K.
--- and McNair, H.M.
High-pressure liquid chromatography of naturally occuring xanthones (116) 201
Hoton-Dorge, M.
Séparation des aldoses et des polysaccharides par chromatographie en couche mince de cellulose et nouveau réactif de pulvérisation permettant leur révélation sensible (116) 417
Houpert, Y.
---, Tarallo, P. and Siest, G.
Amino acid analysis by ion-exchange chromatography using a lithium elution gradient. Influenece of methanol concentration and sample pH (115) 33
Howell, R.R., see Brown, J.H. (116) 293
Howell, S.M., see Larson, R.A. (111) 43
Howery, D.G., see Selzer, R.B. (115) 139
Hradil, J., see Lukáš, J. (114) 335

Hrivňák, J., see Krupčik, J. (119) 271
Hruška, K.J., see Fránek, M. (119) 167
Hsieh, D.P.H.
---, Fitzell, D.L., Miller, J.L. and Seiber, J.N.
High-pressure liquid chromatography of oxidative aflatoxin metabolites (117) 474
Huber, J.F.K.
---, Lauer, H.H. and Poppe, H.
Reduction of theoretical plate height in gas chromatography by increase of pressure and decrease of particle size (112) 377
Hudson, J.C.
--- and Rice, W.P.
Rapid detection of some basic drugs by thin-layer chromatography (117) 449
Huen, J.M., see Santi, W. (115) 423
Huet, J.C., see Morot-Gaudry, J.F. (117) 279
Hui, K.S.
---, Davis, B.A. and Boulton, A.A.
The separation by thin-layer chromatography of trace metals as their tetraphenylporphyrin chelates (115) 581
Huisman, T.H.J., see Schroeder, W.A. (118) 295
Hulshoff, A.
--- and Perrin, J.H.
A reversed-phase thin-layer chromatographic method for the determination of relative partition coefficients of very lipophilic compounds (120) 65
Hundt, H.K.L., see Steyn, J.M. (111) 463
Hunter, I.R.
---, Walden, M.K., Wagner, J.R. and Heftmann, E.
Thin-layer chromatography of steroidal alkaloids (118) 259
---, Walden, M.K., Wagner, J.R. and Heftmann, E.
High-pressure liquid chromatography of steroidal alkaloids (119) 223
Hušek, P.
--- and Macek, K.
Gas chromatography of amino acids (review) (113) 139
Husmann, H., see Schomburg, G. (112) 205

I

Ibuki, M., see Nambara, T. (114) 81
Idler, D.R., see Patterson, G.W. (115) 153
Ignáth, Zs., see Szász, Gy. (117) 345
Ikawa, S.
Purification of methylated bile acids recovered from thin-layer chromatograms on silica gel-sintered plates (117) 227
--- and Goto, M.
Two-dimensional thin-layer chromatography of bile acids (114) 237
Ikeda, N.
--- and Tanaka, K.
Column chromatographic separation of radioactive tellurate, tellurite, iodide and iodate by active charcoal (114) 389
Ikekawa, N.
--- and Koizumi, N.
Separation of vitamin D_3 metabolites and their analogues by high-pressure liquid chromatography (119) 227
Imai, K.
---, Tamura, Z., Mashige, F. and Osuga, T.
Gas chromatography of bile acids as their hexafluoroisopropyl ester–trifluoroacetyl derivatives (120) 181
Inczédny, J., see Vigh, Gy. (116) 472
Inouye, H.
---, Uobe, K., Hirai, M., Masada, Y. and Hashimoto, K.
Studies on monoterpene glucosides and related natural products. XXXI. Gas chromatography and gas chromatography–mass spectrometry of iridoid and secoiridoid glucosides (118) 201
Ioffe, B.V., see Vitenberg, A.G. (112) 319
---, Vitenberg, A.G., Borisov, V.N. and Kuznetsov, M.A.
Determination of trace impurities in gases by their equilibrium accumulation in volatile liquids (112) 311
Isler, W., see Curtius, H.Ch. (112) 523
Itzkovitsch, I.J., see Sowa, W. (116) 197
Iwata, T., see Nambara, T. (114) 81, (118) 127
Iyengar, R.B., see Van Wassenaar, P.D. (118) 99

J

Jack, D.B.
---, Brechbühler, S., Degen, P.H., Zbinden, P. and Riess, W.
The determination of hydralazine in plasma by gas–liquid chromatography (115) 87
Jackson, A.H., see Evans, N. (115) 325
Jain, N.C.
---, Leung, W.J., Budd, R.D. and Sneath, T.C.
Thin-layer chromatographic screening and confirmation of basis drugs of abuse in urine (115) 519
---, Sneath, T., Budd, R., Chinn, D., Leung, W. and Olson, B.
Gas chromatographic separation of allylbarbital and butabarbital (116) 194
Jakovljevic, I.M., see Bishara, R.H. (116) 485
Jalobeanu, M., see Piringer, O. (119) 423
Janák, J.
Twenty years of the Institute of Analytical Chemistry of the Czechoslovak Academy of Sciences. A historical outline (119) 3
---, see Boček, P. (117) 97
---, see Novák, J. (112) 365
Jandera, P.
---, Janderová, M. and Churáček, J.
Gradient elution in liquid chromatography. VII. Comparison of different mobile phases in adsorption chromatography (115) 9
Janderová, M., see Jandera, P. (115) 9
Jane, I.
The separation of a wide range of drugs of abuse by high-pressure liquid chromatography (111) 227
Jansen, G.
--- and Vanderhaeghe, H.
Thin-layer chromatography of chloramphenicol and thiamphenicol (114) 266
Janzowski, C., see Eisenbrand, G. (115) 602
Jardine, J.R.
--- and Langler, R.F.
New spray for the detection of sulfonyl chlorides (116) 211
Jaroniec, M., see Suprynowicz, Z. (117) 11
Jayaraman, S., see Vasundhara, T.S. (115) 535
Jayatilake, S.D A.K., see Burns, D.T. (116) 107
Jeffreys, J.A.D., see Bush, L.P. (111) 165
Jellum, E.
---, Helland, P., Eldjarn, L., Markwardt, U. and Märhöfer, J.
The development of a computer-assisted search for anomalous compounds (CASAC) (112) 573
Jennings, W.G., see Adam, S. (115) 218
Jensen, C., see Gugler, R. (117) 175
Jerzykowski, T.
---, Piskorska, D. and Ostrowska, M.
The separation of glyoxalase I and glyoxalase II by paper electrophoresis (116) 225
Jönsson, J.A.
A flow meter for precise and accurate measurement of gas flow using a travelling mercury drop (111) 271
--- and Jönsson, R.
Direct measurement of gas chromatographic retention volume using an on-line mini-computer. I. Principles (111) 265
---, see Jönsson, R. (120) 197
---, Jönsson, R. and Malm, K.
Direct measurement of gas chromatographic retention volume using an on-line mini-computer. II. Apparatus (115) 57
Jönsson, R., see Jönsson, J.A. (111) 265, (115) 57
--- and Jönsson, J.A.
Injection system for small volatile samples in gas chromatography (120) 197
Johnson, G.E., see Bailey, D.G. (111) 305
Jolivet, E., see Morot-Gaudry, J.F. (117) 279
Jones, N.R., see Crathorne, B., (115) 213
Joonson, V.A.
--- and Loog, E.P.
A dual-channel flame photometric detector with a separate conbustion chamber (120) 285
Jóźwiak, K., see Paryjczak, T. (111) 443
Jóźwiak, W., see Paryjczak, T. (120) 291
Jukofsky, D., see Verebely, K. (111) 141
Julin, B.G.
---, Vandenborn, H.W. and Kirkland, J.J.
Selective flame emission detection of phosphorus and sulfur in high-performance liquid chromatography (112) 443

K

Kagi, D.A.
---, Hildebrand, R.P. and Clarke, B.J.
Gas chromatographic procedure for the analysis of isohumulone (115) 79
Kaiser, I.I.
--- and Young, P.A.
Determination of 5-fluorouridine and 5-fluorocytidine in RNA hydrolysates using high-performance ion-exclusion chromatography (111) 242
Kaiser, R.E.
Rapid analysis with short micro-packed columns (112) 455
Kakiyama, H., see Kawazu, K. (115) 543
Kalashnikova, E.V.
---, Kiselev, A.V., Poshkus, D.P. and Shcherbakova, K.D.
Retention indices in gas–solid chromatography (119) 233
Kalinichev, A.I.
---, Pronin, A.Ya., Zolotarev, P.P., Goryacheva, N.A., Chmutov, K.V. and Filimonov, V.Ya.
Moment analysis in non-linear frontal-elution and elution chromatography (120) 249
Kaljurand, M., see Küllik, E. (112) 297, (118) 313
Kamata, E.
---, Goto, K. and Shibata, S.
Paper chromatography of azo-derivatives of chromotropic acid (115) 660
Kamp, C.G. van de, see Krijgsman, W (117) 201
Kapila, S., see Aue, W.A. (112) 247
--- and Aue, W.A.
The effect of pressure on the response of a d.c. electron capture detector (118) 233
Karasek, F.W.
---, Hill, Jr., H.H. and Kim, S.H.
Plasma chromatography of heroin and cocaine with mass-identified mobility spectra (117) 327
Karger, B.L., see Su, S.C. (119) 523
Karmen, A.
--- and Longo, N.S.
High-sensitivity radioassay by gas chromatography (112) 637
Kasche, V., see Amneus, H. (120) 391
Katoh, K., see Miyazaki, H. (119) 369
Katz, S.
--- and Pitt, Jr., W.W.
Sensitive monitoring of phenols after liquid chromatography (111) 470
Kauffman, G.B.
---, Anderson, G.L. and Teter, L.A.
Separation of inorganic isomers by adsorption chromatography. II. Non-electrolytic octahedral and square planar geometric isomers (114) 465
---, Gump, B.H., Anderson, G.L. and Stedjee, B.J.
Separation of inorganic isomers by thin-layer chromatography. II. Octahedral geometric isomers (117) 455
---, Gump, B.H. and Stedjee, B.J.
Separation of inorganic isomers by thin-layer chromatography. III. Square planar geometric isomers (118) 433
Kautsky, M.P.
---, Thurman, G.W. and Hagerman, D.D.
A convenient biological synthesis of 19-hydroxy[4-^{14}C]4-androstene-3,17-dione from [4-^{14}C]4-androstene-3,17-dione with sow ovarian 19-hydroxylase (114) 473
Kawabuchi, K.
--- and Kuroda R.
Anion-exchange separation of gold on DEAE-cellulose in acetic acid–hydrochloric acid media (114) 143
Kawai, S., see Hayashi, T. (118) 403
Kawano, Y.
---, Audino, J. and Edlund, M.
Analysis of paraquat formulations by liquid chromatography (115) 289
Kawasaki, T.
Theory of chromatography of rigid rod-like macromolecules on hydroxyapatite columns. VIII. Further theory of analytical calculation of chromatograms and further investigations on the resolving power of the columns (120) 257

Theory of chromatography of rigid molecules on hydroxyapatite columns with small loads. III. Theory on the basis of the classical theory of adsorption chromatography for the case when molecules are adsorbed on to a single type of crystal site (120) 271
Kawazu, K.
Chromatographic separation of metal ions on a macro-reticular cation-exchange resin with hydrochloric acid in mixed solvents (120) 171
---, Shibata, M. and Kakiyama, H.
Chromatographic separation of metal ions on a macro-reticular cation-exchange resin with hydrochloric acid in aqueous acetone solution (115) 543
Keiser, J.E., see Erhardt, P.W. (116) 218
Kelker, H.
Gas chromatography with anisotropic liquids. Partition coefficients at the mesophase–isotropic phase transition point (112) 165
Kennedy, J.H.
---, Kricka, L.J. and Wilding, P.
The application of thin-layer gel filtration chromatography in the rapid assessment of protein–protein coupling reactions (118) 337
Kéravis, G., see Lafosse, M. (118) 283
Khalil, M.W., see Patterson, G.W. (115) 153
Khan, T., see Qureshi, M. (118) 175
Khera, U., see Chawla, H.M. (111) 246
Kigasawa, K., see Nambara, T. (114) 81, (118) 127
Kikta, Jr., E.J., see Grushka, E. (112) 673
Kim, H.K.
--- and Kritchevsky, D.
Quantitation of bile acids and bile salts by a thin-layer chromatographic charring method (117) 222
Kim, S.H., see Karasek, F.W. (117) 327
King, D.E., see Wallace, J.E. (114) 433
Kinget, R.
--- and Michoel, A.
Thin-layer chromatography of pancuronium bromide and its hydrolysis products (120) 234
Kingston, D.G.I.
---, Chen, P.N. and Vercellotti, J.R.
High-performance liquid chromatography of sterigmatocystin and other metabolites of *Aspergillus versicolor* (118) 414
--- and Gerhart, B.B.
Preparation of octadecyl Porasil for reversed-phase liquid chromatography (116) 182
Kintia, P., see Wilkomirski, B. (116) 482
Kinuyama, Y., see Matsui, M. (115) 625
Kirkland, J.J., see Julin, B.G. (112) 443
Kirret, O., see Pank, M. (119) 409
Kiselev, A.V., see Bebris, N.K. (117) 257
---, see Bortnikov, G.N. (116) 169
---, see Gvozdovich, T.N. (116) 63
---, see Kalashnikova, E.V. (119) 233
Kiss, Á., see Tarján, G. (119) 327
Kitaoka, Y.
Paper electrophoretic behaviour of cyclic-3',5'-AMP, 5'-AMP and 5'-ATP (111) 206
Klimisch, H.J.
--- and Ambrosius, D.
Trennung polyzyklischer aromatischer Kohlenwasserstoffe durch Hochdruckflüssigkeitschromatographie. Vergleich einer Bestimmung von Benzo[*a*]pyren nach Trennung an Säulen mit quervernetzem Celluloseacetat und einem reversed-phase System (120) 299
--- and Fox, K.
Zur Trennung N-heteropolyzyklischer aromatischer Kohlenwasserstoffe von polyzyklischen aromatischen Kohlenwasserstoffen. Abtrennung durch Komplexchromatographie (120) 482
Knox, J.H.
--- and Pryde A.
Performance and selected applications of a new range of chemically bonded packing materials in high-performance liquid chromatography (112) 171
Knust, E.J.
--- and Schüller, M.
Gas chromatographic separation of mono- and disubstituted benzene derivatives and of diastereoisomeric halogenoalkanes with Bentone-38 (114) 207
Kobyłczyk, K., see Piekos, R. (116) 315, (117) 431
Kochhar, M.M., see Needham, L.L. (111) 422, (114) 220
--- and Needham, L.L.
The analysis of impurities in ethchlorvynol by gas chromatography–mass spectrometry (118) 418
Kocsis, G., see Tarján, G. (119) 327
Koel, M., see Küllik, E. (112) 297
Kogan, M.J., see Verebey, K. (118) 331
Kogerman, A., see Pank, M. (119) 409
Kohei, H., see Matsumura, R. (117) 383
Kohn, M., see Vestergaard, P. (111) 75
Koizumi, N., see Ikekawa, N. (119) 227

Kolb, B.
Application of gas chromatographic headspace analysis for the characterization of non-ideal solutions by scanning the total concentration range (112) 287
Komae, H.
---- and Hayashi, N.
Separation of essential oils by liquid chromatography (114) 258
Komaita, T.
----, Naito, K. and Takei, S.
Adsorption effects in gas–liquid partition chromatography (114) 1
Komárek, K., see Churáček, J. (119) 613
----, see Komárková, H. (119) 243
Komárková, H., see Churáček, J. (119) 613
----, Churáček, J., Komárek, K. and Křížek, F.
Bestimmung der funktionellen Gruppen durch Reaktionsgaschromatographie. II. Stickstoffbestimmung in Hydrazin und dessen organischen Derivaten (119) 243
Komers, R.
---- and Šír, Z.
Gas chromatographic determination at the parts per million level of methanol and ethanol in aqueous solutions (119) 251
Kōno, M., see Makita, M. (120) 129
Koole, N.J., see De Ligny, C.L. (114) 63
Kopwillem, A.
----, Merriman, W.G., Cuddeback, R.M., Smolka, A.J.K. and Bier, M.
Serum protein fractionation by isotachophoresis using amino acid spacers (118) 35
Kornel, L.
----, Miyabo, S. and Saito, Z.
New paper chromatographic systems for the separation of conjugated corticosteroids (111) 200
Korol, A.N., see Filonenko, G.V. (119) 157
Košík, M., see Krupčík, J. (112) 189
----, see Masaryk, J. (115) 256
Kosinkiewicz, B.
---- and Varanka, M.
Behaviour of microbial cells on columns of some types of Sephadex gels (114) 463
Kostetsky, E.Y., see Vaskovsky, V.E. (114) 129
Kotas, P., see Caletka, R. (111) 93
Kovács, G., see Szász, Gy. (117) 345
Kowalczyk, J.S.
---- and Śledzińska, B.
Comparison of the efficiency of liquid chromatography systems with mixed adsorbents with that of systems with connected adsorbent layers (119) 255
Kowlessar, O.D., see Haeffner, L.J. (118) 425
Kramer, R., see Cremer, E. (119) 85
Kraus, P., see Grundey, U. (117) 242
Kreuzig, F.
The determination of diumycin by direct quantitative thin-layer chromatography (114) 193
Kricka, L.J., see Kennedy, J.H. (118) 337
Krijgsman, W.
---- and Van de Kamp, C.G.
Analysis of organophosphorus pesticides by capillary gas chromatography with flame photometric detection (117) 201
Krishnamurty, H.G.
---- and Krishnaswami, L.
Paper chromatography of phenolic compounds using buffered acetonitrile (114) 286
Kritchevsky, D., see Kim, H.K. (117) 222
Křiváková, M., see Lukáš, J. (114) 335
Křížek, F., see Komárková, H. (119) 243
Krupčík, J.
----, Garaj, J., Holotík, Š., Oktavec, D. and Košík, M.
Gas chromatographic separation of some dialkyldithiocarbamates of nickel(II) (112) 189
----, Leclercq, P.A., Šímová, A., Suchánek, P., Čollák, M. and Hrivňák, J.
Possibilities and limitations of capillary gas chromatography and mass spectrometry in the analysis of polychlorinated biphenyls (119) 271
----, see Leško, J. (119) 293
----, see Masaryk, J. (115) 256
Krzyżanowska, H.
Study on the effect of detector dynamics on the peak height in quantitative gas chromatography (114) 179
Kucera, P., see Scott, R.P.W. (112) 425, (119) 467
Küllik, E.
----, Kaljurand, M. and Less, L.
Resolution of overlapping gas chromatographic peaks using fast Fourier transformation (118) 313
----, Kaljurand, M. and Koel, M.
Analysis of pyrolysis gas chromatograms using the linear learning machine method (112) 297
Kulakis, C., see Fiala, F.S. (117) 181
Kulbe, K.D.
Improved separation of the methyl- and phenylthiohydantoins of arginine, cysteic acid and histidine by micropolyamide thin-layer chromatography (115) 629

Kumar, R., see Qureshi, M. (118) 175
Kundel, H., see Lille, Ü. (116) 1
Kuningas, K., see Rang, S. (119) 451
Kurita, T., see Yamamoto, H. (116) 29
Kuroda, R., see Kawabuchi, K. (114) 143
Kusovkin, V.A., see Rudenko, B.A. (112) 373
Kuttab, S.H.
———, North-Root, H. and Henderson, G.L. Extraction method and thin-layer chromatographic system for the determination of α-*l*-acetylmethadol and metabolites in biological fluids (117) 193
Kuznetsov, M.A., see Ioffe, B.V. (112) 311
Kyffin, T.W., see Vernon, F. (111) 117

L

Låås, T.
Agar derivatives for chromatography, electrophoresis and gel-bound enzymes. IV. Benzylated dibromopropanol cross-linked Sepharose as an amphophilic gel for hydrophobic salting-out chromatography of enzymes with special emphasis on denaturing risks (111) 373

Lafosse, M.
---, Kéravis, G. and Durand, M.H.
Étude par chromatographie liquide haute pression de 17-cétostéroïdes libres et conjugués (118) 283

Lakings, D.B.
---, Gehrke, C.W. and Waalkes, T.P.
Determination of trimethylsilyl methylated nucleic acid bases in urine by gas–liquid chromatography (116) 69
---, Waalkes, T.P. and Mrochek, J.E.
High-resolution liquid chromatographic analysis of methylated purine and pyrimidine bases in transfer RNA (116) 83

Lakshmi, T.S.
--- and Nandi, P.K.
Hydrophobic interaction in sugar solutions. Results from gel interaction study (116) 177

Lam, C.H.
--- and Lie Ken Jie, M.S.F.
Fatty acids. IV. Synthesis of all the dimethylene-interrupted methyl octadecadiynoates and a study of their gas–liquid properties (115) 559
--- and Lie Ken Jie, M.S.F.
Fatty acids. VI. The thin-layer chromatographic behaviour of mercury adducts of acetylenic esters and a study of the demercurated products (116) 425
--- and Lie Ken Jie, M.S.F.
Fatty acids. VII. The gas–liquid chromatographic properties of all dimethylene interrupted methyl *cis,cis*-octadecadienoates (117) 365

Lamotte, A., see Viricel, M. (114) 397

Land, G., see Bye, A. (115) 93

Landrum, P.F., see Seiber, J.N. (114) 361

Langenbeck, U.
---, Möhring, H.-U. and Dieckmann, K.-P.
Gas chromatography of α-keto acids as their O-trimethylsilylquinoxalinol derivatives (115) 65

Langler, R.F., see Jardine, J.R. (116) 211

Lao, R.C.
---, Thomas, R.S. and Monkman, J.L.
Computerized gas chromatographic–mass spectrometric analysis of polycyclic aromatic hydrocarbons in environmental samples (112) 681

Larose, R.H., see Wolkoff, A.W. (111) 472

Larson, R.A.
---, Weston, J.C. and Howell, S.M.
Quantitative gas chromatographic determination of nitrilotriacetic acid in the presence of other carboxylic acids (111) 43

Larsson, L.-I.
---, Sundler, F. and Hakanson, R.
Fluorescence of tryptophan-containing peptides on paper or silica gel after treatment with formaldehyde, formaldehyde–ozone or formaldehyde–hydrochloric acid (117) 355

Latyshev, N.A., see Vaskovsky, V.E. (115) 246

Laub, R.J.
--- and Pecsok, R.L.
Study of charge transfer complexation by gas–liquid chromatography (review) (113) 47
--- and Purnell, J.H.
Criteria for the use of mixed solvents in gas–liquid chromatography (112) 71

Lauback, R.G., see Mays, D.L. (120) 93

Lauer, H.H., see Huber, J.F.K. (112) 377

Laukó, A.
--- and Görög, S.
Gas chromatographic determination of dicyclohexylurea in the active esters of amino acids (118) 409
---, see Görög, S. (118) 411

Lazarus, W.
Buffer system for ion-exchange chromatography of amino acid mixtures containing methionine sulphone (116) 237

Leclercq, P.A., see Krupčík, J. (119) 271

Lederer, M.
Editorial (119) 1

Partition paper chromatography of inorganic ions. XXI. Paper chromatography of mixed cobalt(III) complexes (119) 285
--- and Battilotti, M.
Paper partition chromatography of inorganic ions. XX. The behaviour of copper(I), silver(I) and iron(II) in butanol–hydrochloric acid mixtures (114) 488
Lee, M.-L.
--- and Safille, A.
Improved solvent system for thin-layer chromatography of Dns-amino acids (116) 462
Lee, T.H., see Senanayake, U.M. (116) 468
Lehrfeld, J.
Separation of some perbenzoylated carbohydrates by high-performance liquid chromatography (120) 141
Leigh, D., see Dyer, A. (118) 319
Leimbacher, W., see Curtius, H.Ch. (112) 523
Lekova, K., see Boček, P. (117) 97
Lemar, M., see Viricel, M. (116) 343
Leon, A.S., see Puglisi, C.V. (118) 371
Le Parlouer, P., see Belabbes, R. (120) 81
Lepori, M., see Lepri, L. (116) 131
Lepri, L.
---, Desideri, P.G. and Lepori, M.
Chromatographic behaviour of alkaloids on thin layers of anion and cation exchangers. I. AG 1-X4 and Cellex D (116) 131
Lertratanangkoon, K., see Horning, M.G. (112) 605
Leško, J.
---, Holotík, Š., Krupčík, J. and Veselý, V.
Gas chromatographic and mass spectrometric analysis of a commercial mixture of phenylalkanes (detergent alkylates) (119) 293
Lettenbauer, G., see Endele, R. (115) 228
Leung, W., see Jain, N.C. (116) 194
Leung, W.J., see Jain, N.C. (115) 519
Liberti, A., see Zoccolillo, L. (120) 485
Licht, B.H., see Sowa, W. (116) 197
Lieberman, M.L., see Noles, G.T. (114) 211
Liebich, H.M.
Specific detection of volatile metabolites in urines of normal subjects and patients with *diabetes mellitus* using computerized mass fragmentography (112) 551
--- and Al-Babbili, O.
Gas chromatographic–mass spectrometric study of volatile organic metabolites in urines of patients with *diabetes mellitus* (112) 539
Lie-Injo, L.E.
Simple method for the isolation and purification of hemoglobin components (117) 53
Lie Ken Jie, M.S.F.
Fatty acids. III. Further study of the gas–liquid chromatographic properties of all of the methyl undecynoates and methyl *cis*-undecenoates (111) 189
---, see Lam, C.H. (115) 559, (116) 425, (117) 365
Ligny, C.L. de, see De Ligny, C.L. (114) 63
Lille, U.
---, Kundel, H. and Eisen, O.
Solubility parameters of alkyl derivatives of phenol and resorcinol (116) 1
Lin, S.-N.
--- and Horning, E.C.
Concurrent determination of α-tocopherol and free fatty acids in human plasma by glass open tubular capillary column gas chromatography (112) 465
--- and Horning, E.C.
Analysis of long-chain acids of human plasma phosphatidylcholines (lecithins) and cholesteryl esters by glass open tubular capillary column gas chromatography for stroke patients and for normal subjects (112) 483
Lindeberg, E.G.G.
Use of *o*-phthalaldehyde for detection of amino acids and peptides on thin-layer chromatograms (117) 439
Lindner, W.
Anzeigeempfindlichkeit des Flammenionisationsdetektors für aliphatische und aromatische Amine (111) 331
--- and Frei, R.W.
Partition high-pressure liquid chromatographic systems for the separation of digitalis glycosides of the cardenolide group (117) 81
---, Frei, R.W. and Santi, W.
Combined ultraviolet–fluorescence detection in high-pressure liquid chromatography of pharmaceuticals (111) 365
Lindström, B.
---, Molander, M. and Groschinsky, M.
Gas chromatographic determination of hydrochlorathiazide in plasma, blood corpuscles and urine using an extractive alkylation technique (114) 459
Lines, D.S.
---, Brain, K.R. and Ross, M.S.F.
Causes and effects of sample loss using a dry capsule injection method for the automated gas chromatographic analysis of pesticide samples (117) 59

Lipavsky, V.N., see Anisimov, A.F. (111) 409
Lisboa, B.P.
--- and Hoffman, U.
Application of over-run thin-layer and gas–liquid chromatography in the separation of closely related $C_{19}O_2$ steroids (115) 177
--- and Strassner, M.
Gel chromatography of steroid oestrogens on Sephadex LH-20 (111) 159
---, see Züllich, G. (115) 117
Little, J.N.
--- and Fallick, G.J.
New considerations in detector–application relationships (112) 389
Litwiller, R.D., see Mattox, V.R. (120) 435
Lochmüller, C.H.
--- and Souter, R.W.
Chromatographic resolution of enantiomers. Selective review (review) (113) 283
Loesche, W., see Wenz, I. (120) 187
Løkke, H., see Büchert, A. (115) 682
Lombosi, E.R., see Lombosi, T.S. (119) 307
Lombosi, T.S.
---, Lombosi, E.R., Bernát, I., Bernát, Zs.sz., Takács, E.C. and Takács, J.M.
General contribution to the theory of retention index systems in gas–liquid chromatography. I. Pre-calculation of retention indices of alkanes on the basis of their molecular structures and thermodynamics in gas–liquid chromatography (119) 307
Long, M.
---, Raverdino, V., Di Tullio, G. and Tonarchio, L.
Some applications of molecular sieves in the gas chromatographic analysis of hydrocarbons and alcohols (117) 305
Longo, N.S., see Karmen, A. (112) 637
Loog, E.P., see Joonson, V.A. (120) 285
Lorch, E.A., see Dwight, D.J. (116) 257
Loschilova, V.D., see Berezkin, V.G. (112) 353
Loscombe, C.R., see Cox, G.B. (117) 269
Loutfi, H., see Pruden, B.B. (115) 477
Lovelock, J.E.
Solute switching and detection by synchronous demodulation in gas chromatography (112) 29
---, see Dwight, D.J. (116) 257
Low, C.-E., see Asmus, P.A. (119) 25
Luan, N.-T., see Čoupek, J. (120) 411
Lukáš, J.
---, Hradil, J., Křiváková, M. and Čoupek, J.
Polar macroporous sorbents for gas chromatography (114) 335
Luu Duc, C., see Waysman, C. (118) 115

M

McConnell, M.L.
--- and Novotný, M.
Automated high-resolution gas chromatographic system for recording and evaluation of metabolic profiles (112) 559
McCormick, J.P.
---, Fischer, J.R. and Schafer, T.R.
Chromatographic purification and characterization of hydrogen peroxide (117) 428
McCullough, P.S., see Aue, W.A. (111) 37
MacDonald, L.M.
--- and Wheatherston, J.
Gas chromatography and the structural elucidation of lepidopteran pheromones (118) 195
Macek, K., see Hušek, P. (113) 139
---, see Vytášek, R. (119) 549
McIver, R., see Gutmann, H.R. (115) 71
MacKenzie, S.L.
--- and Tenaschuk, D.
Rapid formation of amino acid isobutyl esters for gas chromatography (111) 413
McLaren, J.V., see Epton, R. (117) 245
McLaughlin, J.L., see Ranieri, R.L. (111) 234
McNair, H.M., see Hostettmann, K. (116) 201
---, see Young, P.R. (119) 569
McNay, J.L., see Wallace, J.E. (114) 433
Madden, S.C., see Seiber, J.N. (114) 361
Maeda, M.
--- and Tsuji, A.
Determination of benomyl and 2-(4-thiazolyl)benzimidazole in plant tissues by high-performance liquid chromatography using fluorimetric detection (120) 449
Magen, J. Smith, see Haeffner, L.J. (118) 425
Magin, D.F.
Gas chromatographic determination of Stanozolol in veterinary suspensions (115) 687
Maibach, R.A., see Curtius, H.Ch. (112) 523
Makabe, H., see Yamamoto, H. (116) 29
Makarenko, N.P., see Bortnikov, G.N. (116) 169
Makita, M.
---, Yamamoto, S. and Kōno, M.
Gas–liquid chromatographic analysis of protein amino acids as N-isobutyloxycarbonyl-amino acid methyl esters (120) 129
Malejka-Giganti, D., see Gutmann, H.R. (115) 71
Malhotra, R.K., see Singh, H. (114) 270
Malinzak, D.A., see Den, H. (111) 217
Mallen, D.N.B., see Cockerill, A.F. (114) 151
---, see Hall, M. (118) 268
Mallet, V.N., see Caissie, G.E. (117) 129
Malm, K., see Jönsson, J.A. (115) 57
Mamysheva, O.N., see Bortnikov, G.N. (116) 169
Mandel, L.R., see VandenHeuvel, W.J.A. (114) 476
Maness, D.D., see Sullivan, G. (116) 490
Mangat, S., see Spears, R. (116) 184
Marco, C. De, see De Marco, C. (114) 291, (115) 621
---, see Rinaldi, A. (120) 221
Mareš, E., see Čoupek, J. (120) 411
Marhöfer, J., see Jellum, E. (112) 573
Mari, F., see Bertol, E. (117) 239
Markelov, V.F., see Anisimov, A.F. (111) 409
Markwardt, U., see Jellum, E. (112) 573
Marshall, R., see Glynne-Jones, E. (114) 232
Martel, C.
--- and Phelps, D.J.
Separation of dinitrophenyl derivatives of neutral dipeptides by thin-layer chromatography (115) 633
Martin, M.
---, Blu, G., Eon, C. and Guiochon, G.
The use of syringe-type pumps in liquid chromatography in order to achieve a constant flow-rate (112) 399
Martín, M., see Firpo, G. (117) 105
Martinelli, P.M., see Bombardelli, E. (120) 115
Masada, M., see Nakagawa, T. (111) 355
Masada, Y., see Inouye, H. (118) 201
Masaryk, J.
---, Krupčík, J., Garaj, J. and Košík, M.
Gas chromatographic separation of dithiocarbamates of some metals (115) 256
Mashige, F., see Imai, K. (120) 181
Massart, D.L., see De Clercq, H. (115) 1
Matelin, D., see Waysman, C. (118) 115
Mathews, R.G., see Schwartz, R.D. (112) 111

Mathiasson, L.
Gas–liquid chromatographic investigation of complexation equilibria between 1-chlorooctadecane and various benzene derivatives and alkene derivatives (114) 39

Gas–liquid chromatographic determination of the complexation constant between two non-volatile complexing agents in the stationary phase (114) 47
Matlin, S.A., see Evans, N. (115) 325
Matsui, M.
---, Hakozaki, M. and Kinuyama, Y.
Extraction of steroid diconjugates using Amberlite XAD-2 resin (115) 625
Matsumura, R.
--- and Kohei, H.
Studies on the formation of cyclohexylamine and N-methylcyclohexylamine from bromhexine in animals and man, and simultaneous determination of cyclohexylamine and N-methylcyclohexylamine by gas chromatography (117) 383
Mattocks, A.M., see Wesley-Hadzija, B. (115) 501
Mattox, V.R.
---, Liwiller, R.D., Goodrich, J.E. and Tan, W.C.
Liquid ion exchangers in reversed-phase systems for chromatography of steroidal glucosiduronic acids (120) 435
Mattsson, P.E.
---, Norström, A. and Rappe, C.
Identification of the flame retardant pentabromotoluene in sewage sludge (111) 209
Matysik, G., see Soczewiński, E. (111) 7
Maume, B.F., see Bournot, P. (112) 617
Mayfield, R.J., see Evans, D.J. (115) 391
Mays, D.L.
---, Van Apeldoorn, R.J. and Lauback, R.G.
High-performance liquid chromatographic determination of kanamycin (120) 93
Meagher, R.B.
--- and Furst, A.
Reversed-phase high-pressure liquid chromatography of normal rat urinary carbohydrates (117) 211
Melethil, S., see Conway, W.D. (115) 222
Mellett, L.B., see Furner, R.L. (111) 195
Mellström, B.
--- and Eksborg, S.
Determination of chlorimipramine and desmethylchlorimipramine in human plasma by ion-pair partition chromatography (116) 475
Menon, P.G., see Choudhary, V.R. (116) 431
Mercer, J.F.B.
--- and Naora, H.
A comparison of the chromatographic properties of various polyadenylate binding materials (114) 115
Merriman, W.G., see Kopwillem, A. (118) 35
Merritt, Jr., C.
---, DiPietro, C., Hand, C.W., Cornell, J.H. and Remy, D.E.
Elucidation of reaction mechanisms for thermal eliminations and ring closures by pyrolysis–gas chromatography–mass spectrometry (112) 301
Mészáros, S., see Tarján, G. (119) 327
Mészáros, Z., see Szász, Gy. (117) 345
Metras, F., see Grenier-Loustalot, M.F. (118) 1
Michael, G.
---, Danne, U. and Fischer, G.
Gaschromatographische Untersuchungen der Siliciumtetrahalogenide (118) 104
---, see Schwarz, M. (118) 101
Michoel, A., see Kinget, R. (120) 234
Mihók, M., see Bojti, E. (119) 321
Mikeš, O.
---, Štrop, P., Zbrožek, J. and Čoupek, J.
Chromatography of biopolymers and their fragments on ion-exchange derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
Mikkers, F.E.P., see Everaerts, F.M. (119) 129
Miller, J.L., see Hsieh, D.P.H. (117) 474
Miller, V.
---, Pacáková, V. and Smolková, E.
Gas–liquid chromatographic analysis of trimethylsilyl derivatives of pyrimidine and purine bases and nucleosides (119) 353
Mital, R.L., see Agarwal, N. (115) 264
---, see Agarwal, N.L. (120) 213
Mitter, L., see Zeman, I. (119) 581
Miwa, Y.
--- and Yamabe, T.
Elution behaviour of transition metals with eluents containing ethanol on mixed ion-exchange columns (115) 276
Miyabo, S., see Kornel, L. (111) 200
Miyazaki, H.
--- and Katoh, K.
Isotachophoretic analysis of peptides (119) 369
Miyazaki, M.
--- and Okubo, N.
Retention of Cu^{2+} on dibenzoylmethane-coated glass beads (118) 254
Mizuno, T., see Akiyama, J. (119) 605

Mizutani, A., see Mizutani, T. (111) 214, (120) 206
Mizutani, T.
--- and Mizutani, A.
Prevention of adsorption of protein on controlled-pore glass with amino acid buffer (111) 214
--- and Mizutani, A.
Use of controlled-pore glass for adsorption chromatography of proteins (120) 206
Mládek, M., see Vondruška, M. (116) 457
Möhring, H.-U., see Langenbeck, U. (115) 65
Moerloose, P. de, see Crombez, E. (117) 161
Moffat, A.C.
Use of SE-30 as a stationary phase for the gas–liquid chromatography of drugs (review) (113) 69
---, see Twitchett, P.J. (111) 149, (120) 359
Moir, R.Y., see Bovenkamp, J.W. (118) 345
Molander, M., see Lindström, B. (114) 459
Møller Jensen, K.
Determination of nitrazepam in serum by gas–liquid chromatography. Application in bioavailability studies (111) 389
Mondino, A.
---, Fumero, S., Zanolo, G. and Benedetto, S.
Determination of free and bound plasma tryptophan (117) 236
Monkman, J.L., see Lao, R.C. (112) 681
Morgan, E.D., see Poole, C.F. (115) 587
--- and Poole, C.F.
The formation of trimethylsilyl ethers of ecdysones. A reappraisal (116) 333
Morgan, S.L.
--- and Deming, S.N.
Optimization strategies for the development of gas–liquid chromatographic methods (112) 267
Morot-Gaudry, J.F.
---, Fiala, V., Huet, J.C. and Jolivet, E.
Improvements in the automatic determination of organic acids from plant tissues by liquid–liquid chromatography on a silica gel column (117) 279
Morris, C.J.O.R., see Davy, K.W.M. (116) 305
Morrison, J., see Walle, T. (114) 351
Morselli, P.L., see Gerna, M. (116) 445
Moseman, R.F., see Crist, H.L. (117) 143
Moss, C.W.
--- and Dees, S.B.
Identification of microorganisms by gas chromatographic–mass spectrometric analysis of cellular fatty acids (112) 595
Mostecký, J., see Popl, M. (117) 117
Mrochek, J.E., see Lakings, D.B. (116) 83
Mulé, S.J., see Verebely, K. (111) 141
---, see Verebey, K. (118) 331
Munns, T.W.
--- and Sims, H.F.
Separation of the methylated nucleoside constituents of ribonucleic acid by two-dimensional thin-layer chromatography (111) 403
Murren, C.
---, Stelling, D. and Felstead, G.
An improved buffer system for use in single-column gradient-elution ion-exchange chromatography of amino acids (115) 236
Mussini, E., see Belvedere, G. (118) 387
Mustich, G., see Bombardelli, E. (120) 115
Musty, P.R.
--- and Nickless, G.
Extractants for organochlorine insecticides and polychlorinated biphenyls from water (120) 369
Muto, G., see Nakae, A. (120) 47

N

Näslund, B., see Hartvig, P. (111) 347, (118) 65
Nagasawa, K.
———, Ogamo, A. and Shinozuka, T.
Gas chromatographic determination of micro-amounts of cyclamates (111) 51
Nagel, C.W., see Wulf, L.W. (116) 271
Naito, K., see Komaita, T. (114) 1
Nakae, A.
——— and Muto, G.
Chromatographic behaviour of alkylbenzenes and benzoates on porous micro-spherical poly(styrene–divinylbenzene) gel (120) 47
Nakagawa, T.
———, Masada, M. and Uno, T.
Gas chromatographic determination and gas chromatographic–mass spectrometric analysis of chloramphenicol, thiamphenicol and their metabolites (111) 355
———, see Yamaoka, K. (117) 1
Nakano, K., see Yamamoto, H. (116) 29
Nambara, T.
———, Kigasawa, K., Iwata, T. and Ibuki, M.
Studies on steroids. CIII. A new type of derivative for electron capture–gas chromatography of ketosteroids (114) 81
———, Iwata, T. and Kigasawa, K.
Studies on steroids. CIX. O-ω-haloalkyloximes, new derivatives for gas chromatography–mass spectrometry of oxosteroids (118) 127
Nandi, P.K.
Studies on the interaction between small molecules by gel filtration in Sephadex LH-20 (116) 93
———, see Lakshmi, T.S. (116) 177
Naora, H., see Mercer, J.F.B. (114) 115
Nation, R.L.
———, Triggs, E.J. and Selig, M.
Gas chromatographic method for the quantitative determination of lidocaine and its metabolite monoethylglycinexylidide in plasma (116) 188
Nazansky, A.S., see Eltekov, Yu.A. (116) 99
Needham, L.L.
——— and Kochhar, M.M.
Determination of ethchlorvynol by high-pressure liquid chromatography (111) 422
——— and Kochhar, M.M.
Determination of ketamine and some *in vivo* metabolites using high-pressure liquid chromatography (114) 220
———, see Kochhar, M.M. (118) 418
Neiderhiser, D.H.
———, Fuller, R.K., Hejduk, L.J. and Roth, H.P.
Method for the detection of diethylamine, a metabolite of disulfiram, in urine (117) 187
Nelson, H.D., see De Ligny, C.L. (114) 63
Nelson, N.C., see Schroeder, W.A. (115) 527
Nemec, P., see Ďuračková, Z. (116) 141, 155
Neupert, D., see Wagner, H. (115) 357
Nickless, G., see Musty, P.R. (120) 369
Nielsen, H.
Silica gel thin-layer chromatography of acidic phospholipids. II. Chromatographic behaviour of phosphatidylserine and phosphatidic acid applied with different cation composition on adsorbents either free of metal ions or containing a surplus of divalent metal ions (114) 419
Nieuwdorp, G.H.E., see De Ligny, C.L. (114) 63
Nigam, R.N.
A dual-channel micro-reactor for reaction gas chromatography (119) 620
Nikashina, V.A.
———, Zvereva, L.I., Olshanova, K.M. and Potapova, M.A.
Study of the selectivity of different types of zeolites towards some non-ferrous metals (120) 155
Nikitin, Yu.S., see Bebris, N.K. (117) 257
Noles, G.T.
——— and Lieberman, M.L.
Gas chromatographic analyses of the products obtained on pyrolysis of methane during chemical vapor deposition of carbon (114) 211
Norström, Å., see Mattsson, P.E. (111) 209
North-Root, H., see Kuttab, S.H. (117) 193

Novák, J.
---, Guha, O.K. and Janák, J.
Effect of column temperature on the sensitivity of katharometer response (112) 365
Novák, L., see Zeman, I. (119) 581
Novotný, M., see Asmus, P.A. (119) 25
---, see McConnell, M.L. (112) 559
Nowlin, J., see Horning, M.G. (112) 605
Nugent, K.D., see Seiber, J.N. (114) 361

O

Oehrle, K.-L.
---, Vogt, K. and Hoffmann, B.
Determination of trenbolone and trenbolone acetate® by thin-layer chromatography in combination with a fluorescence colour reaction (114) 244
Oevelen, D. van, see Verachtert, H. (117) 295
Ogamo, A., see Nagasawa, K. (111) 51
Ohkuma, S.
Determination of hemin by paper chromatography (114) 283
Ohno, T., see Hayashi, T. (118) 403
Oktavec, D., see Krupčik, J. (112) 189
Okubo, N., see Miyazaki, M. (118) 254
Oliveira-Filho, R.M., see Valle, L.B.S. (115) 183
Olshanova, K.M., see Nikashina, V.A. (120) 155
Olson, B., see Jain, N.C. (116) 194
Onuska, F.I.
--- and Comba, M.E.
Gas chromatographic identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
Orav, A., see Rang, S. (119) 451
Oriente, G., see Amico, V. (116) 439
Osborne, D.J., see Cockerill, A.F. (114) 151
Osmiałowski, K., see Piekos, R. (116) 315, (117) 431
Ossicini, L.
--- and Balzoni, M.
A paper electrophoretic study of ion-pair formation. XII. Interaction between Co(III) complexes and solutions of orthophosphate, pyrophosphate and metaphosphate (117) 464
--- and Celli, C.
A paper electrophoretic study of ion-pair formation. XI. The behaviour of optical isomers in optically active electrolytes (115) 655
---, see Shukla, S.K. (114) 451
Ostrowska, M., see Jerzykowski, T. (116) 225
Osuga, T., see Imai, K. (120) 181
Ottenstein, D.M.
---, Bartley, D.A. and Supina, W.R.
Gas chromatographic separation of *cis–trans* isomers: methyl oleate/methyl elaidate (119) 401
Ouano, A.C.
Gel permeation chromatography. XII. Computer-assisted gel permeation chromatography and low-angle laser light-scattering photometry (118) 303

P

Pacáková, V., see Miller, V. (119) 353
Pace, A. de, see Verebey, K. (118) 331
Pace, L.A., see Schroeder, W.A. (118) 295
Pachecka, J., see Belvedere, G. (118) 387
Pank, M.
---, Kogerman, A., Kirret, O. and Rajalo, G.
Gas chromatographic study of the reactivity of toluidines towards and active diester (119) 409
Pankov, A.G., see Berezkin, V.G. (112) 353
Pantarotto, C., see Belvedere, G. (111) 313, (112) 631
Papin, J.-P.
--- and Udiman, M.
Chromatographie sur couche mince des polyols (115) 267
Parihar, D.B., see Vasundhara, T.S. (115) 535
Parlouer, P. le, see Belabbes, R. (120) 81
Parodi, P.W.
Detection of acetodiacylglycerols in milkfat lipids by thin-layer chromatography (111) 223
Parr, W., see Andrawes, F. (112) 197
Paryjczak, T.
--- and Jóźwiak, K.
Pulse technique for the chromatographic determination of metal dispersions in palladium catalysts (111) 443
---, Jóźwiak, W. and Góralski, J.
Chemisorption method for the determination and removal of trace amounts of oxygen in unreactive gases (120) 291
Patel, I.B., see Davé, B.A. (116) 395
Patterson, G.W.
---, Khalil, M.W. and Idler, D.R.
Sterols of scallop. I. Application of hydrophobic Sephadex derivatives to the resolution of a complex mixture of marine sterols (115) 153
Paul, D., see Singh, H. (114) 270
Pecsok, R.L., see Laub, R.J. (113) 47
Peetre, I.-B., see Tullberg, L. (120) 103
Perrin, J.H., see Hulshoff, A. (120) 65
Perry, J.A.
Programmed multiple development. Brief review and study of extended programs (review) (113) 267
Petermann, H., see Wenz, I. (120) 187
Petkov, V.H., see Petsev, N.D. (114) 204
Petrović, J.A.
--- and Petrović, S.M.
Separation of some androgens and estrogens by thin-layer chromatography (119) 625
Petrović, K.
--- and Vitorvić, D.
Recognition and qualitative characterization of commercial petroleum fuels and synthetic fuels by a gas chromatographic fingerprint technique. I. General considerations (119) 413
Petrović, S.M., see Petrović, J.A. (119) 625
Petsev, N.D.
---, Petkov, V.H. and Dimitrov, Chr.
Determination of the amount of stationary phase in packings for gas–liquid chromatography. Stationary phases for use at high temperature (114) 204
Peyrin, L., see Dalmaz, Y. (116) 379
Pfaffenberger, C.D.
--- and Horning, E.C.
High-resolution biomedical gas chromatography. Determination of human urinary steroid metabolites using glass open tubular capillary columns (112) 581
Pfrepper, G.
Ionenaustausch bei hohen Konzentrationen der Lösung. V. Die Rolle der Sulfon-Gruppe bei der Sorption anionischer Komplexe des Thallium(III) aus Bromwasserstoffsäure durch Kationenaustauscher (116) 407

Ionenaustausch bei hohen Konzentrationen der Lösung. VI. Einfluss des Vernetzungsgrades auf die Sorption anionischer Komplexe von Thallium(III) und Eisen(III) durch sulfonsaure Kationaustauscher (120) 399
Phelps, D.J., see Martel, C. (115) 633
Phillips, C.S.G., see Scott, K.F. (112) 61
Phuong, N.D., see Haken, J.K. (117) 23
Picart, D., see Berthou, F. (118) 135
Pickett, E.E., see Aue, W.A. (111) 37

Piekos, R.
---, Osmiałowski, K., Kobylczyk, K. and Grzybowski, J.
Search for new silylating agents. I. Comparative gas–liquid chromatographic evaluation of trimethylsilyl derivatives of piperidine, pyrrolidine and morpholine (116) 315
---, Teodorczyk, J., Grzybowski, J., Kobylczyk, K. and Osmiałowski, K.
Search for new silylating agents. II. Comparative gas–liquid chromatographic evaluation of N-trimethylsilyl-acetanilide and its *p*-ethoxy derivative (117) 431
Pikeš, V., see Franc, J. (119) 616
Pineault, G., see Pruden, B.B. (115) 477
Pinelli, A.
--- and Colombo, A.
Gas chromatographic separation of Krebs-cycle metabolites (118) 236
Piringer, O.
---, Jalobeanu, M. and Stănescu, U.
The utilization of gas chromatographic retention data in combination with elemental analysis for substance identification (119) 423
Piskorska, D., see Jerzykowski, T. (116) 225
Piti, T., see Vestergaard, P. (111) 63, 75
Pitt, Jr., W.W., see Katz, S. (111) 470
Plattner, R.D., see Spencer, G.F. (120) 335
Poerio, E., see Buonocore, V. (114) 109
Pörschmann, J., see Hofmann, H.-J. (115) 299
Poinescu, I.C., see Freeman, D.H. (118) 157
Pollak, V.
--- and Boulton, A.A.
An experimental high-performance photodensitometer for quantitative chromatography. I. Design and construction (115) 335
---, see Boulton, A.A. (115) 349
Pokorný, J., see Čoupek, J. (120) 411
Pokorný, S., see Čoupek, J. (120) 411
Połoński, T., see Chimiak, A. (115) 635
Pommier, C., see Bocquet, J.F. (117) 315
Poole, C.F.
Temperature-dependence of electron capture response (118) 280
--- and Morgan, E.D.
Structural requirements for the electron capturing properties of ecdysones (115) 587
---, see Morgan, E.D. (116) 333
Popl, M.
---, Dolanský, V. and Mostecký, J.
Influence of the molecular structure of aromatic hydrocarbons on their adsorptivity on silica gel (117) 117
Poppe, H., see Herber, R.F.M. (118) 23
---, see Huber, J.F.K. (112) 377
Poshkus, D.P., see Kalashnikova, E.V. (119) 233
Potapova, M.A., see Nikashina, V.A. (120) 155
Powell, R.G., see Spencer, G.F. (120) 335
Poy, F., see Verga, G.R. (116) 17
Prescott, B., see Caldes, G. (111) 466
Pretorius, V., see Schiecke, J.D. (112) 97, (119) 190, (115) 373
Preussmann, R., see Eisenbrand, G. (115) 602
Prime, D.M., see Cockerill, A.F. (114) 151
Pronin, A.Ya., see Kalinichev, A.I. (120) 249
Prost, M., see Bournot, P. (112) 617
Pruden, B.B.
---, Pineault, G. and Loutfi, H.
A thin-layer chromatographic method for the quantitative determination of D-mannose, D-glucose and D-galactose in aqueous solution (115) 477
Pryde, A.
--- and Darby, F.J.
The analysis of paraquat in urine by high-speed liquid chromatography (115) 107
---, see Knox, J.H. (112) 171
Puglisi, C.V.
--- and De Silva, J.A.F.
Determination of the carotenoid phytoene in blood by high-pressure liquid chromatography (120) 457
---, De Silva, J.A.F. and Leon, A.S.
Determination of 7-iodo-1,3-dihydro-1-methyl-5-(2'-fluorophenyl)-2H-1,4-benzodiazepin-2-one (Ro 7-9957) and its major biotransformation products in blood and urine by electron capture–gas–liquid chromatography (118) 371
Purnell, J.H., see Laub, R.J. (112) 71

Q

Qureshi, M.
---, Kumar, R., Sharma, V. and Khan, T.
Synthesis and ion-exchange properties of tin(IV) tungstoarsenate (118) 175
---, Rawat, J.P.and Gupta, A.P.
Synthesis and ion-exchange properties of niobium arsenate (118) 167

R

Rahm, J.
Analytical separation of amino acids on a cation-exchange resin cross-linked with *m*-divinylbenzene (115) 455
Rahman, S.S., see Castracane, V.D. (115) 244
Rajagopalan, T.G., see Geiger, U.P. (114) 167
Rajalo, G., see Pank, M. (119) 409
Rajwar, D.P., see Ghosh, A.K. (117) 29
Ramachandran, S., see Schwartz, R.D. (112) 111
Ramaekers, J.J.M., see Deelder, R.S. (119) 99
Ramakrishnan, R.
--- and Subramanian, N.
Quantitative analysis of mixtures of toluene and its side-chain-chlorinated derivatives by gas chromatography (114) 247
Ramanathan, P.S., see Datar, A.G. (114) 29
Ramljak, Z.
---, Deur-Šiftar, D. and Šolc, A.
Characterization of bitumens by pyrolysis gas chromatography (119) 445
Rang, S.
---, Kuningas, K., Orav, A. and Eisen, O.
Capillary gas chromatography of *n*-alkynes. I. Retention indices (119) 451
Ranieri, R.L.
--- and McLaughlin, J.L.
Cactus alkaloids. XXVII. Use of fluorescamine as a thin-layer chromatographic visualization reagent for alkaloids (111) 234
Rappe, C., see Mattson, P.E. (111) 209
Rasmussen, K.E.
On-column silylation of cannabinoids after injection of solid plant material and cold trapping (114) 250

Quantitative morphine assay by means of gas–liquid chromatography and on-column silylation (120) 491
Raverdino, V., see Long, M. (117) 305
Rawat, J.P., see Qureshi, M. (118) 167
Rayss, J., see Waksmundzki, A. (119) 557
Read, G., see Glynne-Jones, E. (114) 232
Reddy, B.S., see Spears, R. (116) 184
Redweik, U., see Curtius, H.Ch. (112) 523
Rees, H.H.
---, Donnahey, P.L. and Goodwin, T.W.
Separation of C_{27}, C_{28} and C_{29} sterols by reversed-phase high-performance liquid chromatography on small particles (116) 281
Regnier, F.E., see Chang, S.H. (120) 321
Regula, E.
Dünnschichtchromatographischer Nachweis von Calcium- und Natrium-Stearoyllactylat neben anderen Emulgatoren in Lebensmitteln (115) 639
Rehg, W.R., see Ross, W.D. (112) 719
Reichling, J.
--- and Fischer, H.
Chromatographische Trennung herbizidwirksamer *s*-Triazine auf verschiedenen Polyamiddünnschichten (115) 670
Reinhard, M.
---, Drevenkar, V. and Giger, W.
Effect of aqueous chlorination on the aromatic fraction of diesel fuel. Analysis by computer-assisted high-resolution gas chromatography–mass spectrometry (116) 43
Reisfeld, R.A., see Wang, R. (114) 223
Remy, D.E., see Merritt, Jr., C. (112) 301
Reymer, H.G.M., see Brinkman, U.A.Th. (116) 353
Rice, W.P., see Hudson, J.C. (117) 449
Richards, M.
Separation of mono- and dicarboxylic acids by liquid chromatography (115) 259
Ridge, B., see Burt, R.J. (118) 240
Riess, W., see Degen, P.H. (117) 399, 407, (118) 363
---, see Geiger, U.P. (114) 167
---, see Jack, D.B. (115) 87
Rijks, J.A., see Soják, L. (119) 505
Rinaldi, A.
---, Cossu, P. and De Marco, C.
Ion-exchange chromatography of S-(carboxymethyl)cysteine and Se-(carboxymethyl)-selenocysteine (120) 221
---, see de Marco, C. (114) 291, (115) 621
Rinalduzzi, B.
A paper electrophoretic study of ion-pair formation. IX. The migration of small organic ions in strong acids (114) 297

Ripphahn, J.
——— and Halpaap, H.
Quantitation in high-performance micro-thin-layer chromatography (112) 81
Robards, A.W., see Gressel, J. (114) 455
Roberts, D.P., see Darvill, A.G. (115) 319
Roberts, G., see Santoro, R. (117) 375
Robertson, J.H., see Tsuji, K. (112) 663
Robinson, G.W.
Modifications in gradient elution of amino acids (111) 416
Rocca, J.L., see Gonnet, C. (120) 419
——— and Rouchouse, A.
Séparation de sucres sur microparticules de silice par chromatographie en phase liquide à haute performance (117) 216
Rodrigues de Miranda, J.F.
——— and Eikelboom, T.D.
Thin-layer chromatographic separation of free fatty acids. Analysis and purification of radioactively labelled fatty acids (114) 274
Rodríguez-Viñals, R., see Guardino. X. (118) 13
Romagnoli, E., see Tortolani, G. (120) 149
Rosenberg, A., see Den, H. (111) 217
Ross, M.S.F.
Analysis of cinnamon oils by high-pressure liquid chromatography (118) 273
———, see Lines, D.S. (117) 59
Ross, W.D.
———, Buttler, G.W., Duffy, T.G., Rehg, W.R., Wininger, M.T. and Sievers, R.E.
Analysis for aqueous nitrates and nitrites and gaseous oxides of nitrogen by electron capture gas chromatography (112) 719
Rosseel, M.-T., see Vanderheeren, F.A.J. (120) 123
Roth, H.P., see Neiderhiser, D.H. (117) 187
Rouchouse, A., see Rocca, J.L. (117) 216
Rovei, V., see Vereczkey, L. (116) 451
Różyło, J.K.
Types of adsorbent and relationships between R_M values of a substance and the composition of the mobile phase in thin-layer chromatography (116) 117
———
Comparison of theoretical and experimental R_M values in thin-layer adsorption chromatography on silica gel adsorbents of different porosity (116) 125
Rudenko, B.A.
———, Baydarovtseva, M.A. and Kusovkin, V.A.
Gas chromatography in vapours as mobile phases. A short review (112) 373
———, see Chizhkov, V.P. (120) 35
Ruh, M.F.
——— and Black, C.
Separation and detection of α- and β-ecdysone using thin-layer chromatography (116) 480
Runeckles, V.C.
——— and Das, G.
Simple ion-exchange column fractionation of ribonucleotides (115) 240
Russell, I.M., see Evans, D.J. (115) 391
Russev, P.
———, Gough, T.A. and Woollam, C.J.
Detection of inorganic gases using a flame ionisation detector (119) 461
Ryback, G.
Chromatography of saturated steroid hydrocarbons (steranes) on alumina (116) 207
Rydon, H.N., see Burt, R.J. (118) 240
Ryšlavý, Z.
———, Vacík, J. and Zuska, J.
Temperature profiles in capillary isotachophoresis (114) 315

S

Sabbagh, N.K.
--- and Fagerson, I.S.
Gel chromatography of glucose oligomers. A study of operational parameters (120) 55
Sadeghian, K., see Hokin-Neaverson, M. (120) 502
Safille, A., see Lee, M.-L. (116) 462
Saito, Z., see Kornel, L. (111) 200
Saitoh, K.
--- and Suzuki, N.
Solvent effects in the gel chromatography of *n*-alkanes on Merckogel OR-2000 (111) 29
Salmona, M., see Belvedere, G. (118) 387
Salole, E.G., see Skellern, G.G. (114) 483
Samperi, R., see Di Corcia, A. (117) 199
Samuelson, O., see Havlicek, J. (114) 383
Santi, W.
---, Huen, J.M. and Frei, R.W.
High-speed ion-pair partition chromatography in pharmaceutical analysis (115) 423
---, see Frei, R.W. (116) 365
---, see Lindner, W. (111) 365
Santoro, R.
---, Warren, R. and Roberts, G.
Spontaneous formation of 4-methyl-5-phenyl-oxazolidine-2-thione from phenylpropanol-amine (117) 375
Sayther, T.T., see Erhardt, P.W. (116) 218
Scacchi, G.
--- and Black, M.H.
Separation and analysis of small quantities of saturated C_6 hydrocarbons from large quantities of olefins (114) 255
Schäublin, J., see Degen, P.H. (118) 363
Schafer, T.R., see McCormick, J.P. (117) 428
Schaik, T.A.M. van, see Brinkman, U.A.Th. (115) 195
Scheffer, J.J.C.
--- and Baerheim Svendsen, A.
Improved gas chromatographic analysis of naturally occurring monoterpene hydrocarbons following pre-fractionation by liquid–solid chromatography (115) 607
Schieke, J.D.
---, Comins, N.R. and Pretorius, V.
Whisker-walled open tubular glass columns for gas chromatography. Techniques for inducing whisker growth (112) 97
---, Comins, N.R. and Pretorius, V.
An improved technique for observing the inner surface of open-tubular columns for gas chromatography using scanning electron microscopy (114) 190
---, Comins, N.R. and Pretorius, V.
Surface-modified open-tubular columns for gas chromatography. Observation and analysis of the surface using scanning electron microscopy (SEM) and energy-dispersive X-ray analysis (115) 373
Schindlbauer, H.
---, Gruber, H. and Biller, E.
Reaktionsgaschromatographie: ein Mittel zur raschen Abschätzung von Reaktionsparametern. I. Beispiele für Amidierungen und N-Acylierungen (115) 311
Schlick, K., see Wagner, H. (115) 357
Schmidtlein, H.
--- and Herrmann, K.
Quantitative analysis for phenolic acids by thin-layer chromatography (115) 123
Schneider, W., see Degen, P.H. (117) 407
Scholler, J., see Sullivan, G. (116) 490
Scholler, R., see Dehennin, L. (111) 238
Schomburg, G., see Henneberg, D. (112) 343
---, Husmann, H. and Weeke, F.
Aspects of double-column gas chromatography with glass capillaries involving intermediate trapping (112) 205
--- and Zegarski, K.
Separation of olefinic compounds by reversed-phase liquid chromatography with a mobile phase containing π-complexing metal salts like silver nitrate (114) 174
Schott, H.
Template-Chromatographie an stationär gebundenen Oligonukleotiden. Synthese und Anwendung von Oligodesoxyadenosin-5'-phosphat–DEAE-Zellulose (115) 461

Schroeder, W.A.
--- and Nelson, N.C.
Microchromatography of hemoglobins. V. Thin-layer chromatography of some hemoglobins on CM-cellulose (115) 527
---, Pace, L.A. and Huisman, T.H.J.
Chromatography of hemoglobins on CM-cellulose with Bis-tris and sodium chloride developers (118) 295
Schüller, M., see Knust, E.J. (114) 207
Schulz, P.
--- and Vilceanu, R.
Gaschromatographie acylierter α-Hydroxyphosphonsäureester. Spurenanalyse aliphatischer Carbonsäuren mit dem Phosphordetektor (111) 105
---, Vilceanu, R. and Ciubotariu, D.
Zur Gaschromatographie vollständig substituierter cyclischer Alkoxyphosphazene (111) 430
Schwartz, R.D.
---, Mathews, R.G. Ramachandran, S., Henly, R.S. and Doyle, J.E.
High-temperature gas–liquid chromatography with a polyphenyl ether sulfone (112) 111
Schwartzman, R.M.
--- and Halliwell, R.E.W.
Thin-layer chromatographic assays of histamine and its metabolites in urine of man and dog (115) 129
Schwarz, M.
--- and Michael, G.
Zur Gaschromatographie der Trifluoracetylaminosäuretrimethylsilylester (118) 101
Schwarzenbach, R.
A chemically bonded stationary phase for carbohydrate analysis in liquid chromatography (117) 206
Schwarzmaier, U.
Hydroxylamin/Eisen(III)chlorid, ein stereospezifisches Farbreagenz für Mandelsäurenitrilglycoside (111) 430

2,3,5-Triphenyltetrazolium hydroxide – a colour reagent for mandelonitrile glycoside (114) 235

Untersuchung und Reinigung von kieselsäurehaltigen Kohlenhydraten (118) 250
Schwedt, G.
Hochdruck-Flüssigkeits-chromatographische Analyse der Katecholamine Dopamin und Noradrenalin als Fluorescaminderivate (118) 429
Schwertner, H., see Wallace, J.E. (114) 433
Scott, K.F.
--- and Phillips, C.S.G.
Gas chromatographic studies of catalysis on $Ni–SiO_2$ (112) 61
Scott, R.P.W.
--- and Kucera, P.
Solute interactions with the mobile and stationary phases in liquid–solid chromatography (112) 425
--- and Kucera, P.
Some aspects of preparative-scale liquid chromatography (119) 467
Scratchley, G.A., see Stohs, S.J. (114) 329
Seetz, J.W.F.L., see Brinkman, U.A.Th. (116) 353
Seiber, J.N., see Hsieh, D.P.H. (117) 474
---, Landrum, P.F., Madden, S.C., Nugent, K.D. and Winterlin, W.L.
Isolation and gas chromatographic characterization of some toxaphene components (114) 361
Seibert, G., see Breter, H.-J. (118) 242
Seki, T.
Chromatographic separation of dihydroxybenzenes on a column of Merckogel PGM 2000 (115) 262
--- and Wada, H.
Chromatographic separation of catecholamines on a weakly acidic ion-exchange resin (114) 227
Selig, M., see Nation, R.L. (116) 188
Selzer, R.B.
--- and Howery, D.G.
Factor analysis of solute parameters in ether–stationary phase interactions (115) 139
Senanayake, U.M.
---, Edwards, R.A. and Lee, T.H.
Simple solid injection method for qualitative and quantitative estimation of essential oils (116) 468
Sennello, L.T., see Chu, S.-Y. (117) 415
Sepp, W., see Amin, M. (118) 225
Serfontein, W.J.
---, Botha, D. and De Villiers, L.S.
A rapid and comprehensive system for the routine identification of drugs in biological material based on microphase extraction and drug colour profiles (115) 507
Serpinet, J.
Application of inverse gas chromatography to the determination of the surface area of macroporous and mesoporous adsorbents (119) 483

Settimj, G.
---, Di Simone, L. and Del Giudice, M.R.
A new gas chromatographic method for the estimation of reserpine and rescinnamine (116) 263
Sevier, E.D., see Wang, R. (114) 223
Sharma, V., see Qureshi, M. (118) 175
Sharpe, S.
--- and Gray, D.O.
The advantages of carboxymethylcellulose for the separation of amines from amino acids (120) 473
Sharples, W.E., see Dyer, A. (118) 319
---, see Vernon, F. (111) 117
Shcherbakova, K.D., see Kalashnikova, E.V. (119) 233
Sheehan, M.
--- and Haythorn, P.
Rapid gas chromatographic determination of underivatized theophylline in whole blood (117) 393
Sherma, J.
Chromatographic analysis of fungicides (review) (113) 97
Shibata, K., see Yamamoto, H. (116) 29
Shibata, M., see Kawazu, K. (115) 543
Shibata, S., see Kamata, E. (115) 660
Shimizu, I.
The paper chromatography of a group of secondary amines (118) 96
Shinozuka, T., see Nagasawa, K. (111) 51
Shkolina, L.A., see Anisimov, A.F. (111) 409
---, see Berezkin, V.G. (119) 33
Shukla, S.K.
---, Fanali, S. and Ossicini, L.
Paper chromatographic study of the reduction of perbromate ions by potassium and hydrogen halides (114) 451
Shulgin, A.T., see Helisten, C. (117) 232
Shvarzman, V.P., see Zhukhovitskii, A.A. (119) 591
Siegfried, R.
Vergleich zwischen gaschromatographischer und fluoreszenzspektroskopischer Bestimmung von 3,4-Benzpyren (118) 270
Siest, G., see Houpert, Y. (115) 33
Sievers, R.E., see Ross, W.D. (112) 719
Silano, V., see Buonocore, V. (114) 109
Silva, J.A.F. de, see Puglisi, C.V. (118) 371, (120) 457
Simon, J.
--- and Szepesy, L.
Manufacture of glass open-tubular columns by dehydration of the surface (119) 495
Simone, L. di, see Settimj, G. (116) 263
Šímová, A., see Krupčík, J. (119) 271
Sims, H.F., see Munns, T.W. (111) 403
Singh, H.
---, Paul, D., Malhotra, R.K. and Bhardwaj, T.R.
Steroids and related studies. XXXII. Thin-layer chromatography of some lactam, tetrazole, basic and quaternary azasteroids (114) 270
Sinitzina, L.A., see Chizhkov, V.P. (120) 35
Sioufi, A., see Geiger, U.P. (111) 293
Šír, Z., see Komers, R. (119) 251
Skaare, J.U.
--- and Dahle, H.K.
Gas chromatographic determination and mass spectrometric confirmation of N-nitrosodimethylamine in fish meal (111) 426
Skellern, G.G.
--- and Salole, E.G.
A high-speed liquid chromatographic analysis of indomethacin in plasma (114) 483
Šlechtová, R., see Chundela, B. (119) 609
Śledzińska, B., see Kowalczyk, J.S. (119) 255
Slucutt, M.J., see Cox, G.B. (117) 269
Smith, A.G., see Brooks, C.J.W. (112) 499
Smith, B.E.F., see Tullberg, L. (120) 103
Smith, L.L., see Teng, J.I. (115) 648
Smith, R.N.
High-pressure liquid chromatography of cannabis. Identification of separated constituents (115) 101
Smith, R.V., see Erhardt, P.W. (116) 218
Smith Magen, J., see Haeffner, L.J. (118) 425
Smolka, A.J.K., see Kopwillem, A. (118) 35
Smolková, E., see Miller, V. (119) 353
Smuts, T.W., see Cloete, C.E. (120) 1, 17, 29
Sneath, T., see Jain, N.C. (116) 194
Sneath, T.C., see Jain, N.C. (115) 519
Soczewiński, E.
--- and Ciszewska, M.
Investigations of the relationship between molecular structure and chromatographic parameters. IX. Extraction of phenolic 2-benzoylbenzoic acids with cyclohexane solutions of *n*-hexanol and oleic acid (111) 21
--- and Gołkiewicz, W.
A graphical method for the determination of retention times in column liquid–solid chromatography from thin-layer chromatographic data (118) 91
--- and Matysik, G.
Investigations of the relationship between molecular structure and chromatographic parameters. VIII. Partition of phenols and their derivatives in systems of the type (cyclohexane + polar solvent)–water (111) 7

Soják, L.
——— and Rijks, J.A.
Capillary gas chromatography of alkylbenzenes. I. Some problems encountered with the precision of the retention indices of alkylbenzenes (119) 505
Šolc, A., see Ramljak, Z. (119) 445
Solsky, J.F., see Grushka, E. (112) 145
Sommer, K.R., see Horning, M.G. (112) 605
Souter, R.W.
Gas chromatographic resolution of enantiomeric amphetamines and related amines. II. Effects of cyclic structures on diastereomer and enantiomer resolution (114) 307
———, see Lochmüller, C.H. (113) 283
Sowa, W.
———, Licht, B.H. and Itzkovitch, I.J.
Gas chromatography and high-pressure liquid chromatography of commercial hydroxyoxime copper extractants (116) 197
Spears, R.
———, Vukusich, D., Mangat, S. and Reddy, B.S.
New improved method for separation of fecal bile acids by thin-layer chromatography (116) 184
Spencer, G.F.
———, Plattner, R.D. and Powell, R.G.
Quantitative gas chromatography and gas chromatography–mass spectrometry of *Cephalotaxus* alkaloids (120) 335
Stafford, M., see Horning, M.G. (112) 605
Stancher, B.
———, Favretto Gabrielli, L. and Favretto L.
Analysis of polyoxyethylene non-ionic surfactants by coupling gas–liquid and thin-layer chromatography (111) 459
Stănescu, U., see Piringer, O. (119) 423
Staszewski, R., see Zygmunt, B. (119) 599
Stedjee, B.J., see Kauffman, G.B. (117) 455, (118) 433
Steklá, J., see Zeman, I. (119) 581
Stelling, D., see Murren, C. (115) 236
Steuerle, H.
Bestimmung von Vitamin D_3 und seinen Fotoisomeren in D_3-Harzen sowie in Mischungen mit Vitamin A-Acetat (115) 447
Steyn, J.M.
A thin-layer chromatographic method for the determination of acebutolol and its major metabolite in serum (120) 465
——— and Hundt, H.K.L.
A thin-layer chromatographic method for the quantitative determination of quinidine in human serum (111) 463
Stillwell, R.N., see Horning, M.G. (112) 605
Stohs, S.J.
——— and Scratchley, G.A.
Separation of thiazide diuretics and antihypertensive drugs by thin-layer chromatography (114) 329
Storstein, L.
Studies on digitalis. IV. A method for thin-layer chromatographic separation and determination of digitoxin and cardioactive metabolites in human blood and urine (117) 87
Strandberg, S., see Hartvig, P. (118) 65
Strassner, M., see Lisboa, B.P. (111) 159
Stretton, R.J., see Burns, D.T. (116) 107
Štrop, P., see Mikeš, O. (119) 339
Stubenrauch, G., see Gelbke, H.P. (120) 239
Su, S.C.
———, Hartkopf, A.V. and Karger, B.L.
High-performance ion-partition chromatography of sulfa drugs. Study and optimization of chemical parameters (119) 523
Subramanian, N., see Ramakrishnan, R. (114) 247
Suchánek, P., see Krupčik, J. (119) 271
Šudřich, M., see Vondruška, M. (116) 457
Sugden, K., see Cox, G.B. (117) 269
Sugiura, T., see Hayashi, T. (118) 403
Sullivan, G.
———, Maness, D.D., Yakatan, G.J. and Scholler, J.
Thin-layer chromatographic separation of sterigmatocystin, 5-methoxysterigmatocystin and O-methylsterigmatocystin (116) 490
Sultanov, N.T.
——— and Arustamova, L.G.
Determination of the boiling points of C_{10} isoalkanes in an *n*-decane isomerizate from gas chromatographic retention indices (115) 553
Sundler, F., see Larsson, L.-I. (117) 355
Supina, W.R., see Ottenstein, D.M. (119) 401
Suprynowicz, Z.
——— and Jaroniec, M.
Analogy between gas adsorption and liquid adsorption chromatography (117) 11
Suzuki, J., see Yamamoto, H. (116) 29

Suzuki, N., see Saitoh, K. (111) 29
Svendsen, A. Baerheim, see Verpoorte, R. (120) 203
Svoboda, M.
--- and Vacík, J.
Capillary isotachophoresis with ultraviolet detection. Some quantitative aspects (119) 539
Symes, E.K.
--- and Thomas, B.S.
Method for the measurement of plasma dehydroepiandrosterone by gas–liquid chromatography with electron capture detection (116) 163
Szász, Gy.
---, Mészáros, Z., Ignáth, Zs. and Kovács, G.
Thin-layer chromatography of homopyrimidazole derivatives (117) 345
Szentirmay, Zs.
---, Tarján, G., Békési, L., Gajari, J. and Takács, J
General contribution to the theory of retention index systems in gas–liquid chromatography. IV. Pre-calculation of interaction factors on mixed stationary phases in gas–liquid chromatography by computer (119) 333
Szepesy, L., see Simon, J. (119) 495

T

Takács, E.C., see Lombosi, T.S. (119) 307
Takács, J.M.
--- see Bojti, E. (119) 321
---, see Lombosi, T.S. (119) 307
---, see Szentirmay, Zs. (119) 333
---, see Tarján, G. (119) 327
Takaguchi, K.
--- and Tomita, I.
Lithium ion exchange on α-titanium phosphate (118) 263
Takata, Y., see Hoshika, Y. (120) 379
Takei, S., see Komaita, T. (114) 1
Tamura, Z., see Imai, K. (120) 181
---, see Yoshida, A. (116) 240
Tan, W.C., see Mattox, V.R. (120) 435
Tanaka, A.
--- and Fujimoto, Y.
Gas chromatographic determination of thiabendazole in fruits as its methyl derivative (117) 149
Tanaka, K., see Ikeda, N. (114) 389
Tanimura, T., see Yoshida, A. (116) 240
Tarallo, P., see Houpert, Y. (115) 33
Tarasova, L.V., see Bebris, N.K. (117) 257
Tarján, G.
---, Kiss, Á., Kocsis, G., Mészáros, S. and Takács, J.M.
General contribution to the theory of retention index systems in gas–liquid chromatography. III. Contribution to the polarity of gas chromatographic stationary phases expressed by retention indices (119) 327
---, see Szentirmay, Zs. (119) 333
Tenaschuk, D., see MacKenzie, S.L. (111) 413
Teng, J.I.
--- and Smith, L.L.
Anomalous chromatographic behaviour of some C_{27}-steroid hydroperoxides (115) 648
Teodorczyk, J., see Piekos, R. (117) 431
Téoule, R., see Cadet, J. (115) 191
Terada, H., see Hayashi, T. (118) 403
Teter, L.A., see Kauffman, G.B. (114) 465
Theunis, D.J.C.J., see Vanderheeren, F.A.J. (120) 123
Thieroff, K., see Hofmann, H.-J. (115) 299
Thomas, B.S., see Symes, E.K. (116) 163
Thomas, M., see Frei, R.W. (116) 365
Thomas, R.S., see Lao, R.C. (112) 681
Thurman, G.W., see Kautsky, M.P. (114) 473
Tilborg, W.J.M. van, see Van Tilborg, W.J.M. (115) 616
Till, U., see Wenz, I. (120) 187
Tishbee, A., see Wentworth, W.E. (112) 229
Tomarchio, L., see Long, M. (117) 305
Tomita, I., see Takaguchi, K. (118) 263
Tomlinson, E.
Chromatographic hydrophobic parameters in correlation analysis of structure–activity relationships (review) (113) 1
Tortolani, G.
--- and Romagnoli, E.
Chromatography of cephalosporins on DEAE-Sephadex (120) 149
Tóth, T., see Holderith, J. (119) 215
Toth-Martinez, B.L.
---, Dinya, Z. and Hernádi, F.
Purification of *Escherichia coli* B-specific ρ-aminobenzoate "pick-up" protein to homogeneity by affinity chromatography (115) 205
Trifilo, R.M.
--- and Dobson, Jr., J.G.
Separation of purine 3',5'-cyclic nucleotides and nucleosides by thin-layer chromatography on PEI cellulose (116) 465
Triggs, E.J., see Nation, R.L. (116) 188
Trimbos, H.F., see Cramers, C.A. (119) 71
Tringali, C., see Amico, V. (116) 439
Tschesche, R., see Henke, U. (120) 477
Tsuji, A., see Maeda, M. (120) 449
Tsuji, K.
--- and Robertson, J.H.
Improved high-performance liquid chromatographic method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663
Tuinstra, L.G.M.Th.
--- and Bronsgeest, J.M.
Determination of aflatoxin M_1 in milk at the parts per trillion level (111) 448

Tullberg, L.
———, Peetre, J.-B. and Smith, B.E.F.
Structural investigation of phenols and alcohols using silylation and gas chromatography (120) 103
Tullio, G.Di, see Long, M. (117) 305
Twitchett, P.J.
———, Gorvin, A.E.P. and Moffat, A.C.
High-pressure liquid chromatography of drugs. II. An evaluation of a microparticulate cation-exchange column (120) 359
——— and Moffat, A.C.
High-pressure liquid chromatography of drugs. An evaluation of an octadecylsilane stationary phase (111) 149
Tyman, J.H.P.
Long-chain phenols. IV. Quantitative determination of the olefinic composition of the component phenols in cashew nut-shell liquid (111) 277
———
Long-chain phenols. V. Gas chromatographic analysis of cashew nut-shell liquid (*Anacardium occidentale*) (111) 285
Tympl, M., see Caletka, R. (111) 93
Tyson, B.J.
Polyphenyl ether, a liquid phase for the gas chromatographic–mass spectrometric analysis of monoterpene hydrocarbons (111) 419

U

Udiman, M., see Papin, J.-P. (115) 267
Uhlmann, P., see Hofmann, H.-J. (115) 299
Uno, T., see Nakagawa, T. (111) 355
Uobe, K., see Inouye, H. (118) 201
Upfield, J.A., see Cox, G.B. (117) 269

V

Vacík, J., see Ryšlavý, Z. (114) 315
---, see Svoboda, M. (119) 539
Valle, L.B.S.
---, Oliveira-Filho, R.M. and Camara, S.A.
Further data on a histochemical reaction as applied to the thin-layer chromatography of sterols (115) 183
Van Apeldoorn, R.J., see Mays, D.L. (120) 93
Van de Kamp, C.G., see Krijgsman, W. (117) 201
Van den Berg, J.H.M., see Deelder, R.S. (119) 99
Vandenborn, H.W., see Julin, B.G. (112) 443
Van den Bossche, W., see Crombez, E. (117) 161
Vandenheuvel, F.A.
Gas–liquid chromatographic studies of reactions and structural relationships of steroids. IV. Substitution in the pregnane side-chain (115) 161
VandenHeuvel, W.J.A.
--- and Gruber, V.F.
N-Dimethylaminomethylene derivatives for the gas–liquid chromatography of primary sulfonamides (112) 513
---, Gruber, V.F., Mandel, L.R. and Walker, R.W.
Identification of 6,7-dihydroxytetrahydroisoquinoline as an *in vitro* reaction product by gas–liquid radiochromatography (114) 476
Vanderhaeghe, H., see Janssen, G. (114) 266
Vanderheeren, F.A.J.
---, Theunis, D.J.C.J. and Rosseel, M.-T.
Gas–liquid chromatographic determination of perazine, thioridazine and thioridazine metabolites in human plasma (120) 123
Van der Vijver, L.M.
--- and Gerritsma, K.W.
Behaviour of 7-methyljuglone and two related naphthoquinones on silica gel exposed to air (114) 443
Van Oevelen, D., see Verachtert, H. (117) 295
Van Schaik, T.A.M., see Brinkman, U.A.Th. (115) 195
Van Tilborg, W.J.M.
Qualitative and quantitative determination of hydroperoxides by high-performance liquid chromatography (115) 616
Van Wassenaar, P.D.
--- and Iyengar, R.B.
Gas chromatographic separation of leucine and isoleucine phenylthiohydantoins (118) 99
Váradi, A., see Holderith, J. (119) 215
Varanka, M., see Kosinkiewicz, B. (114) 463
Vasendin, I.M., see Vaskovsky, V.E. (114) 129
Vaskovsky, V.E.
--- and Dembitzky, V.M.
Determination of plasmalogen contents of phospholipid classes by reaction micro-thin-layer chromatography (115) 645
---, Kostetsky, E.Y. and Vasendin, I.M.
A universal reagent for phospholipid analysis (114) 129
--- and Latyshev, N.A.
Modified Jungnickel's reagent for detecting phospholipids and other phosphorus compounds on thin-layer chromatograms (115) 246
Vasundhara, T.S.
---, Jayaraman, S. and Parihar, D.B.
The estimation of N-nitrosamines in tropical regions by reversed-phase paper and thin-layer chromatography (115) 535
Vaughn, R.H., see Davé, B.A. (116) 395
Verachtert, H.
---, Van Oevelen, D. and Bevers, J.
Use of polyols as stationary phases for the gas chromatographic separation of volatile compounds from excess amounts of ethanol (117) 295
Vercauteren, R.E., see Bernard, D.M. (120) 211
Vercellotti, J.R., see Kingston, D.G.I. (118) 414
Verebely, K.
---, Mulé, S.J. and Jukofsky, D.
A gas-liquid chromatographic method for the determination of naltrexone and beta-naltrexol in human urine (111) 141

Verebey, K.
———, Kogan, M.J., De Pace, A. and Mulé, S.J.
Quantitative determination of naltrexone and beta-naltrexol in human plasma using electron capture detection (118) 331
Vereczkey, L.
———, Bianchetti, G., Rovei, V and Frigerio, A.
Gas chromatographic method for the determination of nomifensine in human plasma (116) 451
Verga, G.R.
——— and Poy, F.
Gas chromatography of nitrogen- and phosphorus-containing compounds. A new, high-sensitivity, variable selectivity detector (116) 17
Vergnaud, J.-M., see Abdeddaim, K. (111) 253
———, see Belabbes, R. (120) 81
Verheggen, Th.P.E.M., see Everaerts, F.M. (119) 129
Vermeulen, R.J., see Baars, A.J. (120) 217
Vernon, F.
——— and Edwards, G.T.
Gas–liquid chromatography on fluorinated stationary phases. II. Fluorinated compounds containing a functional group (114) 87
———, Sharples, W.E. and Kyffin, T.W.
The steric factor in the gas–liquid chromatographic retention of toluic and methoxybenzoic esters (111) 117
Verpoorte, R.
——— and Baerheim Svendsen, A.
High-performance liquid chromatography of some tropane alkaloids (120) 203
Veselý, V., see Leško, J. (119) 293
Vespalec, R.
Effect of the amount of Tris III coated on silica gel on the separation of polycyclic aromatic hydrocarbons by liquid chromatography (118) 47
Vestergaard, P.
Multi-column liquid chromatography. I. A new multi-collector for simultaneous fraction collection from a number of chromatographic columns (111) 57
———
Multi-column liquid chromatography. III. New techniques for multi-column liquid chromatography (111) 69
———, Bachman, A., Piti, T. and Kohn, M.
Multi-column liquid chromatography. IV. Computerized on-line spectrophotometric quantitation system for multi-column liquid chromatography (111) 75
——— and Piti, T.
Multi-column liquid chromatography. II. A multi-cuvette for multi-column liquid chromatography (111) 63
Viala, A.
———, Cano, J.P. and Durand, A.
Dosage de la chloroquine dans les milieux biologiques par chromatographie en phase gazeuse (111) 299
Vigh, Gy.
A true full-length thermostating water jacket for Swagelok-terminated high-pressure liquid chromatographic columns (117) 424
——— and Inczédy, J.
Separation of some chloramphenicol intermediates by high-pressure liquid chromatography (116) 472
Vijver, L.M. van der, see Van der Vijver, L.M. (114) 443
Vilceanu, R., see Schulz, P. (111) 105, 430
Villiers, L.S. de, see Serfontein, W.J. (115) 507
Villumsen, D., see Breyer, U. (115) 493
Viricel, M.
——— and Gonnet, C.
Influence de l'activité de l'adsorbant en chromatographie d'adsorption sur couches minces (115) 41
——— and Lamotte, A.
Adsorption des mélanges binaires en chromatographie sur couches minces (114) 397
——— and Lemar, M.
Chromatographie liquide avec phases imprégnées sur microparticules de silice (116) 343
Visser, A.C. de, see Brinkman, U.A.Th. (115) 195
Vitenberg, A.G., see Ioffe, B.V. (112) 311
———, Ioffe, B.V., Dimitrova, Z.St. and Butaeva, I.L.
Determination of gas–liquid partition coefficients by means of gas chromatographic analysis (112) 319
Vitorović, D., see Petrović, K. (119) 413
Völkl, A.
——— and Berlet, H.H.
Trennung von Guanidinverbindungen durch Ionenaustauscher-Dünnschichtchromatographie (115) 485
Voelter, W.
——— and Zech, K.
High-performance liquid chromatographic analysis of amino acids and peptide-hormone hydrolysates in the picomole range (112) 643
Vogt, K., see Oehrle, K.-L. (114) 244

Volpe, P.
--- and Castiglioni, M.
Radio-gas chromatographic analysis of molecules containing labile tritium (114) 23
Von Arx, E.
---, Faupel, M. and Brugger, M.
Das 4,4'-Tetramethyldiamino-diphenylmethan Reagens (TDM). Eine Modifikation der Chlor-*o*-Tolidin Farbereaktion für die Dünnschichtchromatographie (120) 224
Vondruška, M.
---, Šudřich, M. and Mládek, M.
Determination of some gel permeation chromatographic parameters of the gel Spheron P-1000 (116) 457
Vorobieva, R.G., see Bebris, N.K. (117) 257
Vries, G. de, see Brinkman, U.A.Th. (115) 195
Vuillard, P., see Degen, P.H. (117) 407
Vukusich, D., see Spears, R. (116) 184
Vycudilik, W.
Isolation of drugs with macroreticular resins. Determination of phentermine in blood (111) 439
Vytášek, R.
---, Čoupek, J. Macek, K., Adam, M. and Deyl, Z.
Application of the sorption properties of Spheron gels in high-resolution liquid column chromatography of naturally occurring macromolecular species (119) 549

W

Waalkes, T.P., see Lakings, D.B. (116) 69, 83
Wada, H., see Seki, T. (114) 227
Wagner, H.
---, Neupert, D. and Schlick, K.
Eine modifizierte Trennapparatur zur trägerfreien Durchflussionophorese (115) 357
Wagner, J.R., see Hunter, I.R. (118) 259, (119) 223
Wahlund, K.-G.
Reversed-phase ion-pair partition chromatography of carboxylates and sulphonates (115) 411
Wainwright, M.S., see Haken, J.K. (117) 23
Waksmundzki, A., see Czajkowska, T. (119) 91
--- and Rayss, J.
The properties of column packings containing small amounts of stationary phase in gas–liquid chromatography (119) 557
Walden, M.K., see Hunter, I.R. (118) 259, (119) 223
Walker, R.W., see VandenHeuvel, W.J.A. (114) 476
Walker, S., see Brown, J.H. (116) 293
Wallace, J.E.
---, Hamilton, H.E., Schwertner, H., King, D.E., McNay, J.L. and Blum, K.
H., King, D.E., McNay, J.L. and Blum, K.
Thin-layer chromatographic analysis of cocaine and benzoylecgonine in urine (114) 433
Walle, K., see Walle, T. (114) 351
Walle, T.
Electron-capture detection of tertiary aromatic amines after ring trifluoroacetylation (111) 133

Electron-capture gas chromatography of barbituric acids and diphenylhydantoin after pentafluorobenzylation (114) 345
---, Morrison, J., Walle, K. and Conradi, E.
Simultaneous determination of propranolol and 4-hydroxypropranolol in plasma by mass fragmentography (114) 351
Walters, C.L., see Crathorne, B. (115) 213
Wang, R.
---, Sevier, E.D., David, G.S. and Reisfeld, R.A.
An affinity adsorbent for the rapid purification of wheat germ agglutinin (114) 223
Wankat, P.C., see Busbice, M.E. (114) 369
Warren, R., see Santoro, R. (117) 375
Wassenaar, P.D. van, see Van Wassenaar, P.D. (118) 99
Waysman, C.
---, Matelin, D. and Luu Duc, C.
Réalisation d'un pyrolyseur à filament à température régulée. Étude des macromolécules époxydiques par la pyrolyse couplée à la chromatographie en phase gazeuse (118) 115
Weatherston, J., see MacDonald, L.M. (118) 195
Weeke, F., see Schomburg, G. (112) 205
Weisburger, J.H., see Fiala, E.S. (117) 181
Welsch, Th., see Engewald, W. (119) 119
Wentworth, W.E.
---, Tishbee, A., Batten, C.F. and Zlatkis, A.
Photo-electron capture detector (112) 229
Wenz, I.
---, Loesche, W., Till, U., Petermann, H. and Horn, A.
Purification and characterization of commercial NADH and accompanying dehydrogenase inhibitors (120) 187
Wesley-Hadzija, B.
--- and Mattocks, A.M.
Specific thin-layer chromatographic method for the determination of theophylline in plasma in the presence of some other drugs (115) 501
Westenberg, H.G.M.
--- and De Zeeuw, R.A.
Rapid and sensitive liquid chromatographic determination of carbamazepine suitable for use in monitoring multiple-drug anticonvulsant therapy (118) 217
Weston, J.C., see Larson, R.A. (111) 43
Wetzels, M.L., see Deelder, R.S. (119) 99

Whelan, J.K.
Gas chromatographic confirmation of amino acid structure via diastereomer preparation (111) 337
White, M.W., see Christie, J. (120) 496
Widman, M., see Fonseka, K. (120) 343
Wielders, J.P.M.
An electrolyte system for discontinuous electrophoresis based on the use of two counter ions. Some experiments on cellulose polyacetate strips (114) 198
Wiesner, I.
--- and Wiesnerová, L.
Über die quantitative Dünnschichtchromatographie von Polyaminen (114) 411
Wiesnerová, L., see Wiesner, I. (114) 411
Wildanger, W.
Trennung von Coffein, Theophyllin und Theobromin mit Hilfe der Hochdruckflüssigkeitschromatographie (114) 480
Wilding, P., see Kennedy, J.H. (118) 337
Wiles, J.M., see Christie, J. (120) 496
Wilkonarski, B.
---, Bobeyko, W. and Kintia, P.
Thin-layer chromatographic separation of steroid glycosides from *Agava americana* L. (116) 482
Williams, N.E., see Chan, K. (120) 349
Williamson, B., see Edwards, J.C. (115) 283
Wilson, N.
--- and Greenhouse, V.Y.
Chromatography of $Na^{125}I$ on Sephadex gels (118) 75
--- and Greenhouse, V.Y.
Iodination and purification of oxytocin (118) 83
Wilson, S.E., see Farey, M.G. (114) 261
Wilson, T.W., see Bailey, D.G. (111) 305
Wininger, M.T., see Ross, W.D. (112) 719
Winterlin, W.L., see Seiber, J.N. (114) 361
Wolfensberger, M., see Curtius, H.Ch. (112) 523
Wolkoff, A.W.
--- and Larose, R.H.
Sensitive monitoring of phenols after liquid chromatography (111) 472
Wong, L.K.
---, Costello, C.E. and Biemann, K.
Methylation artifacts in the gas chromatography of serum extracts. Competitive suppression with trimethyl-d_9 anilinium hydroxide (116) 321
Woodford, W.J.
Rapid screening procedures for some street drugs by thin-layer chromatography. An evaluation (115) 678
Woolford, G., see Crathorne, B. (115) 213
Woollam, C.J., see Russev, P. (119) 461
Wratten, N., see Holmes, M.G. (115) 652
Wroński, M.
Application of tributyltin chloride to the separation and column chromatography of thiols (117) 47
Wulf, L.W.
--- and Nagel, C.W.
Analysis of phenolic acids and flavonoids by high-pressure liquid chromatography (116) 271
Wysocka, W.
Thin-layer and short-column chromatography of epimeric alcohols of some quinolizidine derivatives (116) 235
Wyszynski, M.J.
--- and Hoffman, N.E.
Centrifugal chromatography of free and dansylated amino acids (115) 665

Y

Yadava, K.L., see Yadava, P.C. (119) 563
Yadava, P.C.
---, Ghose, A.K., Yadava, K.L. and Dey, A.K.
Paper electrophoresis in the study of mixed-ligand complexes in solution. The systems copper(II) and nickel(II)–oxalate–nitrilotriacetate (119) 563
Yakatan, G.J., see Sullivan, G. (116) 490
Yamabe, T., see Miwa, Y. (115) 276
Yamámoto, H.
---, Kurita, T., Suzuki, J., Hira, R., Nakano, K., Makabe, H. and Shibata, K.
Dual-wavelength point zig-zag scanning of zones on thin-layer chromatograms as a tool for quantitative assay (116) 29
Yamamoto, S., see Makita, M. (120) 129
Yamaoka, K.
--- and Nakagawa, T.
Moment analysis for reaction chromatography (117) 1
Yanovskii, S.M., see Zhukhovitskii, A.A. (119) 591
Yashin, Ya.I., see Bebris, N.K. (117) 257
---, see Bortnikov, G.N. (116) 169
---, see Gvozdovich, T.N. (116) 63
Yoshida, A.
Purification of human red cell glucose 6-phosphate dehydrogenase by affinity chromatography (114) 321
---, Yoshioka, M., Tanimura, T. and Tamura, Z.
Determination of vanilmandelic acid and homovanillic acid in urine by high-speed liquid chromatography (116) 240
Yoshioka, M., see Yoshida, A. (116) 240
Young, P.A., see Kaiser, I.I. (111) 242
Young, P.R.
--- and McNair, H.M.
High-pressure liquid chromatography of aromatic amines (119) 569
Younker, D.R., see Aue, W.A. (114) 184
Yushina, G.A., see Chizhkov, V.P. (120) 35

Z

Zahn, R.K., see Breter, H.-J. (118) 242
Zanolo, G., see Mondino, A. (117) 236
Zbinden, P., see Jack, D.B. (115) 87
Zbrožek, J., see Mikeš, O. (119) 339
Zech, K., see Voelter, W. (112) 643
Zeeuw, R.A. de, see Westenberg, H.G.M. (118) 217
Zegarski, K., see Schomburg, G. (114) 174
Zeman, I.
———, Novák, L., Mitter, L., Steklá, J. and Holendová, O.
Gas chromatographic determination of alkylene oxides in their copolymers (119) 581
Žežulková, L., see Čoupek, J. (120) 411
Zhukhovitskii, A.A.
———, Yanovskii, S.M. and Shvarzman, V.P.
Chromadistillation (119) 591
Zhuravleva, M.A., see Anisimov, A.F. (111) 409
Zlatkis, A., see Andrawes, F. (112) 197
——— and Andrawes, F.
A micro method for the determination of volatile metabolites in biological samples. A preliminary report (112) 533
———, see Wentworth, W.E. (112) 229
Zoccolillo, L.
——— and Liberti, A.
Determination of polycyclic hydrocarbons by channel thin-layer chromatography (120) 485
Zolotarev, P.P., see Kalinichev, A.I. (120) 249
Züllich, G.
———, Damm, K.H. and Lisboa, B.P.
Behaviour of cardiac glycosides and cardenolides related to digitoxigenin on Sephadex LH-20 (115) 117
Zürcher, F., see Grob, K. (117) 285
Zuska, J., see Ryšlavý, Z. (114) 315
Zvereva, L.I., see Nikashina, V.A. (120) 155
Zygmunt, B.
——— and Staszewski, R.
Gas chromatographic determination of thiols in gaseous petroleum fractions on the basis of thiol concentration by sodium *o*-hydroxymercuribenzoate and sodium *p*-chloromercuribenzoate (119) 599

SUBJECT INDEX
VOLUMES 111–120

A

Acebutolol
TLC method for the determination of ––– and its major metabolite in serum (120) 465

Acetamides
TLC separation and differentiation of some nuclear – – – (120) 213

Acetodiacylglycerols
Detection of – – – in milkfat lipids by TLC (111) 223

Acetylenic esters, mercury adducts
Fatty acids. VI. TLC behaviour of – – – and a study of the demercurated products (116) 425

α-*l*-Acetylmethadol
Extraction method and TLC system for the determination of – – – and metabolites in biological fluids (117) 193

Achiral stationary phases
Chromatographic resolution of enantiomers. Selective review (review) (113) 283

Acids, organic
Improvements in the automatic determination of – – – from plant tissue by LLC on a silica gel column (117) 279

Activity coefficient
Influence of vapour pressure, – – – and structure on the retention volumes of branched-chain nonanes (116) 249

N-Acylation
Reaction GC: a method for the rapid estimation of reaction parameters. I. Amidations and – – – (115) 311

Adenosine 3′,5′-cyclic monophosphate
Separation of purine 3′,5′-cyclic nucleotides and nucleosides by TLC on PEI cellulose (116) 465

Adenosine phosphates
Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339

Adipose tissue
Improved recovery of hexachlorobenzene in – – – with a modified micro multiresidue procedure (117) 143

Adsorbents
Application of inverse GC to the determination of the surface area of macroporous and mesoporous – – – (119) 483

Adsorbents
Comparison of physical and GC properties of Sterling FT and Carbopack C graphitized carbon blacks (120) 307

Adsobents
Comparison of the efficiency of LC systems with mixed – – – with that of systems with connected – – – layers (119) 255

Adsorbent activity
Influence of the – – – in TLC (115) 41

Adsorbent–mobile phase–R_M relationships
Types of adsorbent and relationships between R_M values of a substance and the composition of the mobile phase in TLC (116) 117

Adsorption
Theory of chromatography of rigid molecules on hydroxyapatite columns with small loads. III. Theory on the basis of the classical theory of – – – chromatography for the case when molecules are adsorbed on to a single type of crystal site (120) 271

Adsorption
Theory of chromatography of rigid rod-like macromolecules on hydroxyapatite columns. VIII. Further theory of analytical calculation of chromatograms and further investigations on the resolving power of the columns (120) 257

Adsorption effects
– – – in partition GLC (114) 1

Adsorption energies
Molecular structure and retention behaviour V. Calculation of – – – for aromatic hydrocarbons on graphitized carbon black (115) 299

Adsorption–energy distribution function
Properties of column packings containing small amounts of stationary phase in GLC (119) 557

Adsorption enthalpies
Determination of solution and – – – in systems with mixed mechanisms (111) 1
Adsorptivity
Influence of the molecular structure of aromatic hydrocarbons on their adsorptivity on silica gel (117) 117
Aflatoxin
HPLC of oxidative – – – metabolites (117) 474
Aflatoxin M_1
Determination of – – – in milk at the parts per trillion level (111) 448
Agar derivatives
– – – for chromatography, electrophoresis and gel-bound enzymes. IV. Benzylated dibromopropanol cross-linked Sepharose as an ampholilic gel for hydrophobic salting-out chromatography of enzymes with special emphasis on denaturing risks (111) 373
Agava Americana L.
TLC separation of steriod glycosides from – – – (116) 482
Agglutinin
Affinity adsorbent for the rapid purification of wheat germ – – – (114) 223
Air pollutants
Concentration technique for determination of – – – at sub-micro level. New technique for concentration of carbon monoxide (117) 29
Alcohols
Chemical derivatization in GC (review) (113) 303
Alcohols
Comparison of static and GC solubility data (119) 157
Alcohols
Determination of complex association constants from GC data. III. Hydrogen bonding between substituted – – – and some hexadecyl derivatives and dioctyl compounds (114) 63
Alcohols
Some applications of molecular sieves in the GC analysis of hydrocarbons and – – – (117) 305
Alcohols
Structural investigation of phenols and – – – using silylation and GC (120) 103
Alcohols, secondary
New derivatives for the GLC with electron capture detection of steroidal – – – (111) 238
Aldehydes
Chemical derivatization in GC (review) (113) 303
Aldehydes
GC separation of carbonyl compounds as their 2,4-dinitrophenylhydrazones using glass capillary columns (120) 379
Alditols, methylated acetylated
Improved GLC separation of – – – (115) 319
Aldonic acids
Anion-exchange chromatography of oligomeric – – – (114) 383
Aldoses
Separation of – – – and polysaccharides by cellulose TLC and a new spray reagent for the sensitive detection of these carbohydrates (116) 417
Aldrin
GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
Alkali flame ionisation detectors
Simple method for rapid – – – optimisation (116) 180
Alkaloids
Cactus – – –. XXVII. Use of fluorescamine as a TLC visualization reagent for – – – (111) 234
Alkaloids
Chromatographic behaviour of – – – on thin layers of anion and cation exchangers. I. AG 1-X4 and Cellex D (116) 131
Alkaloids
HPLC of some tropane – – – (120) 203
Alkaloids
High-speed ion-pair partition chromatography in pharmaceutical analysis (115) 423
Alkaloids
Isolation and separation of tall fescue and ryegrass – – – (111) 165
Alkaloids
LC of dansyl derivatives of some – – – and the application to the analysis of pharmaceuticals (116) 365
Alkaloids
New GC method for the estimation of reserpine and rescinnamine (116) 263
Alkaloids
Quantitative GC and GC–MS of *Cephalotaxus* – – – (120) 335
Alkaloids
TLC of steroidal – – – (118) 259

Alkaloids
Use of the TAS method for the analysis of the drug Cinchona bark (118) 276
Alkaloids, cyclopeptide
Separation and identification of trimethylsilyl derivatives of tyramines and methoxytyramines by GLC (120) 477
Alkaloids, phenolic
Quantitative morphine assay by means of GLC and on-column silylation (120) 491
Alkaloids, steroidal
HPLC of --- (119) 223
n-Alkanes
Capillary GC of alkylbenzenes. I. Some problems encountered with the precision of the retention indices of alkylbenzenes (119) 505
Alkanes
Genral contribution to the theory of retention index systems in GLC. I. Pre-calculation of retention indices of --- on the basis of their molecular structures and thermodynamics in GLC (119) 307
n-Alkanes
Solvent effects in the gel chromatography of --- on Merckogel OR-2000 (111) 29
Alkanes, bicylo[*n.m.*0]
Molecular structure and retention behaviour. Retention behaviour of --- in GSC and GLC (119) 119
Alkanes, C_{10} iso-
Determination of the boiling point of --- in an *n*-decane isomerizate from GC retention indices (115) 553
Alkanes, iso-
Qualitative GC analysis and determination of solute properties. Exact equation for the calculation of the retention indices of --- on squalane (119) 109
Alkane derivatives
GLC investigation of complexation equilibria between 1-chlorooctadecane and various bezene derivatives and --- (114) 39
n-Alkanols
Modified carbon black in HPLC (119) 41
Alkoxyphosphazene
GC of fully substituted cyclic --- (111) 434
Alkylbenzenes
Capillary GC of ---. I. Some problems encountered with the precision of the retention indices of --- (119) 505
Alkylbenzenes
Chromatographic behaviour of --- and alkyl benzoates on porous micro-spherical poly(styrene–divinylbenzene) gel (120) 47
n-Alkylbenzenes
Modified carbon black in HPLC (119) 41
Alkyl benzoates
Chromatographic behaviour of alkylbenzenes and --- on porous micro-spherical poly(styene–divinylbenzene) gel (120) 47
Alkylene oxides
GC determination of --- in their copolymers (119) 581
Alkylphenols
Structural investigation of phenols and alcohols using silylation and GC (120) 103
n-Alkynes
Capillary GC of ---. I. Retention indices (119) 451
Allopurinol
HPLC determination of --- and oxypurinol in serum (115) 228
Allylbarbital
GC separation of --- and butabarbital (116) 194
Amidation
Reaction GC: a method for the rapid estimation of reaction parameters. I. --- and N-acylations (115) 311
Amines
Advantages of carboxymethylcellulose for the separation of --- from amino acids (120) 473
Amines
Chemical derivatization in GC (review) (113) 303
Amines
Determination of nanogram amounts of primary aromatic --- and nitro compounds in blood and plasma (111) 323
Amines
Paper electrophoretic study of ion-pair formation. IX. Migration of small organic ions in strong acids (114) 297
Amines
Quantitative GLC method for the determination of neostigmine and pyridostigmine in human plasma (120) 349
Amines
Response of the flame ionization detector for aliphatic and aromatic --- (111) 331
Amines
Studies on ligand-exchange chromatography. V. GC separation of lower aliphatic --- by ligand exchange (114) 15

Amines, aromatic
Electron-capture detection of tertiary --- after ring trifluoroacetylation (111) 133
Amines, aromatic
HPLC of --- (119) 569
Amines, lower aliphatic primary
GC determination of the --- as their Schiff bases (115) 596
Amines, secondary
PC of a group of --- (118) 96
Amino acids
Advantages of carboxymethylcellulose for the separation of amines from - - (120) 473
Amino acids
--- analysis by ion-exchange chromatography using a lithium elution gradient. Influence of methanol concentration and sample pH (115) 33
Amino acids
Analytical isotachophoresis (119) 129
Amino acids
Analytical separation of --- on a cation-exchange resin cross-linked with *m*-divinylbenzene (115) 455
Amino acids
Applications of GLC in protein chemistry. Determination of C-terminal sequences on nanomolar amounts of proteins (116) 305
Amino acids
Buffer systems for ion-exchange chromatography of --- mixtures containing methionine sulphone (116) 237
Amino acids
Centrifugal chromatography of free and dansylated --- (115) 665
Amino acids
Chemical derivatization in GC (review) (113) 303
Amino acids
Chromatographic separation of lysine, thialysine and selenalysine (114) 291
Amino acids
Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
Amino acids
Computerized data analysis of --- in physiologic fluids (116) 293
Amino acids
GC determination of dicyclohexylurea in the active esters of --- (118) 409
Amino acids
GC determination of N-nitroso--- by trimethylsilylation and single-ion mass fragmentography (115) 602
Amino acids
GC of --- (review) (113) 139
Amino acids
GC of trifluoroacetyl --- trimethylsilyl esters (118) 101
Amino acids
GC separation of leucine and isoleucine phenylthiohydantoins (118) 99
Amino acids
GLC analysis of protein --- as N-isobutyloxycarbonylamino acid methyl esters (120) 129
Amino acids
HPLC analysis of --- and peptide-hormone hydrolysates in the picomole range (112) 643
Amino acids
Improved buffer system for use in single-column gradient-elution ion-exchange chromatography of --- (115) 236
Amino acids
Improved separation of the methyl- and phenylthiohydantoins of arginine, cysteic acid and histidine by micropolyamide TLC (115) 629
Amino acids
Improved solvent system for TLC of Dns--- (116) 462
Amino acids
Ion-exchange chromatography of S-(carboxymethyl)cysteine and Se-(carboxymethyl)-selenocysteine (120) 221
Amino acids
Ion-exchange chromatography of the more basic --- of protein hydrolysates using stepwise changes of buffers containing borate ions (115) 612
Amino acids
Methionine dipeptide stationary phases for the resolution of enantiomers (112) 197
Amino acids
Modifications in gradient elution of --- (111) 416
Amino acids
PC of phenolic compounds using buffered acetonitrile (114) 286
Amino acids
Paper electrophoretic study of ion-pair formation. IX. Migration of small organic ions in strong acids (114) 297

Amino acids
Rapid formation of --- isobutyl esters for GC (111) 413
Amino acids
Separation of enantiomers on packed columns containing optically active diamide phases (112) 121
Amino acids
Separation of 4-N,N-dimethylaminoazobenzene-4'-sulfonyl --- on polyamide sheets (116) 215
Amino acids
4,4'-Tetramethyldiaminodiphenylmethane reagent. Modification of the chloro-*o*-tolidine colour reaction for TLC (120) 224
Amino acids
Use of *o*-phthalaldehyde for detection of --- and peptides on thin-layer chromatograms (117) 439
Amino acids, non-protein
Quantitative GLC of --- (116) 439
Amino acid esters
Chromatographic resolution of enantiomers. Selective review (review) (113) 283
Amino acid structure
GC confirmation of --- via diastereomer preparation (111) 337
p-Aminobenzoate
Purification of *Escherichia coli* B-specific --- "pick-up" protein in homogeneity by affinity chromatography (115) 205
γ-Aminobutyric acid
Mass fragmentographic quantitation of glutamic acid and --- in cerebellar nuclei and sympathetic ganglia of rats (118) 395
γ-Amino-β-(*p*-chlorophenyl)butyric acid
Determination of --- (baclofen) in biological material by GLC (117) 399
2-Aminoethyl hydrogen sulfate
HPLC determination of --- in plasma and urine (117) 415
Aminoglycosides
HPLC determination of kanamycin (120) 93
Aminosilanes
Evaluation of primary, secondary and tertiary --- as stationary phases in GC (112) 135
Amitriptyline
Determination of plasma --- by electron-capture GC after oxidation to anthraquinone (118) 65
Amitriptyline
Determination of therapeutic levels of --- in serum by GLC (111) 456
Ammonia
--- as a carrier gas and flame-forming agent in GC (119) 33
Ammonia flame ionization detector, response
Ammonia as a carrier gas and flame-forming agent in GC (119) 33
5'-AMP
Paper electrophoric behaviour of cyclic 3',5'-AMP, --- and 5'-ATP (111) 206
Amphetamines
GC resolution of enantiomeric --- and related amines. II. Effects of cyclic structures on diastereomer and enantiomer resolution (114) 307
Amphetamine
Procedure for the differentiation of the optical isomers of --- and methamphetamine by TLC (117) 442
Amphetamine
Use of SE-30 as a stationary phase for the GLC of drugs (review) (113) 69
Amylases
Affinity column purification of --- on protein inhibitors from wheat kernel (114) 109
Anaesthetics
Development of an on-line analyzer for organic --- in inspiratory and end-tidal gases (119) 71
Androgens
Separation of some --- and estrogens by TLC (119) 625
Anisotropic liquids
GC with ---. Partition coefficients at the mesophase–isotropic phase transition point (112) 165
Anomalous compounds
Development of a computer-assisted search for --- (CASAC) (112) 573
Anthocyanides
GLC and MS identification of --- (120) 115
Anthocyanins
PC of phenolic compounds using buffered acetonitrile (114) 286
Anthracene
GC of the system phenanthrene- --- -carbazole on a column of cadmium chloride modified with Carbowax 20M (119) 181
Anthraquinones
GC determination of the laxative 1,8-dihydroxy--- in urine and faeces (120) 217
Antibiotics
Determination of Diumycin by direct quantitive TLC (114) 193

Antibiotics
HPLC determination of kanamycin (120) 93
Antibiotics
Improved HPLC method for polypeptide --- and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663
Antibiotics
Separation of some chloramphenicol intermediates by HPLC (116) 472
Antihypertensive drugs
Separation of thiazide diuretics and --- by TLC (114) 329
Antiviral agents
Analysis of 1-(2-phenyladamant-1-yl)-2-methylaminopropane as its chlorodifluoroacetyl derivative. (114) 151
Apomorphine
TLC of --- and its analogs (116) 218
Apresoline
Determination of hydralazine in plasma by GLC (115) 87
Arginine
Improved separation of the methyl- and phenylthiohydantoins of ---, cysteic acid and histidine by micropolyamide TLC (115) 629
Aroclor 1242
Possibilities and limitations of capillary GC and MS in the analysis of polychlorinated biphenyls (119) 271
Aspartic acid
PC of the ethyl esters of --- (111) 248
Aspergillus niger
Pyrolysis GC as an aid to the identification of *Penicillium* species (116) 107
Aspergillus versicolor
HPLC of sterigmatocystin and other metabolites of --- (118) 414
Association constants
Determination of complex --- from GC data. III. Hydrogen bonding between substituted alcohols and some hexadecyl derivatives and dioctyl compounds (114) 63
5'-ATP
Paper electrophoretic behaviour of cyclic 3',5'-AMP, 5'-AMP and --- (111) 206
Auger electron emitter
Iron-55 as an ---. Novel source for GC detectors (116) 257
Automation
Direct measurement of GC retention volume using an on-line mini-computer. II. Apparatus (115) 57
Azasteroids
Steroids and related studies. XXXII. TLC of some lactam, tetrazole, basic and quaternary --- (114) 270

B

Bacillus pumilus
Preparation, separation and degradation of oligouronides produced by the polygalacturonic acid transeliminase of --- (116) 395
Bacitracin
Improved HPLC method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in --- powder (112) 663
Backflushing gas chromatography
GC with backflushing chromatography and with programmed longitudinal positive gradient of temperature during back flushing (120) 81
Backflushing gas chromatography
GC with backflushing coupled with linear temperature programming during the elution of solutes, Influence of parameters (111) 253
Baclofen
Determination of γ-amino-β-(*p*-chlorophenyl)-butyric acid (---) in biological material by GLC (117) 399
Band broadening in gas chromatography
Instrumental contributions to ---. I. Development of a model (112) 329
Band broadening in gas chromatography
Instrumental contributions to ---. II. Experimental evaluation (119) 55
Barbiturates
GC separation of allylbarbital and butabarbital (116) 194
Barbiturates
Methylation artifacts in the GC of serum extracts. Competitive suppression with trimethyl-d_9 anilinium hydroxide (116) 321
Barbiturates
Performance and selected applications of a new range of chemically bonded packing materials in HPLC (112) 171
Barbiturates
TLC determination of --- and phenytoin in serum and blood (115) 493
Barbituric acids
Electron-capture GC of --- and diphenylhydantoin after pentafluorobenzylation (114) 345
Benomyl
Determination of --- and 2-(4-thiazolyl)-benzimidazole in plant tissues by HPLC using fluorimetric detection (120) 449
Benoxaprofen
GC separation of isomers of --- using liquid crystals (118) 268
Benzal chloride
Quantitative analysis of mixtures of toluene and its side-chain-chlorinated derivatives by GC (114) 247
Benzenes
Chromatographic behaviour of alkyl--- and alkyl benzoates on porous micro-spherical poly(styrene–divinylbenzene) gel (120) 47
Benzene derivatives
GC separation of mono- and disubstituted --- and diastereoisomeric halogenoalkanes with Bentone-38 (114) 207
Benzene derivatives
GLC investigation of complexation equilibria between 1-chlorooctadecane and various --- and alkene derivatives (114) 39
Benzoates
Chromatographic behaviour of alkylbenzenes and alkyl --- on porous microspherical poly(styrene–divinylbenzene) gel (120) 47
Benzophenazines
TLC of some new angular heterocyclics (115) 264
Benzophenone
Electron-capture GC of methadone after oxidation to --- (111) 347
3,4-Benzopyrene
Comparison of GC and fluorimetric determination of --- (118) 270

Benzo[*a*]pyrene
Separation of polycyclic aromatic hydrocarbons by HPLC. Comparison of the determination of --- with separation on columns of cross-linked cellulose acetate and a reversed-phase system (120) 299
Benzotrichloride
Quantitative analysis of mixtures of toluene and its side-chain-chlorinated derivatives by GC (114) 247
Benzoylecgonine
TLC analysis of cocaine and --- in urine (114) 433
Benzylated dibromopropanol
Agar derivatives for chromatography, electrophoresis and gel-bound enzymes. IV. --- cross-linked Sepharose as an amphophilic gel for hydrophobic salting-out chromatography of enzymes with special emphasis on denaturing risks (111) 373
Benzyl chloride
Quantitative analysis of mixtures of toluene and its side-chain-chlorinated derivatives by GC (114) 247
Beta-naltrexol
Quantitative determination of naltrexone and --- in human plasma using electron capture detection (118) 331
Bicyclo[*n.m.*0]alkanes
Molecular structure and retention behaviour. Retention behaviour of --- in GSC and GLC (119) 119
Bile acids
GC of --- as their hexafluoroisopropyl ester–trifluoroacetyl derivatives (120) 181
Bile acids
New improved method for separation of fecal --- by TLC (116) 184
Bile acids
Quantitation of --- and bile salts by a TLC charring method (117) 222
Bile acids
Two-dimensional TLC of --- (114) 237
Bile acids, methylated
Purification of --- recovered from TLC on silica gel-sintered plates (117) 227
Bile salts
Quantitation of bile acids and --- by a TLC charring method (117) 222
Binary solvents
Adsorption of --- in TLC (114) 397
Biopolymers
Chromatography of --- and their fragments on ion-exchange derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
Bitumens
Characterization of --- by pyrolysis GC (119) 445
Boiling point
Determination of the --- of C_{10} isoalkanes in an *n*-decane isomerizate from GC retention indices (115) 553
Bonded octadecyl phase
Preparation of octadecyl Porasil for reversed-phase LC (116) 182
Bromhexine
Studies on the formation of cyclohexylamine and N-methylcyclohexylamine from --- in animals and man, and simultaneous determination of cyclohexylamine and N-methylcyclohexylamine by GC (117) 383
Butabarbital
GC separation of allylbarbital and --- (116) 194
n-Butanol
General contribution to the theory of retention index systems in GLC. IV. Pre-calculation of interaction factors on mixed stationary phases in GLC by computer (119) 333
Butyric acid, γ-amino-β-(*p*-chlorophenyl)
Determination of --- (baclofen) in biological material by GLC (117) 399

C

Caffeine
Quantitative TLC analysis of ergotamine tartrate and --- in the nanogram range (118) 225

Caffeine
Separation of ---, theophylline and theobromine by HPLC (114) 480

Caffeine
Specific TLC method for the determination of theophylline in plasma in the presence of some other drugs (115) 501

Calcium stearoyl lactylate
TLC detection of --- and sodium stearoyl lactylate in the presence of other emulsifiers in food (115) 639

Camylofine dihydrochloride
GC determination of --- in tablets and suppositories (117) 161

Cannabinoids
Chromatographic separation of --- and their monooxygenated derivatives (120) 343

Cannabinoids
On-column silylation of --- after injection of solid plant material and cold trapping (114) 250

Cannabis
HPLC of ---. Identification of separated constituents (115) 101

Capillary columns
Investigation of pre-column sample dilution in chromatographic systems with packed --- (111) 409

Capillary gas chromatography
Possibilities and limitations of --- and MS in the analysis of polychlorinated biphenyls (119) 271

Capillary isotachophoresis
--- with UV detection. Some quantitative aspects (119) 539

Capilary isotachophoresis
Preparative ---. Principle and some applications (119) 9

Capillary tubing, preparation
Study on the efficiency of support-coated open-tubular columns for steroid analysis (119) 99

Carbamazepine
Rapid and sensitive LC determination of --- suitable for use in monitoring multiple-drug anticonvulsant therapy (118) 217

Carbazole
GC of the system phenanthrene–anthracene–--- on a column of cadmium chloride modified with Carbowax 20M (119) 181

Carbohydrates
Chemically bonded stationary phase for --- analysis in LC (117) 206

Carbohydrates
Investigation and purification of --- contaminated with silicic acid (118) 250

Carbohydrates
PC of phenolic compounds using buffered acetonitrile (114) 286

Carbohydrates
Reversed-phase HPLC of normal rat urinary --- (117) 211

Carbohydrates, perbenzoylated
Separation of some --- by HPLC (120) 141

Carbon blacks
Comparison of physical and GC properties of Sterling FT and Carbopack C graphitized --- (120) 307

Carbon black, graphitized thermal
Modified carbon black in HPLC (119) 41

Carbon black, influence of graphitization
Modified carbon black in HPLC (119) 41

Carbon black, modified
--- in HPLC (119) 41

Carbon black
Molecular structure and retention behaviour. V. Calculation of adsorption energies for aromatic hydrocarbons on graphitized --- (115) 299

Carbon disulphide
New method for the estimation of exposure to --- (118) 23

Carbonic anhydrase
Affinity chromatography of vegetable --- (120) 489

Carbon monoxide
Concentration technique for determination of air pollutants at sub-micro level. New technique for concentration of --- (117) 29
Carbonyl compounds
Determination of trace impurities in gases by their equilibrium accumulation in volatile liquids (112) 311
Carbonyl compounds
GC separation of --- as their 2,4-dinitrophenylhydrazones using glass capillary columns (120) 379
Carbopack C
Comparison of physical and GC properties of Sterling FT and --- graphitized carbon blacks (120) 307
Carboxylates
Reversed-phase ion-pair partition chromatography of --- and sulphonates (115) 411
Carboxylic acids
4,4'-Bis(dimethylaminodiphenylcarbinol), a sensitive spray reagent for the detection of thiols and --- (118) 240
Carboxylic acids
Chemical derivatization of GC (review) (113) 303
Carboxylic acids
GC of acylated α-hydroxy-phosphonate esters. Trace analysis of aliphatic --- with the thermionic detector (111) 105
Carboxylic acids
GC separation of Krebs-cycle metabolites (118) 236
Carboxylic acids
Quantitative GC determination of nitrilotriacetic acids in the presence of other --- (111) 43
Carboxylic acids
Separation of mono- and di--- by LC (115) 259
Cardenolides
Behaviour of cardiac glycosides and --- related to digitoxigenin on Sephadex LH-20 (115) 117
Cardenolides
Partition HPLC systems for the separation of digitalis glycosides of the --- group (117) 81
Carotenoids
Determination of the --- phytoene in blood by HPLC (120) 457
Cartilage proteoglycans, human
Application of the sorption properties of Spheron gels in high-resolution column LC of naturally occurring macromolecular species (119) 549
Cartridge desorption port
GC --- (114) 184
Catalysis
GC studies of --- on $Ni-SiO_2$ (112) 61
Catalyst
GC determination of effective diffusivities and heats of adsorption of C_5-C_8 hydrocarbons on a commercial platinum–alumina reforming --- (116) 431
Catecholamines
Chromatographic separation of --- on a weakly acidic ion-exchange resin (114) 227
Catecholamines
GLC separation of selected --- on polyamide A103 (118) 425
Catecholamines
HPLC analysis of the --- dopamine and noradrenaline as their fluorescamine derivatives (118) 429
Catecholamines
Performance and selected applications of a new range of chemically bonded packing materials in HPLC (112) 171
Cation-exchange resin
Analytical separation of amino acids on a --- cross-linked with *m*-divinylbenzene (115) 455
Cefacetril
Chromatography of cephalosporins on DEAE-Sephadex (120) 149
Cellulose polyacetate
Electrolyte systems for discontinuous electrophoresis based on the use of two counter ions. Some experiments on --- strips (114) 198
Centrifugal chromatography
--- of free and dansylated amino acids (115) 665
Cephalosporins
Chromatography of --- on DEAE-sephadex (120) 149
Cephalotaxus alkaloids
Quantitative GC and GC–MS of --- (120) 335
Ceramides
Reaction of fungal --- containing α-hydroxy acids with the periodate–Schiff reagents (117) 436
Cerebrospinal fluid
Mass fragmentography of 5-hydroxytryptophol and 5-methoxytryptophol in human --- (112) 523

Charge transfer complexation
Study of --- by GLC (review) (113) 47
Chemically bonded packings
Performance and selected applications of a new range of --- materials in HPLC (112) 171
Chemiluminescence
Selective detector for GC based on the --- of ozone reactions (112) 253
Chiral stationary phases
Chromatographic resolution of enantiomers. Selective review (review) (113) 283
Chloramphenicol
GC determination and GC–MS analysis of ---, thiamphenicol and their metabolites (111) 355
Chloramphenicol
Separation of some --- intermediates by HPLC (116) 472
Chloramphenicol
TLC of --- and thiamphenicol (114) 266
Chlordane
GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
Chlordene
GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
Chlorimipramine
Determination of --- and desmethylchlorimipramine in human plasma by ion-pair partition chromatography (116) 475
5-Chloro-7-iodo-8-hydroxyquinoline
Determination of clioquinol in biological materials by extractive alkylation and GLC (117) 407
1-Chlorooctadecane
GLC investigation of complexation equilibria between --- and various benzene derivatives and alkene derivatives (114) 39
Chlorophenoxyisobutyric acid
Rapid GC method for determination of --- in plasma and urine (117) 175
Chlorophyll
Applications of HPLC and field desorption MS in studies of natural prophyrins and --- derivatives (115) 325
Chlorophyll *a*
Purification of --- from spinach leaves by partition chromatography on Bio-Glas columns (114) 232
Chloroquine
Determination of --- in biological material by GLC (111) 299
Cholesterol oxidase
---. Further studies of substrate specificity in relation to the analytical characterisation of steroids (112) 499
Cholesteryl esters
Analysis of long-chain acids of human plasma phosphatidylcholines (lecithins) and --- by glass open tubular capillary column GC for stroke patients and for normal subjects (112) 483
Chondroitin sulphates, isomeric
Application of the sorption properties of Spheron gels in high-resolution column LC of naturally occurring macromolecular species (119) 549
Chromadistillation
---- (119) 591
Chromotropic acid, azo-derivatives
PC of --- (115) 660
Chymotrypsinogen
Chromatography of biopolymers and their fragments on ion-exchange derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
Chymotrypsins
Resolution in affinity chromatography. Effect of the heterogeneity of immobilized soybean trypsin inhibitor on the separation of pancreatic proteases (120) 391
Cinchona
Use of the TAS method for the analysis of the drug --- bark (118) 276
Cinnamon oils
Analysis of --- by HPLC (118) 273
Cinoxacin
TLC of --- and some related compounds (116) 485
Circulation gas chromatography
Preparative-scale ---. Comparison of long packed columns with columns incorporated into circulation schemes (120) 35
Circulin
Improved HPLC method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663
Clioquinol
Determination of --- in biological materials by extractive alkylation and GLC (117) 407

Clofibrate
Rapid GC method for the determination of chlorophenoxyisobutyric acid in plasma and urine (117) 175
Clonazepam
Simple and sensitive GC method for the determination of --- in human plasma. (116) 445
Cobalt(III) complexes
Comparison of several silica gel pre-coated thin layers for the separation of some --- (111) 452
Cobalt(III) complexes
Paper electrophoretic study of ion-pair formation. XII. Interaction between --- and solutions of orthophosphate, pyrophosphate and metaphosphate (117) 464
Cobalt(III) complexes, mixed
Partition PC of inorganic ions. XXI. PC of --- (119) 285
Cobalt thiocyanate
Chromogenic response of aqueous --- to lipophilic drugs (116) 230
Cocaine
Plasma chromatography of heroin and --- with mass-identified mobility spectra (117) 327
Cocaine
TLC analysis of --- and benzoylecgonine in urine (114) 433
Colistin
Improved high-performance LC method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663
Colour indicators
Control of trimethylsilylation potential and trimethylsilylation capacity by the use of --- (115) 591
Colour reagent
Hydroxylamine/iron(III)chloride, a stereospecific --- for mandelic acid nitrile-glycosides (111) 430
Columns
Rapid analysis with short micro-packed --- (112) 455
Columns, glass capillary
Deactivation of --- for GC (115) 365
Columns, glass capillary
Trace analysis of organic volatiles in water by GC–MS with --- (112) 701
Columns, glass open-tubular
Manufacture of --- by dehydration of the surface (119) 495
Columns, glass open-tubular
Questions related to GC systems with --- (119) 187
Columns, glass open-tubular
Whisker-walled --- for GC. Techniques for inducing whisker growth (112) 97
Columns, glass open-tubular capillary
High-resolution biomedical GC. Determination of human urinary steroid metabolites using --- (112) 581
Columns, open-tubular
Improved technique for observing the inner surface of --- for GC using scanning electron microscopy (114) 190
Columns, support-coated open-tubular
Study on the efficiency of --- for steroid analysis (119) 99
Columns, surface-modified open-tubular
--- for GC. Observation and analysis of the surface using scanning electron microscopy (SEM) and energy-dispersive X-ray analysis (115) 373
Columns, thin-film small-diameter open-tubular
Manufacture of glass open-tubular columns by dehydration of the surface (119) 495
Column efficiency
Questions related to GC systems with glass open-tubular columns (119) 187
Column overload
Some aspects of preparative-scale LC (119) 467
Column packings
Properties of --- containing small amounts of stationary phase in GLC (119) 557
Column testing
Questions related to GC systems with glass open-tubular columns (119) 187
Commodity
Application of chromatographic data to --- source identification (115) 293
Complexation constant
GLC determination of the --- between two non-volatile complexing agents in the stationary phase (114) 47
Complexation equilibria
GLC investigation of --- between 1-chlorooctadecane and various benzene derivatives and alkene derivatives (114) 39
Contact angles of liquids
Manufacture of glass open-tubular columns by dehydration of the surface (119) 495
Controlled-pore glass
Prevention of adsorption of protein on --- with amino acid buffer (111) 214

Controlled pore glass chromatography
--- of protein–sodium dodecyl sulphate complexes (111) 397
Copper(I)
Paper partition chromatography of inorganic ions. XX. Behaviour of ---, silver(I) and iron(II) in butanol–hydrochloric acid mixtures (114) 488
Copper(II)
Retention of --- on dibenzoylmethane-coated glass beads (118) 254
Correlation analysis
Chromatographic hydrophobic parameters in --- of structure–activity relationships (review) (113) 1
Corticosteroids
New PC systems for the separation of conjugated --- (111) 200
Critical surface tensions of low-energy solid surfaces
Manufacture of glass open-tubular columns by dehydration of the surface (119) 495
Cyclamates
GC determination of micro-amounts of --- (111) 51
Cyclic-3',5'-AMP
Paper electrophoretic behaviour of ---, 5'-AMP and 5'-ATP (111) 206
Cyclohexane derivatives
Empirical quantum chemical approach to structure–GC retention index relationships. II. --- (117) 105
Cyclohexanols, 1,2,3-trisubstituted
GLC of several families of isomeric --- and cyclopentanols and their acetates (118) 345
Cyclohexylamine
Studies on the formation of --- and N-methyl --- from bromhexine in animals and man, and simultaneous determination of --- and N-methyl --- by GC (117) 383
Cyclopentanols, 1,2,3-trisubstituted
GLC of several families of isomeric 1,2,3-trisubstituted cyclohexanols and --- and their acetates (118) 345
Cysteic acid
Improved separation of the methyl- and phenylthiohydantoins of arginine, --- and histidine by micropolyamide TLC (115) 629
Cysteine
Ion-exchange chromatography of S-(carboxymethyl)--- and Se-(carboxymethyl)seleno--- (120) 221

D

DABS-Cl
Separation of 4-N,N-dimethylaminoazobenzene-4′-sulfonyl amino acids on polyamide sheets (116) 215
Damping of the luminescence signal
Design of an unextinguishable flame photometric detector and its measurement properties (119) 207
Danthron
GC determination of the laxative 1,8-dihydroxyanthraquinone in urine and faeces (120) 217
Data analysis, computerized
--- of amino acids in physiologic fluids (116) 293
Dead time, mathematical
Accuracy in the determination of the Kováts retention index. --- (118) 13
Decane
Use of liquid crystals as stationary phases in GLC. I. Thermodynamic properties of solutions of --- in 4,4′-dihexyloxyazoxybenzene (117) 315
DEGS stationary phases, polarities
General contribution to the theory of retention index systems in GLC. III. Contribution to the polarity of stationary phases expressed by retention indices (119) 327
Dehydroepiandrosterone
Method for the measurement of plasma --- by GLC with electron capture detection (116) 163
Dehydrogenase inhibitors
Purification and characterization of commercial NADH and accompanying --- (120) 187
Demercurated products
Fatty acids. VI. TLC behaviour of mercury adducts of acetylenic esters and a study of the --- (116) 425
Deoxyribonucleoside analogues
TLC of purine and pyrimidine bases and ---. II. (115) 673
Derivatization
Chemical --- in GC (review) (113) 303
Desipramine
GC–MF determination of "steady-state" plasma levels of imipramine and --- in chronically treated patients. (111) 313
Desmethylchlorimipramine
Determination of chlorimipramine and --- in human plasma by ion-pair partition chromatography (116) 475
Detectors
Analysis of sulphur compounds in environmental samples with specific detection and selective columns (120) 200
Detectors
Analytical isotachophoresis (119) 129
Detectors
Capillary isotachophoresis with UV detection. Some quantitative aspects (119) 539
Detectors
Design of an unextinguishable flame photometric --- and its measurement properties (119) 207
Detector
Dual-channel flame photometric --- with a separate combustion chamber (120) 285
Detector
Effect of column temperature on the sensitivity of katharometer response (112) 365
Detectors
Effect of pressure on the response of d.c. electron capture --- (118) 233
Detectors
GC of nitrogen- and phosphorous-containing compounds. New, high-sensitivity, variable selectivity --- (116) 17
Detectors
Iron-55 as an Auger electron emitter, Novel source for GC --- (116) 257
Detector
Photo-electron capture --- (112) 229
Detector
Selective --- for GC based on the chemiluminescence of ozone reactions (112) 253
Detectors
Sensitivity of a newly designed potential gradient --- for isotachophoresis (119) 605

Detectors
Simple method for rapid alkali flame ionisation --- optimisation (116) 180
Detector
Study on the effect of --- dynamics on the peak height in quantitative GC (114) 179
Detectors
Temperature dependence of electron capture response (118) 280
Detector, dual electrochemical
--- for LC (117) 35
Detector–application relationships
New considerations in --- (112) 389
Detergent alkylates
GC and MS analysis of a commercial mixture of phenylalkanes (---) (119) 293
Diabetes mellitus
GC–MS study of volatile organic metabolites in urines of patients with --- (112) 539
Diabetes mellitus
Specific detection of volatile metabolites in urines of normal subjects and patients with --- using computerized mass fragmentography (112) 551
Dialkyldithiocarbamates
GC separation of some --- of nickel (II) (112) 189
Diamide phases
Separation of enantiomers on packed columns containing optically active --- (112) 121
Diamines, aromatic, fluorinated
HPLC of aromatic amines (119) 569
Diaminobenzophenones
HPLC of aromatic amines (119) 569
Diaminodicarboxylic acids, dansyl derivatives
TLC separation of diaminodicarboxylic acid stereoisomers and their dansyl derivatives (115) 635
Diaminodicarboxylic acids, stereoisomers
TLC separation of --- and their dansyl derivatives (115) 635
Diatomaceous surfaces
Preparation of --- for the synthesis of bonded phases and trace analysis (111) 37
Dibenzo-*p*-dioxins
Polychlorinated ---. Separation and identification of isomers by GC–MS (114) 95
Dibenzoylmethane-coated glass beads
Retention of Cu^{2+} on --- (118) 254
Dicarboxylic acids
LC separation and detection of nanogram quantities of biologically important --- (112) 673
Dicarboxylic acids
Separation of mono- and --- by LC (115) 259
Dicarboxylic acid esters
Application of TLC and GLC to the qualitative and quantitative analysis of aliphatic --- (115) 571
Diclofenac
Quantitative assay of --- in biological materials by GLC (111) 293
Dicyclohexylurea
GC determination of --- in the active esters of amino acids (118) 409
Dieldrin
GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
Diesel fuel
Effect of aqueous chlorination on the aromatic fraction of ---. Analysis by computer-assisted high-resolution GC–MS (116) 43
Diesel fuels
Recognition and qualitative characterization of commercial petroleum fuels and synthetic fuels by GC fingerprinting technique. I. General considerations. (119) 413
Diethylamine
Determination of trace impurities in gases by their equilibrium accumulation in volatile liquids (112) 311
Diethylamine
Method for the detection of ---, a metabolite of disulfiram, in urine (117) 187
Diffusion coefficients, binary
Chromatographic determination of the parameters in the Lennard–Jones 12–6 potential (120) 29
Diffusion coefficients, binary
GC determination of ---. I. Theoretical design study (120) 1
Diffusion coefficients, binary
GC determination of ---. II. Experimental evaluation (120) 17
Digitalis
Studies on ---. IV. Method for TLC separation and determination of digitoxin and cardioactive metabolites in human blood and urine (117) 87
Digitalis glycosides
Partition HPLC systems for the separation of --- of the cardenolide group (117) 81

Digitoxin
Isolation and quantitation of picomole quantities of digoxin, --- and their metabolites by HPLC (115) 437
Digitoxin
Studies on digitalis. IV. method for TLC separation and determination of --- and cardioactive metabolites in human blood and urine (117) 87
Digoxin
Isolation and quantitation of picomole quantities of ---, digitoxin and their metabolites by HPLC (115) 437
4,4'-Dihexyloxyazoxylbenzene
Use of liquid crystals as stationary phases in GLC. I. Thermodynamic properties of solutions of decane in --- (117) 315
1,8-Dihydroxyanthraquinone
GC determination of the laxative --- in urine and faeces (120)217
Dihydroxybenzenes
Chromatographic separation of --- on a column of Merckogel PGM 2000 (115) 262
Dihydroxysteroids
Separation of C_{19} and C_{21} --- by open-hole tubular glass columns and lipophilic gel chromatography (118) 135
6,7-Dihydroxytetrahydroisoquinoline
Identification of --- as an *in vitro* reaction product by radio GLC (114) 476
N-dimethylaminomethylene derivatives
--- for the GLC of primary sulfonamides (112) 513
Dimethylene-interrupted methyloctadecadiynoates
Fatty acids. IV. Synthesis of all the --- and a study of their GLC properties (115) 559
1,2-Dimethylhydrazine
Separation of --- metabolites by HPLC (117) 181
1,3-Dimethylxanthine
Rapid GC determination of underivatized theophylline in whole blood (117) 393
Dinitro compounds, aromatic
HPLC of aromatic amines (119) 569
Dioptase silylation product
GC retention characteristics of trimethylsilylated silicate anions (119) 173
Dipeptides
Separation of dinitrophenyl derivatives of neutral --- by TLC (115) 633
Diphenhydramine
Use of SE-30 as a stationary phase for the GLC of drugs (review) (113) 69
Diphenylhydantoin
Electron-capture GC of barbituric acids and --- after pentafluorobenzylation (114) 345
Diphenylhydantoin
Mass fragmentagraphic determination of --- and its main metabolite, 5-(4-hydroxyphenyl)-5-phenylhydantoin, in human plasma (116) 53
Diphenylhydantoin
Methylation artifacts in the GC of serum extracts. Competitive suppression with trimethyl-d_9 anilinium hydroxide (116) 321
Dipipanone
Use of SE-30 as a stationary phase for the GLC of drugs (review) (113) 69
Diquat
Analysis of paraquat in urine by HPLC (115) 107
Disaccharides
GC separation of silylated derivatives of --- mixtures on open tubular glass capillary columns (115) 218
Distillation under chromatographic conditions
Chromadistillation (119) 591
Dilsulfiram
Method for the detection of diethylamine, a metabolite of ---, in urine (117) 187
Dithiocarbamates
Chromatographic analysis of fungicides (review) (113) 97
Dithiocarbamates
GC separation of --- of some metals (115) 256
Dithiocarbamates
GC separation of some dialkyl --- of nickel(II) (112) 189
Diumycin
Determination of --- by direct quantative TLC (114) 193
m-Divinylbenzene
Analytical separation of amino acids on a cation-exchange resin cross-linked with --- (115) 455
DNA
Use of cation-exchange HPLC for determination of the 5-methylcytosine content of --- (118) 242
DNA, calf-thymus
Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339

Dopamine
HPLC analysis of the catecholamines ––– and noradrenaline as their fluorescamine derivatives (118) 429
Double-column gas chromatography
Aspects of ––– with glass capillaries involving intermediate trapping (112) 205
Drugs
Analysis of impurities in ethchlorvynol by GC–MS (118) 418
Drugs
Analysis of 1-(2-phenyladamant-1-yl)-2-methylaminopropane as its chlorodifluoroacetyl derivative (114) 151
Drugs
Chemical derivatization in GC (review) (113) 303
Drugs
Chromatographic hydrophobic parameters in correlation analysis of structure–activity relationships (review) (113) 1
Drugs
Chromatographic method for the detection of LSD in biological fluids (120) 496
Drugs
Chromatographic separation of cannabinoids and their monooxygenated derivatives (120) 343
Drugs
Combined UV–fluorescence detection in HPLC of pharmaceuticals (111) 365
Drugs
Detection of 1-piperidinocyclohexanecarbonitrile contamination in illicit preparations of 1-(1-phenylcyclohexyl)piperidine and 1-[1-(2-thienyl)cyclohexyl]piperidine (117) 232
Drugs
Determination of γ-amino-β-(*p*-chlorophenyl)-butyric acid (baclofen) in biological material by GLC (117) 399
Drugs
Determination of chlorimipramine and desmethylchlorimipramine in human plasma by ion-pair partition chromatography (116) 475
Drugs
Determination of chloroquine in biological material by GLC (111) 299
Drugs
Determination of Diumycin by direct quantitative TLC (114) 193
Drugs
Determination of ethchlorvynol by HPLC (111) 422
Drugs
Determination of hydralazine in plasma by GLC (115) 87
Drugs
Determination of indomethacin in serum and urine by electron-capture GLC (117) 167
Drugs
Determination of 7-iodo-1,3-dihydro-1-methyl-5-(2'-fluorophenyl)-2H-1,4-benzodiazepin-2-one (Ro-7-9957) and its major biotransformation products in blood and urine by electron capture–GLC (118) 371
Drugs
Determination of ketamine and some *in vivo* metabolites using HPLC (114) 220
Drugs
Determination of nanogram amounts of primary aromatic amines and nitro compounds in blood and plasma (111) 323
Drugs
Determination of nitrazepam in serum by GLC. Application in bioavailability studies (111) 389
Drugs
Determination of plasma amitriptyline by electron-capture GC after oxidation to anthraquinone (118) 65
Drugs
Determination of 3-(5-tetrazolyl) thioxanthone 10,10-dioxide in human plasma, urine and faeces (115) 93
Drugs
Determination of therapeutic levels of amitriptyline in serum by GLC (111) 456
Drugs
Determination of vanilmandelic acid and homovanillic acid in urine by high-speed LC (116) 240
Drugs
Electron-capture CG of barbituric acids and diphenylhydantoin after pentafluorobenzylation (114) 345
Drugs
Electron-capture GC of methadone after oxidation to benzophenone (111) 347
Drugs
Evaluations and selection of optimal solvents and solvent combinations in TLC. Application of the method to basic ––– (115) 1
Drugs
Extraction method for TLC system for the determination of α-*l*-acetylmethadol and metabolites in biological fluids (117) 193

Drugs
GC analysis of 4-prenyl-1,2-diphenyl-3,5-pyrazolidinedione (prenazone) at therapeutic levels in human plasma (114) 159
Drugs
GC assay for probenecid and its metabolites in biological fluids (115) 222
Drugs
GC determination and GC–MS analysis of chloramphenicol, thiamphenicol and their metabolites (111) 355
Drugs
GC determination of camylofine dihydrochloride in tablets and suppositories (117) 161
Drugs
GC determination of hydrochlorothiazide in plasma, blood cospuscles and urine using an extractive alkylation technique (114) 459
Drugs
GC determination of Stanozolol in veterinary suspensions (115) 687
Drugs
GC determination of the laxative 1,8-dihydroxyanthraquinone in urine and faeces (120) 217
Drugs
GC–mass fragmentographic determination of "steady-state" plasma levels of imipramine and desipramine in chronically treated patients (111) 313
Drugs
GC–mass fragmentographic determination of trazodone in rat plasma (112) 631
Drugs
GC method for measuring 6-mercaptopurine in serum (111) 305
Drugs
GC method for determination of nomifensine in human plasma (116) 451
Drugs
GC method for the quantitative determination of lidocaine and its metabolite monoethylglycinexylidide in plasma (116) 188
Drugs
GC resolution of enantiomeric amphetamines and related amines. II. Effects of cyclic structures on diastereomer and enantiomer resolution (114) 307
Drugs
GC separation of allylbarbital and butabarbital (116) 194
Drugs
GC separation of isomers of benoxaprofen using liquid crystals (118) 268
Drugs
GLC determination of perazine, thioridazine and thioridazine metabolites in human plasma (120) 123
Drugs
GLC method for the determination of naltrexone and beta-naltrexol in human urine (111) 141
Drugs
HPLC determination of allopurinol and oxypurinol in serum (115) 228
Drugs
HPLC determination of kanamycin (120) 93
Drugs
HPLC of cannabis. Identification of separated constituents (115) 101
Drugs
HPLC of ---. II. Evaluation of a microparticulate cation-exchange column (120) 359
Drugs
HPLC of ---. Evaluation of an octadecylsilane stationary phase (111) 149
Drugs
High-speed ion-pair partition chromatography in pharmaceutical analysis (115) 423
Drugs
High-speed LC analysis of indomethacin in plasma (114) 483
Drugs
Isolation of --- with macroreticular resins. Determination of phentermine in blood (111) 439
Drugs
LC of dansyl derivatives of some alkaloids and the application to the analysis of pharmaceuticals (116) 365
Drugs
Mass fragmentographic determination of diphenylhydantoin and its main metabolite, 5-(4-hydroxyphenyl)-5-phenylhydantoin, in human plasma (116) 53
Drugs
Method for the detection of diethylamine, a metabolite of disulfiram, in urine (117) 187
Drugs
Methylation artifacts in the GC of serum extracts. Competitive suppression with trimethyl-d_9 anilinium hydroxide (116) 321
Drugs
Partition HPLC systems for the separation of digitalis glycosides of the cardenolide group (117) 81

Drugs
Plasma chromatography of heroin and cocaine with mass-identified mobility spectra (117) 327
Drugs
Quantitative assay of diclofenac in biological material by GLC (111) 293
Drugs
Quantitative assay of maprolitine in biological fluids by GLC (114) 167
Drugs
Quantitative determination of naltrexone and beta-naltrexol in human plasma using electron capture detection (118) 331
Drugs
Quantitative GLC method for the determination of neostigmine and pyridostigmine in human plasma (120) 349
Drugs
Quantitative morphine assay by means of GLC and on-column silylation (120) 491
Drugs
Quantitative TLC analysis of ergotamine tartrate and caffeine in the nanogram range (118) 225
Drugs
Rapid and comprehensive system for the routine identification of --- in biological materials based on micro-phase extraction and --- colour profiles (115) 507
Drugs
Rapid and sensitive LC determination of carbamazepine suitable for use in monitoring multiple- --- anticonvulsant therapy (118) 217
Drugs, basic
Rapid detection of some --- by TLC (117) 449
Drugs
Rapid GC determination of underivatized theophylline in whole blood (117) 393
Drugs
Rapid GC method for the determination of chlorophenoxyisobutyric acid in plasma and urine (117) 175
Drugs
Rapid screening procedure for some street --- by TLC (115) 678
Drugs
Reversed-phase TLC method for the determination of relative partition coefficients of very lipophilic compounds (120) 65
Drugs
Separation of a wide range of --- of abuse by HPLC (111) 227
Drugs
Separation of caffeine, theophylline and theobromine by HPLC (114) 480
Drugs
Separation of pharmaceutical compounds using HPLC. Influence of water. II. (120) 419
Drugs
Separation of some chloramphenicol intermediates by HPLC (116) 472
Drugs
Separation of thiazide diuretics and antihypertensive --- by TLC (114) 329
Drugs
Simple and rapid LC determination of *cis*- and *trans*-spiro ethers in *Matricaria chamomilla* (114) 215
Drugs
Simple and sensitive GC method for the determination of clonazepam in human plasma (116) 445
Drugs
Simultaneous determination of propanolol and 4-hydroxypropranolol in plasma by mass fragmentography (114) 351
Drugs
Specific ion-exchange chromatography and fluorimetric assay for urinary 3-O-methyldopamine (116) 379
Drugs
Specific TLC method for the determination of theophylline in plasma in the presence of some other --- (115) 501
Drugs
Studies on digitalis. IV. Method for TLC separation and determination of digitoxin and cardioactive metabolites in human blood and urine (117) 87
Drugs
TLC analysis of ocaine and benzoylecgonine in urine (114) 433
Drugs
TLC determination of barbiturates and phenytoin in serum and blood (115) 493
Drugs
TLC method for the determination of acebutolol and its major metabolite in serum (120) 465
Drugs
TLC method for the quantitative determination of quinidine in human serum (111) 463
Drugs
TLC of apomorphine and its analogs (116) 218

Drugs
TLC of cinoxacin and some related compounds (116) 485
Drugs
TLC of pancuronium bromide and its hydrolysis products (120) 234
Drugs
TLC screening and confirmation of basic --- of abuse in uring (115) 519
Drugs
Use of GC–MS–computer systems in pharmacokinetic studies (112) 605
Drugs, lipophilic
Chromogenic response of aqueous cobalt thiocyanate to --- (116) 230
Drugs, retention indices using SE-30
Use of SE-30 as a stationary phase for the GLC of --- (review) (113) 69
Dual wavelength point zig-zag scanning
--- of zones on thin-layer chromatograms as a tool for quantitative assay (116) 29

E

Ecdysones
Formation of trimethylsilyl ethers of ---. Reappraisal (116) 333

Ecdysones
Structural requirements for the electron capturing properties of --- (115) 587

Ecdysone, α- and β-
Separation and detection of --- using TLC (116) 480

EDTA complexes
Gel chromatographic behaviour of --- on Sephadex columns (120) 159

Effective diffusivities
GC determination of --- and heats of adsorption of C_5–C_8 hydrocarbons on a commercial platinum–alumina reforming catalyst (116) 431

Efficacy
Preparative GC. Computer program for the study on the relationship between ---, resolution and the purity of products (118) 1

Electrolytes, optically active
Paper electrophoretic study of ion-pair formation. XI. Behaviour of optical isomers in --- (115) 655

Electron capture detector
Effect of pressure on the response of a d.c. --- (118) 233

Electron capture detector
Hypercoulometric response in a d.c. --- (112) 247

Electron capture detector
Photo--- (112) 229

Electron capture response
Temperature dependence of --- (118) 280

Electron transport, mitochondrial
Chromatographic hydrophobic parameters in correlation analysis of structure–activity relationships (review) (113) 1

Elemental analysis
Utilization of GC retention data in combination with --- for substance identification (119) 423

Eliminations
Elucidation of reaction mechanisms for thermal --- and ring closures by pyrolysis–GC–MS (112) 301.

Elution chromatography
Moment analysis in non-linear frontal-elution and --- (120) 249

Emulsifiers
TLC detection of calcium and sodium stearoyl lactylate in the presence of other emulsifiers in food (115) 639

Enantiomers
Chromatographic resolution of ---. Selective review (review) (113) 283

Enantiomers
Methionine dipeptide stationary phases for the resolution of --- (112) 197

Enantiomers
Separation of --- on packed columns containing optically active diamide phases (112) 121

Endrin
GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385

End-tidal gases
Development of an on-line analyzer for organic anaesthetics in inspiratory and --- (119) 71

Enzacryl® gel
--- packings. Inorganic salt compatibility, pH stability and ion-exchange derivatives (117) 245

Enzymes
Affinity chromatography of vegetable carbonic anhydrase (120) 489

Enzymes
Agar derivatives for chromatography, electrophoresis and gel-bound enzymes. IV. Benzylated dibromopropanol cross-linked Sepharose as an amphophilic gel for hydrophobic salting-out chromatography of --- with special emphasis on denaturing risks (111) 373

Enzymes
Preparation, separation and degradation of oligouronides produced by the polygalacturonic acid transeliminase of *Bacillus pumilus* (116) 395
Enzymes
Purification and characterization of commercial NADH and accompanying dehydrogenase inhibitors (120) 187
Enzymes
Purification of human red cell glucose 6-phosphate dehydrogenase by affinity chromatography (114) 321
Enzymes
Resolution in affinity chromatography. Effect of the heterogeneity of immobilized soybean trypsin inhibitor on the separation of pancreatic proteases (120) 391
Enzymes
Separation of glyoxalase I and glyoxalase II by paper electrophoresis (116) 225
Enzymes
Specific GC method for the determination of microsomal styrene monooxygenase and styrene epoxide hydratase activities (118) 387
Enzyme iden.ification by zymogram
Preparative capillary isotachophoresis. Principle and some applications. (119) 9
Epoxy polymers
Regulated-temperature pyrolyzer for GC. Application to study of --- (118) 115
Ergot alkaloids
High-speed ion-pair chromatography in pharmaceutical analysis (115) 423
Ergotamine tartrate
Quantitative TLC analysis of --- and caffeine in the nanogram range (118) 225
Escherichia coli
Purification of --- B-specific *p*-aminobenzoate "pick-up" protein to homogeneity by affinity chromatography (115) 205
Essential oils
Separation of --- by LC (114) 258
Essential oils
Simple solid injection method for qualitative and quantitative estimation of --- (116) 468
Estrogens
Detection of A-ring-hydroxylated --- and their methyl ethers on ascorbic acid-impregnated paper and thin-layer chromatograms (120) 239
Estrogens
Separation of some androgens and --- by TLC (119) 625
Ethanol
GC determination at the ppm level of methanol and --- in aqueous solutions (119) 251
Ethchlorvynol
Analysis of impurities in --- by GC–MS (118) 418
Etchlorvynol
Determination of --- by HPLC (111) 422
p-(*p*-Ethoxyphenylazo)phenyl undecylenate
Solid support surface effects on the chromatographic behavior of a liquid crystal stationary phase (112) 145
Ethylene glycol methacrylate–ethylene glycol dimethacrylate copolymers
Application of the sorption properties of Spheron gels in high-resolution column LC of naturally occurring macromolecular species (119) 549
Ethylenimine
Rapid estimation of trace amounts of --- by HPLC (115) 391
Ethyl nitrites
GC determination at the ppm level of methanol and ethanol in aqueous solutions (119) 251

F

Factor analysis
--- of solute parameters in ether–stationary phase interactions (115) 139
Fatty acids
Analysis of long-chain acids of human plasma phosphatidylcholines (lecithins) and cholesteryl esters by glass open tubular capillary column GC for stroke patients and for normal subjects (112) 483
Fatty acids
Concurrent determination of α-tocopherol and free --- in human plasma by glass open tubular capillary column GC (112) 465
Fatty acids
---. III. Further study of the GLC properties of all of the methyl undecynoates and methyl *cis*-undecenoates (111) 189
Fatty acids
---. IV. Synthesis of all the dimethylene-interrupted methyloctadecadiynoates and a study of their GLC properties (115) 559
Fatty acids
---. VI. TLC behaviour of mercury adducts of acetylenic esters and a study of the demercurated products (116) 425
Fatty acids
---. VII. GLC properties of all dimethylene interrupted methyl *cis,cis*-octadecadienoates (117) 365
Fatty acids
Identification of microorganisms by GC–MS analysis of cellular --- (112) 595
Fatty acids
Screening for --- in oilseed breeding programmes using lipase and PC (115) 652
Fatty acids
Separation of methyl esters of polyunsaturated --- by argentation TLC (114) 280
Fatty acids
TLC separation of free ---. Analysis and purification of radioactivity labelled --- (114) 274
Flame emission detection
Selective --- of phosphorous and sulfur in HPLC (112) 443
Flame photometric detector
Dual-channel --- with a separate combustion chamber (120) 285
Flavonoids
Analysis of phenolic acids and --- by HPLC (116) 271
Flavonoid glycosides
PC of phenolic compounds using buffered acetonitrile (114) 286
Fluorenylhydroxamic acids
Identification of carcinogenic acetates of HPLC (115) 71
Fluorescamine
Cactus alkaloids. XXVII. Use of --- as a TLC visualization reagent for alkaloids (111) 234
Fluorinated stationary phases
GLC on ---. II. Fluorinated compounds containing a functional group (114) 87
5-Fluorocytidine
Determination of 5-fluorouridine and --- in RNA hydrolysates using high-performance ion-exclusion chromatography (111) 242
5-Fluorouridine
Determination of --- and 5-fluorocytidine in RNA hydrolysates using high-performance ion-exclusion chromatography (111) 242
Food additives
TLC detection of calcium and sodium stearoyl lactylate in the presence of other emulsifiers in food (115) 639
Formation constants, GLC
Study of charge transfer complexation by GLC (review) (113) 47
Formation constants, spectroscopic
Study of charge transfer complexation by GLC (review) (113) 47
Free fatty acids
Methylation of skin surface lipid --- (115) 283
Free fatty acids
TLC separation of ---. Analysis and purification of radioactivity labelled fatty acids (114) 274

Frontal analysis development
Some aspects of preparative-scale LC (119) 467
Frontal-elution chromatography
Moment analysis in non-linear --- and elution chromatography (120) 249
Fuels
Recognition and qualitative characterization of commercial petroleum --- and synthetic --- by a GC fingerprinting technique. I. General considerations (119) 413
Fuel oils
Recognition and qualitative characterization of commercial petroleum fuels and synthetic fuels by a GC fingerprinting technique. I. General considerations. (119) 413
Functional groups
Determination of --- by reaction gas chromatography. II. Determination of nitrogen in hydrazine and its organic derivatives (119) 243
Fungicides
Chromatographic analysis of --- (review) (113) 97
Fungicides
Determination of benomyl and 2-(4-thiazolyl)benzimidazole in plant tissues by HPLC using fluorimetric detection (120) 449
Fungicides
TLC detection of some systemic --- and their metabolites (111) 197

G

D-Galactose
TLC method for the quantitative determination of D-mannose, D-glucose and --- in aqueous solution (115) 477
Gases
Chemisorption method for the determination and removal of trace amounts of oxygen in unreactive --- (120) 291
Gas adsorption chromatography
Analogy between --- and liquid adsorption chromatography (117) 11
Gas chromatographic analysis
Minimizing the time for ---. Search for optimal operational parameters by a simplex method (119) 215
Gas chromatographic interactions
General contribution to the theory of retention index systems in GLC. II. Additivity of --- expressed by retention indices (119) 321
Gas chromatographic–mass spectrometric–computer systems
Use of --- in pharmacokinetic studies (112) 605
Gas chromatographic peaks, overlapping
Resolution of --- using fast Fourier transformation (118) 313
Gas chromatography
Development of --- (112) 1
Gas chromatography
GC with backflushing coupled with linear temperature programming during the elution of solutes. Influence of parameters (111) 253
Gas chromatography
Solute switching and detection by synchronous demodulation in --- (112) 29
Gas chromatography, capillary
Possibilities and limitations of --- and MS in the analysis of polychlorinated biphenyls (119) 271
Gas chromatography, data acquisition systems
Instrumental contributions to band broadening in GC. II. Experimental evaluation (119) 55
Gas chromatography, high-precision instrumentation
Instrumental contributions to band broadening in GC. II. Experimental evaluation (119) 55
Gas chromatography–mass spectrometry
Special techniques in the combination of GC and MS (112) 343
Gas chromatography–mass spectrometry
Trace analysis of organic volatiles in water by --- with glass capilary columns (112) 701
Gas chromatography with backflushing
--- and with programmed longitudinal positive gradient of temperature during backflushing (120) 81
Gas flow meter
Flow meter for precise and accurate measurement of gas flow using a travelling mercury drop (111) 271
Gas–liquid chromatography
Optimization strategies for the development of --- methods (112) 267
Gas–liquid partition chromatography
Adsorption effects in --- (114) 1
Gas–liquid partition coefficients
Determination of --- by means of GC analysis (112) 319
Gasolines
Recognition and qualitative characterization of commercial petroleum fuels and synthetic fuels by a GC fingerprinting technique. I. General considerations (119) 413
Gas–solid chromatography
Retention indices in --- (119) 233
Gels
Determination of some GPC parameters of the gel Spheron-1000 (116) 457
Gel filtration–centrifugation
Separation of free and protein-bound ligands in the radioimmunoassay by --- (119) 167
Gel permeation chromatography
---. XII. Computer-assisted --- and low-angle laser light-scattering photometry (118) 303

Gitoxin
Isolation and quantitation of picomole quantities of digoxin, digitoxin and their metabolites by HPLC (115) 437
Gluconic acid
Fluorescence densitometric method for the determination of --- and lactobionic acid (sugar acids) in pharmaceutical preparations (117) 337
D-Glucose
TLC method for the quantitative determination of D-mannose, --- and D-galactose in aqueous solution (115) 477
Glucose oligomers
Gel chromatography of ---. Study of operational parameters (120) 55
Glucose oxidase preparation
Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
Glucose 6-phosphate dehydrogenase
Purification of human red cell --- by affinity chromatography (114) 321
Glucosides
Studies on monoterpene --- and related natural products. XXXI. GC and GC–MS of iridoid and secoiridoid glucosides (118) 201
Glucosiduronic acids, steroidal
Liquid ion exchangers in reversed-phase systems for chromatography of --- (120) 435
Glutamic acid
Mass fragmentographic quantitation of --- and γ-aminobutyric acid in cerebellar nuclei and sympathetic ganglia of rats (118) 395
Glycerol esters
Comparison of chromatographic methods for the analysis of --- (120) 411
Glycol methacrylate gel
Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
Glycoproteins
Affinity adsorbent for the rapid purification of wheat germ agglutinin (114) 223
Glycosides
Behaviour of cardiac --- and cardenolides related to digitoxigenin on Sephadex LH-20 (115) 117
Glycosides
Partition HPLC systems for the separation of digitalis --- of the cardenolide group (117) 81
Glycosides
TLC separation of steroid --- from *Agava americana* L. (116) 482
Glycosides
2,3,5-Triphenyltetrazoliumhydroxide – a colour reagent for --- (114) 235
Glyoxalases I and II
Separation of --- by paper electrophoresis (116) 225
Gold
Anion-exchange separation of --- on DEAE-cellulose in acetic acid–hydrochloric acid media (114) 143
Gradient elution
--- in LC. VII. Comparison of different mobile phases in adsorption chromatography (115) 9
Gradient elution
Problems in the application of --- to HPLC (112) 415
Gradient temperature programming
--- of short capillary columns (112) 219
Guanidino compounds
Separation of --- by means of ion-exchange TLC (115) 485
Guanosine 3',5'-cyclic monophosphate
Separation of purine 3',5'-cyclic nucleotides and nucleosides by TLC on PEI cellulose (116) 465

H

O-ω-Haloalkyloximes
Studies on steroids. CIX. ---, new derivatives for GC–MS of oxosteroids (118) 127
Halogenoalkanes
GC separation of mono- and disubstituted benzene derivatives and of diastereoisomeric --- with Bentone-38 (114) 207
Head-space analysis
Application of GC --- for the characterization of non-ideal solutions by scanning the total concentration range (112) 287
Heats of adsorption
GC determination of effective diffusivities and --- of C_5–C_8 hydrocarbons on a commercial platinum–alumina reforming catalyst (116) 431
Heat of friction
Ultimate limits in HPLC (112) 37
Heats of solution, molar
Comparison of static and GC solubility data (119) 157
Hemin
Determination of --- by PC (114) 283
Hemoglobins
Chromatography of --- on CM-cellulose with Bis-tris and sodium chloride developers (118) 295
Hemoglobins
Microchromatography of ---. V. TLC of some --- on CM-cellulose (115) 527
Hemoglobin
Simple method for the isolation and purification of --- components (117) 53
Heptachlor
GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
Herbicides
Analysis of paraquat formulations by LC (115) 289
Herbicides
Analysis of paraquat in urine by high-speed LC (115) 107
Herbicides
Chromatographic separation of ---- -additive *s*-triazines on various polyamide layers (115) 670
Herbicides, phenylurea
GC–MS identification of --- after N-methylation (115) 682
Heroin
Plasma chromatography of --- and cocaine with mass-identified mobility spectra (117) 327
Hexachlorobenzene
Improved recovery of --- in adipose tissue with a modified micro multiresidue procedure (117) 143
Hexachlorocyclohexane
Separation of radioactively labelled isomers of --- by preparative TLC (117) 242
High-performance liquid chromatography
--- data (111) 250
High-performance liquid chromatography
Improved --- method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663
High-performance micro-thin-layer chromatography
Quantitation in --- (112) 81
High-pressure liquid chromatography
Ultimate limits in --- (112) 37
Histamine
TLC assays of --- and its metabolites in urine of man and dog (115) 129
Histidine
Improved separation of the methyl and phenylthiohydantoins of arginine, cysteic acid and --- by micropolyamide TLC (115) 629
HMX explosives
HPLC separation of RDX and --- on adsorptive polymers (118) 157
Homopyrimidazoles
TLC of --- derivatives (117) 345
Homovanillic acid
Determination of vanilmandelic acid and --- in urine by high-speed LC (116) 240

Hormones
Formation of trimethylsilyl ethers of ecdysones. Reappraisal (116) 333
Hormones
Separation and characterization of the reduced metabolites of the 18-hydroxydeoxycorticosterone hormone by GLC–MS. Occurrence of stereoisomeric forms in rat adrenals and liver (112) 617
Hormones
Separation and detection of α- and β-ecdysone using TLC (116) 480
Hormones
Simple GLC method with electron capture detection for the determination of progesterone in the blood of humans and domestic animals (111) 125
Hormones
Structural requirements for the electron capturing properties of ecdysones (115) 587
Hyaluronic acid
Application of the sorption properties of Spheron gels in high-resolution column LC of naturally occurring macromolecular species (119) 549
Hydralazine
Determination of ––– in plasma by GLC (115) 87
Hydrazine
Determination of functional groups. II. Determination of nitrogen in ––– and its organic derivatives (119) 243
n-Hydrocarbons
Chromadistillation (119) 591
Hydrocarbons
Computerized GC–MS analysis of polycyclic aromatic ––– in environmental samples (112) 681
Hydrocarbons
Determination of trace impurities in gases by their equilibrium accumulation in volatile liquids (112) 311
Hydrocarbons
Effect of aqueous chlorination on the aromatic fraction of diesel fuel. Analysis by computer-assisted high-resolution GC–MS (116) 43
Hydrocarbons
GC studies of catalysis on Ni–SiO_2 (112) 61
Hydrocarbons
Influence of vapour pressure, activity coefficient and structure on the retention volumes of branched-chain nonanes (116) 249
Hydrocarbons
Polyphenyl ether, a liquid phase for the GC–MS of monoterpene ––– (111) 419
Hydrocarbons
Retention indices in GSC (119) 233
Hydrocarbons
Retention of ––– on GC sorbents containing an organo-clay (116) 9
Hydrocarbons
Selective detector for GC based on the chemiluminescence of ozone reactions (112) 253
Hydrocarbons
Some applications of molecular sieves in the GC analysis of ––– and alcohols (117) 305
Hydrocarbons, aromatic
Influence of the molecular structure of ––– on their adsorptivity on silica gel (117) 117
Hydrocarbons, aromatic
Molecular structure and retention behaviour. V. Calculation of adsorption energies for ––– on graphitized carbon black (115) 299
Hydrocarbons, C_4 and C_5
GC separation at 50° of ––– (117) 199
Hydrocarbons, C_5–C_8
GC determination of effective diffusivities and heats of adsorption of ––– on a commercial platinum–alumina reforming catalyst (116) 431
Hydrocarbons, gaseous
GC determination of thiols in gaseous petroleum fractions on the basis of thiol concentration by sodium *o*-hydroxymercuribenzoate and sodium *p*-chloromercuribenzoate (119) 599
Hydrocarbons, polycyclic
Determination of ––– by channel TLC (120) 485
Hydrocarbons, polycyclic aromatic
Effect of the amount of Tris III on silica gel on the separation of ––– by LC (118) 47
Hydrocarbons, polycyclic aromatic
Separation of ––– by HPLC. Comparison of the determination of benzo[*a*]pyrene with separation on columns of cross-linked cellulose acetate and a reversed-phase system (120) 299
Hydrocarbons, polycyclic aromatic
Separation of N-hetero––– from –––. Separation by complex chromatography (120) 482

Hydrochlorotriazide
GC determination of --- in plasma, blood corpuscles and urine using an extractive alkylation technique (114) 459
Hydrogen peroxide
Chromatographic purification and characterization of --- (117) 428
Hydroperoxides
Anomalous chromatographic behaviour of some C_{27}-steroid --- (115) 648
Hydroperoxides
Qualitative and quantitative determination of --- by HPLC (115) 616
Hydrophobic parameters
Chromatographic --- in correlation analysis of structure–activity relationships (review) (113) 1
α-Hydroxy acids
Reaction of fungal ceramides containing --- with the periodate–Schiff reagents (117) 436
19-Hydroxy[4-^{14}C]4-androstene-3,17-dione
Convenient biological synthesis of --- from [4-^{14}C]4-androstene-3,17-dione with sow ovarian 19-hydroxylase (114) 473
Hydroxyapatite columns
Theory of chromatography of rigid molecules on --- with small loads. III. Theory on the basis of the classical theory of adsorption chromatography for the case when molecules are adsorbed on to a single type of crystal site (120) 271
Hydroxyapatite columns
Theory of chromatography of rigid rod-like macromolecules on ---. VIII. Further theory of analytical calculation of chromatograms and further investigations on the resolving power of the columns (120) 257
Hydroxychlordene
GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
18-Hydroxydeoxycorticosterone
Separation and characterization of the reduced metabolites of the --- hormone by GLC–MS. Occurrence of stereoisomeric forms in rat adrenals and liver (112) 617
6-Hydroxy-5,6-dihydrothymidine
Separation of the four diastereoisomers of --- formed by γ-radiolysis of thymidine in deaerated aqueous solution (115) 191
2-Hydroxyethyl methacrylate
Analysis and purification of --- by means of TLC (115) 195
Hydroxylamine/iron(III) chloride
---, a stereospecific colour reagent for mandelic acid nitrileglycosides (111) 430
Hydroxyoxime copper extractants
GC and HPLC of commercial --- (116) 197
α-Hydroxy-phosphonate esters
GC of acylated ---. Trace analysis of aliphatic carboxylic acids with the thermionic detector (111) 105
4-Hydroxypropranolol
Simultaneous determination of propranolol and --- in plasma by mass fragmentography (114) 351
5-Hydroxytryptophol
Mass fragmentography of --- and 5-methoxytryptophol in human cerebrospinal fluid (112) 523
Hydroxyxanthones
Separation and identification of some --- by TLC (111) 246
Hypercoulometric response
--- in a d.c. electron capture detector (112) 247

I

Ibogaine
Detection of --- in organic liquids (117) 239
Imipramine
GC–MF determination of "steady-state" plasma levels of --- and desipramine in chronically treated patients (111) 313
Immunoelectrophoresis
Preparative capillary isotachophoresis. Principle and some applications (119) 9
Indole derivatives
Method for detecting free phenolic groups and --- in TLC or PC (115) 273
Indomethacin
Determination of --- in serum and urine by electron-capture GLC (117) 167
Indomethacin
High-speed LC analysis of --- in plasma (114) 483
Injection, dry capsule
Causes and effects of sample loss using a --- method for the automated GC analysis of pesticide samples (117) 59
Injection system
--- for small volatile samples in GC (120) 197
Inorganic acids
Chemical derivatization in GC (review) (113) 303
Inorganic compounds
Gel chromatographic behaviour of EDTA complexes on Sephadex columns (120) 159
Inorganic gases
Detection of ---using a flame ionisation detector (119) 461
Inorganic ions
Partition PC of ---. XX. Behaviour of copper(I), silver(I) and iron(II) in butanol–hydrochloric acid mixtures (114) 488
Inorganic ions
Partition PC of ---. XXI. PC of mixed cobalt(III) complexes (119) 285
Inorganic isomers
Separation of --- by TLC. II. Octahedral geometric isomers (117) 455
Inorganic isomers
Separation of --- by TLC. III. Square planar geometric isomers (118) 433
Inositol
Separation of [^{3}H]--- monophosphates and [^{3}H]--- on silica gel glassfiber sheets (120) 502
Insecticides
Chemical derivatization in GC (review) (113) 303
Insecticides
Extractants for organochlorine --- and polychlorinated biphenyls from water (120) 369
Insecticides
Isolation and GC characterization of some toxaphene components (114) 361
Inspiratory gases
Development of an on-line analyzer for organic anaesthetics in --- and end-tidal gases (119) 71
Interaction between small molecules
Studies on the --- by gel filtration in Sephadex LH-20 (116) 93
Introduction system of the gas chromatograph
GC cartridge desorption port (114) 184
Iodate, radioactive
Column chromatographic separation of radioactive tellurate, tellurite, iodide and --- (114) 389
Iodide, radioactive
Column chromatographic separation of radioactive tellurate, tellurite, --- and iodate (114) 389
7-Iodo-1,3-dihydro-1-methyl-5-(2'-fluorophenyl)-2H-1,4-benzodiazepin-2-one
Determination of --- (Ro-7-9957) and its major biotransformation products in blood and urine by electron capture–GLC (118) 371
Ion-exchange
--- at high concentrations of the mobile phase. VI. Influence of the degree of cross-linking on the sorption of anionic complexes of Tl(III) and Fe(III) by sulphonic cation exchangers (120) 399

Ion-exchange packings
Preparation, properties and some applications of bonded --- based on microparticulate silica gel for HPLC (117) 269
Ionophoresis, continuous
Modified apparatus for carrier-free --- (115) 357
Ion-pair formation
Paper electrophoretic study of ---. IX. Migration of small organic ions in strong acids (114) 297
Ion-pair formation
Paper electrophoretic study of ---. XI. Behaviour of optical isomers in optically active electrolytes (115) 655
Ion-pair formation
Paper electrophoretic study of ---. XII. Interaction between Co(III) complexes and solutions of orthophosphate, pyrophosphate and metaphosphate (117) 464
Ion-pair partition chromatography
High-speed --- in pharmaceutical analysis (115) 423
Iridoid glucosides
Studies on monoterpene glucosides and related natural products. XXXI. GC and GC–MS of --- and secoiridoid glucosides (118) 201
Iron(II)
Paper partition chromatography of inorganic ions. II. Behaviour of copper(I), silver(I) and --- in butanol–hydrochloric acid mixtures (114) 488
Iron(II) sulphide
Sorption properties of --- prepared by the sol–gel method (111) 93
Iron(III)
Ion-exchange at high concentrations of the mobile phase. VI. Influence of the degree of crosslinking on the soprtion of anionic complexes of Tl(III) and --- by sulphonic cation exchangers (120) 399
Iron-55
--- as an Auger electron emitter. Novel source for GC detectors (116) 257
Isohumulone
GC procedure for the analysis of --- (115) 79
Isoleucine
GC separation of leucine and --- phenylthiohydantoins (118) 99
Isomers, inorganic
Separation of --- by adsorption chromatography. II. Non-electrolytic octahedral and square planar geometric isomers (114) 465
Isotachophoresis
Temperature profiles in capillary --- (114) 315
Isotachophoresis, analytical
--- (119) 129
Isotachophoresis, capillary
--- with UV detection. Some quantitative aspects (119) 539
Isotachophoreis, capillary
Preparative ---. Principle and some applications (119) 9
Isotachophoresis, conductivity detector
Analytical isotachophoresis (119) 129
Isotachophoresis, counter flow of electrolyte
Analytical isotachophoresis (119) 129
Isotachophoresis, operational systems
Analytical isotachophoresis (119) 129
Isotachophoresis, potential gradient detector
Analytical isotachophoresis (119) 129

K

Kanamycin
HPLC determination of --- (120) 93
Katharometer responses
Effect of column temperature on the sensitivity of --- (112) 365
Ketamine
Determination of --- and some *in vivo* metabolites using HPLC (114) 220
α-Keto-acids
GC of --- as their O-trimethylsilyl-quinoxalinol derivatives (115) 65
Ketones
Chemical derivatization in GC (review) (113) 303
Ketones
GC separation of carbonyl compounds as their 2,4-dinitrophenylhydrazones using glass capillary columns (120) 379
Ketones, 2-halovinyl
Vinylogous acyl compounds. XV. TLC detection of --- with toxicological relevance (117) 137
17-Ketosteroids
HPLC of free and conjugated --- (118) 283
Ketosteroids
Studies on steroids. CIII. A new type of derivative for electron capture–gas chromatography of --- (114) 81
Krebs cycle acids
Separation of some typical --- by high-speed isotachophoresis (117) 97
Krebs-cycle metabolites
GC separation of --- (118) 236

L

Lactobionic acid
Fluorescence densitometric method for the determination of gluconic acid and --- (sugar acids) in pharmaceutical preparations (117) 337

Laser densitometer
Preparative capillary isotachophoresis. Principle and some applications (119) 9

Lecithins
Analysis of long-chain acids of human plasma phosphatidylcholines (---) and cholesteryl esters by glass open tubular capillary column GC for stroke patients and for normal subjects (112) 483

Lecithin
LC of lipids. A critical review (review) (113) 231

Lennard–Jones 12–6 potential
Chromatographic determination of the parameters in the --- (120) 29

Leucine
GC separation of --- and isoleucine phenylthiohydantoins (118) 99

Lidocaine
GC method for the quantitative determination of --- and its metabolic monoethylglycinexylidide in plasma (116) 188

Ligands
Separation of free and protein-bound --- in the radioimmunoassay by gel filtration–centrifugation (119) 167

Ligand complexes
Paper electrophoresis in the study of mixed --- in solution. Systems copper(II) and nickel(II)–oxalate–nitrilotriacetate (119) 563

Ligand-exchange chromatography
Studies on ---. V. GC separation of lower aliphatic amines by ligand exchange (114) 15

Linear learning machine method
Analysis of pyrolysis gas chromatograms using the --- (112) 297

Lipase
Screening for fatty acids in oilseed breeding programmes using --- and PC (115) 652

Lipids
Analysis of long-chain acids of human plasma phosphatidylcholines (lecithins) and cholesteryl esters by glass open tubular capillary column GC for stroke patients and for normal subjects (112) 483

Lipids
Detection of acetodiacylglycerols in milkfat --- by TLC (111) 223

Lipids
Fluorogenic spray for the detection of phospho--- on thin-layer chromatograms (120) 211

Lipids
LC of ---. A critical review (review) (113) 231

Lipophilic compounds
Reversed-phase TLC method for the determination of relative partition coefficients of very --- (120) 65

Liquid adsorption chromatography
Analogy between gas adsorption and --- (117) 11

Liquid chromatography
High-performance --- data (111) 250

Liquid chromatography, preparative-scale
Some aspects of --- (119) 467

Liquid chromatography systems with mixed adsorbents
Comparison of the efficiency of --- with that of systems with connected adsorbent layers (119) 255

Liquid crystals
Use of --- as stationary phases in GLC. I. Thermodynamic properties of solutions of decane in 4,4′-dihexyloxyazoxybenzene (117) 315

Liquid crystal stationary phases
GC with anisotropic liquids. Partition coefficients at the mesophase–isotropic phase transition point (112) 165

Liquid crystal stationary phase
Solid support surface effects on the chromatographic behavior of a --- (112) 145

Liquid phase
Polyphenyl ether, a --- for the GC–MS analysis of monoterpene hydrocarbons (111) 419
Liquid–solid chromatography
Solute interactions with the mobile and stationary phases in --- (112) 425
Lithium
--- ion exchange on α-titanium phosphate (118) 263
LSD
Chromatographic method for the detection of --- in biological fluids (120) 496
Lysergic acid diethylamide, *see* LSD
Lysergide
Chromatographic method for the detection of LSD in biological fluids (120) 496
Lysine
Chromatographic separation of ---, thia--- and selena--- (114) 291

M

Macromolecules
Theory of chromatography of rigid rod-like --- on hydroxyapatite columns. VIII. Further theory of analytical calculation of chromatograms and further investigations on the resolving power of the columns (120) 257

Macroporous sorbents
Polar --- for GC (114) 335

Mandelic acid nitrileglycosides
Hydroxylamine/iron(III) chloride, a stereospecific colour reagent for --- (111) 430

D-Mannose
TLC method for the quantitative determination of ---, D-glucose and D-galactose in aqueous solution (115) 477

Maprotiline
Quantitative assay of --- in biological fluids by GLC (114) 167

2-Mercaptobenzothiazole
Determination of --- in waste dump effluent by HPLC (116) 244

6-Mercaptopurine
GC method for measuring --- in serum (111) 305

Mercury drop flow meter
Flow meter for precise and accurate measurement of gas flow using a travelling mercury drop (111) 271

Metabolic profiles
Automated high-resolution GC system for recording and evaluation of --- (112) 559

Metals
Elution of transition --- with eluents containing ethanol on mixed ion-exchange columns (115) 276

Metals
GC separation of dithiocarbamates of some --- (115) 256

Metals
Separation by TLC of trace --- as their tetraphenylporphyrin chelates (115) 581

Metal ions
Chromatographic separation of --- on a macroreticular cation-exchange resin with hydrochloric acid in aqueous acetone solution (115) 543

Metal ions
Chromatographic separation of --- on a macroreticular cation-exchange resin with hydrochloric acid in mixed solvents (120) 171

Metal ions
Gel chromatographic behaviour of EDTA complexes on Sephadex columns (120) 159

Metals, non-ferrous
Study of the selectivity of different types of zeolites towards some ---. (120) 155

Metanephrine
Specific ion-exchange chromatography and fluorimetric assay for urinary 3-O-methyldopamine (116) 379

Metaphosphate
Paper electrophoretic study of ion-pair formation. XII. Interaction between Co(III) complexes and solutions of orthophosphate, pyrophosphate and --- (117) 464

Methadone
Electron-capture GC of --- after oxidation to benzophenone (111) 347

Methamphetamine
Procedure for the differentiation of the optical isomers of amphetamine and --- by TLC (117) 442

Methane
GC analysis of the products obtained on pyrolysis of --- during chemical vapor deposition of carbon (114) 211

Methanol
GC determination at the ppm level of --- and ethanol in aqueous solutions (119) 251

Methionine dipeptide stationary phases
--- for the resolution of enantiomers (112) 197

Methoxybenzoic esters
Steric factor in the GLC retention of toluic and --- (111) 117

3-Methoxy-2,5(10)-diene steroids
Analysis of steroids. XXVI. Transformation of --- during their GC analysis (118) 411
Methoxyphenamine
Excretion of --- and its metabolites in urine (119) 609
5-Methoxysterigmatocystin
TLC separation of sterigmatocystin, --- and O-methylsterigmatocystin (116) 490
5-Methoxytryptophol
Mass fragmentography of 5-hydroxytryptophol and --- in human cerebrospinal fluid (112) 523
Methoxytyramines
Separation and identification of trimethylsilyl derivatives of tyramines and --- by GLC (120) 477
Methylation artifacts
--- in the GC of serum extracts. Competitive suppression with trimethyl-d_9 anilium hydroxide (116) 321
N-Methylcyclohexylamine
Studies on the formation of cyclohexylamine and --- from bromhexine in animals and man, and simultaneous determination of cyclohexylamine and --- by GC (117) 383
5-Methylcytosine
Use of cation-exchange HPLC for determination of the --- content of DNA (118) 242
3-O-Methyldopamine
Specific ion-exchange chromatography and fluorimetric assay for urinary --- (116) 379
Methyl elaidate
GC separation of *cis–trans* isomers: methyl oleate/--- (119) 401
Methylene blue
Studies on the interaction between small molecules by gel filtration in Sephadex LH-20 (116) 93
7-Methyljuglone
Behaviour of --- and two related naphthoquinones on silica gel exposed to air (114) 443
Methyl nitrites
GC determination at the ppm level of methanol and ethanol in aqueous solutions (119) 251
Methyl oleate
GC separation of *cis–trans* isomers: ---/ methyl elaidate (119) 401
Methylphenols
Modified carbon black in HPLC (119) 41
4-Methyl-5-phenyloxazolidine-2-thione
Spontaneous formation of --- from phenylpropanolamine (117) 375
O-Methylsterigmatocystin
TLC separation of sterigmatocystin, 5-methoxysterigmatocystin and --- (116) 490
N-Methyl-N,2,4,6-tetranitroaniline, *see* Tetryl
Methylthiohydantoins
Improved separation of the --- and phenylthiohydantoins of arginine, cysteic acid and histidine by micropolyamide TLC (115) 629
Methyl *cis*-undecenoates
Fatty acids. III. Further study of the GLC properties of all of the methyl undecynoates and --- (111) 189
Methyl undecynoates
Fatty acids. III. Further study of the GLC properties of all of the --- and methyl *cis*-undecenoates (111) 189
Methyl urea
GLC method for the measurement of --- in blood and urine (118) 357
Microbial cells
Behaviour of --- on columns of some Sephadex gels (114) 463
Microbial levels
Improved high-performance LC method for polypeptide antibiotics and its application to study the effects of treatments to reduce --- in bacitracin powder (112) 663
Microchromatography
--- of hemoglobins. V. TLC of some hemoglobins on CM-cellulose (115) 527
Micro-packed columns
Rapid analysis with short --- (112) 455
Microparticle chemically-bonded anion-exchange resins
Performance of --- in the analysis of nucleotides (112) 651
Micro-phase extraction
Rapid and comprehensive system for the routine identification of drugs in biological material based on --- and drug colour profiles (115) 507
Mixed solvents
Criteria for the use of --- in GLC (112) 71
Mobile phases
Gradient elution in LC. VII. Comparison of different --- in adsorption chromatography (115) 9

Mobile phase containing π-complexing metal salts
Separation of olefinic compounds by reversed-phase LC with a --- like silver nitrate (114) 174
Mobile phase containing silver nitrate
Separation of olefinic compounds by reversed phase LC with a mobile phase containing π-complexing metal salts like silver nitrate (114) 174
Molecular sieves
Some applications of --- in the GC analysis of hydrocarbons and alcohols (117) 305
Molecular structure
Investigation of the relationship between --- and chromatographic parameters. VIII. Partition of phenols and their derivatives in systems of the type (cyclohexane + polar solvent)–water (111) 7
Molecular structure
Investigations of the relationship between --- and chromatographic parameters. IX. Extraction of phenolic 2-benzoylbenzoic acids with cyclohexane solutions of *n*-hexanol and oleic acid (111) 21
Molecular structure
--- and retention behaviour. V. Calculation of adsorption energies for aromatic hydrocarbons on graphitized carbon black (115) 299
Moment analysis
--- for reaction chromatography (117) 1
Moment analysis
--- in non-linear frontal-elution and elution chromatography (120) 249
Monocarboxylic acids
Separation of --- and dicarboxylic acids by LC (115) 259
Monoethylglycinexylidide
GC method for the quantitative determination of lidocaine and its metabolite --- in plasma (116) 188
Monoterpene glucosides
Studies on --- and related natural products. XXXI. GC and GC–MS of iridoid and secoiridoid glucosides (118) 201
Monoterpene hydrocarbons
Improved GC analysis of naturally occurring --- following pre-fractionation by LSC (115) 607
Monoterpene hydrocarbons
Polyphenyl ether, a liquid phase for the GC–MS analysis of --- (111) 419
Morphine
Quantitative --- assay by means of GLC and on-column silylation (120) 491
Morphine alkaloids
Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171
Morpholine, trimethylsilyl derivatives
Search for new silylating agents. I. Comparative GLC evaluation of trimethylsilyl derivatives of piperidine, pyrrolidine and --- (116) 315
Multi-column liquid chromatography
---. I. A new multi-collector for simultaneous fraction collection from a number of chromatographic columns (111) 57
Multi-column liquid chromatography
---. II. A multi-cuvette for multi-column LC (111) 63
Multi-column lquid chromatography
---. III. New techniques for multi-column LC (111) 69
Multi-column liquid chromatography
---. IV. Computerized on-line spectrophotometric quantitation system for multi-column LC (111) 75
Multiple development technique
Programmed multiple development. Brief review and study of extended programs (review) (113) 267
Mycotoxins
Bioautographic detection of --- on thin-layer chromatograms (116) 155
Mycotoxins
Systematic analysis of --- by TLC (116) 141

N

NADH
Purification and characterization of commercial --- and accompanying dehydrogenase inhibitors (120) 187

β-Naltrexol
GLC method for the determination of naltrexone and --- in human urine (111) 141

Naltrexone
GLC method for the determination of --- and beta-naltrexol in human urine (111) 141

Naltrexone
Quantitative determination of --- and beta-naltrexol in human plasma using electron capture detection (118) 331

Naphthalene derivatives
Modified carbon black in HPLC (119) 41

Naphthalenesulphonic acids
Capillary isotachophoresis with UV detection. Some quantitative aspects (119) 539

Naphthoquinones
Behaviour of 7-methyljuglone and two related --- on silica gel exposed to air (114) 443

Nearest neighbour technique
--- as a means of indicating stationary phase selectivity (117) 23

Neostigmine
Quantitative GLC method for the determination of --- and pyridostigmine in human plasma (120) 349

Neuraminidase
Cytotoxic contaminants in commercial *Clostridium perfringens* --- preparations purified by affinity chromatography (111) 217

Neurospora crassa
Pyrolysis GC as an aid to the identification of *Penicillium* species (116) 107

Neutral dipeptides, dinitrophenyl derivatives
Separation of --- by TLC (115) 633

Nickel(II)
GC separation of some dialkyldithiocarbamates of --- (112) 189

Niobium arsenate
Synthesis and ion-exchange properties of --- (118) 167

Ni–SiO_2
GC studies of catalysis on --- (112) 61

Nitrates
Analysis for aqueous --- and nitrites and gaseous oxides of nitrogen by electron capture GC (112) 719

Nitrazepam
Determination of --- in serum by GLC. Application in bioavailability studies (111) 389

Nitrilotriacetic acid
Quantitative GC determination of --- in the presence of other carboxylic acids (111) 43

Nitrites
Analysis for aqueous nitrates and --- and gaseous oxides of nitrogen by electron capture GC (112) 719

Nitro compounds
Determination of nanogram amounts of primary aromatic amines and --- in blood and plasma (111) 323

Nitrogen
Analysis for aqueous nitrates and nitrites and gaseous oxides of --- by electron capture GC (112) 719

Nitrogen-containing compounds
GC of --- and phosphorus-containing compounds (116) 17

N-Nitrosamines
Estimation of --- in tropical regions by reversed-phase PC and TLC (115) 535

N-Nitrosamines
TLC of --- (120) 229

Nitrosamines
Use of isomers in the detection and estimation of volatile --- by combined high-resolution MS–GC (115) 213

N-Nitrosoamino acids
GC determination of --- by trimethylsilylation and single-ion mass fragmentography (115) 602

N-Nitrosodimethylamine
GC determination and MS confirmation of ––– in fish meal (111) 426
Nomifensine
GC method for the determination of ––– in human plasma (116) 451
trans-Nonachlor
GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
Nonanes, branched-chain
Influence of vapour pressure, activity coefficient and structure on the retention volumes of ––– (116) 249
Noradrenaline
HPLC analysis of the catecholamines dopamine and ––– as their fluorescamine derivatives (118) 429
Norbornane derivatives
Retention indices in GSC (119) 233
Normetanephrine
Specific ion-exchange chromatography and fluorimetric assay for urinary 3-O-methyldopamine (116) 379
Nucleic acids
Chemical derivatization in GC (review) (113) 303
Nucleic acid bases, methylated
Determination of trimethylsilyl ––– in urine by GLC (116) 69
Nucleosides
Chemical derivatization in GC (review) (113) 303
Nucleosides
GLC analysis of trimethylsilyl derivatives of pyrimidine and purine bases and ––– (119) 355
Nucleosides
Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171
Nucleosides
Separation of purine 3',5'-cyclic nucleotides and ––– by TLC on PEI cellulose (116) 465
Nucleosides
Separation of the methylated ––– constituents of ribonucleic acid by two-dimensional TLC (111) 403
Nucleotides
Chemical derivatization in GC (review) (113) 303
Nucleotides
Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171
Nucleotides
Performance of microparticle chemically-bonded anion-exchange resins in the analysis of ––– (112) 651
Nucleotides
Separation of purine 3',5'-cyclic ––– and nucleosides by TLC on PEI cellulose (116) 465
Nucleotides
Simple ion-exchange column fractionation of ribo––– (115) 240
Nucleotides
Template chromatography on immobilized oligo––––. Synthesis and application of oligodeoxyadenosine-5'-phosphate–DEAE-cellulose (115) 461
Nucleotides, radioactive
Preparative capillary isotachophoresis. Principle and some applications (119) 9

O

cis,cis-Octadecadienoates
Fatty acids. VII. GLC properties of all dimethylene interrupted methyl --- (117) 365
Octadecyl Porasil
Preparation of --- for reversed-phase LC (116) 182
Octadecylsilane
HPLC of drugs. Evaluation of an --- stationary phase (111) 149
Octahedral geometric isomers
Separation of inorganic isomers by TLC. II. --- (117) 455
Oestrogen steroids
Gel chromatography of steroid oestrogens on Sephadex LH-20 (111) 159
Oils
Separation of essential --- by LC (114) 258
Olefins
Separation and analysis of small quantities of saturated C_6 hydrocarbons from large quantities of --- (114) 255
Olefinic compounds
Separation of --- by reversed-phase LC with a mobile phase containing π-complexing metal salts like silver nitrate (114) 174
Oligodeoxyadenosine-5'-phosphate–DEAE-cellulose
Template chromatography on immobilized oligonucleotides. Synthesis and application of --- (115) 461
Oligonucleotides
Template chromatography on immobilized ---. Synthesis and application of oligodeoxyadenosine-5'-phosphate–DEAE-cellulose (115) 461
Oligouronides
Preparation, separation and degradation of --- produced by the polygalacturonic acid transeliminase of *Bacillus pumilus* (116) 395
On-line hydrogenation
Special techniques in the combination of GC and MS (112) 343
Open tubular capillary columns
High-resolution biomedical GC. Determination of human urinary steroid metabolites using glass --- (112) 581
Open-tubular columns
Improved technique for observing the inner surface of --- for GC using scanning electron microscopy (114) 190
Optical isomers
Paper electrophoretic study of ion-pair formation. XI. Behaviour of --- in optically active electrolytes (115) 655
Optimization
Evaluation and selection of optimal solvents and solvent combinations in TLC. Application of the method to basic drugs (115) 1
Optimization
Minimizing the time for GC analysis. Search for optimal operational parameters by a simplex method (119) 215
Optimization strategies
--- for the development of GLC methods (112) 267
Organic substances
Stripping of trace --- from water. Equipment and procedure (117) 285
Organochlorine insecticides
Extractants for --- and polychlorinated biphenyls from water (120) 369
Organochlorine pesticides
GC identification of some --- and their photoalteration products by means of Kovats' retention indices (119) 385
Organomercury compounds
Chromatographic analysis of fungicides (review) (113) 97
Organophosphorus pesticides
Analysis of --- by capillary GC with flame photometric detection (117) 201
Orthophosphate
Paper electrophoretic study of ion-pair formation. XII. Interaction between Co(III) complexes and solutions of ---, pyrophosphate and metaphosphate (117) 464
Overlapping gas chromatographic peaks
Resolution of --- using fast Fourier transformation (118) 313

Oxiranes
Use of --- in the preparation of bonded phase supports (120) 321
Oxosteroids
Studies on steroids. CIX. O-ω-Halo-alkyloximes, new derivatives for GC–MS of --- (118) 127
Oxygen
Chemisorption method for the determination and removal of trace amounts of --- in unreactive gases (120) 291
Oxypurinol
HPLC determination of allopurinol and --- in serum (115) 228
Oxytocin
Iodination and purification of --- (118) 83
Ozone
Selective detector for GC based on the chemiluminescence of --- reactions (112) 253

P

Packings
Determination of the amount of stationary phase in --- for GLC. Stationary phases for use at high temperatures (114) 204

Packings
Enzacryl® gel ---. Inorganic salt compatibility, pH stability and ion-exchange derivatives (117) 245

Packings
Performance and selected applications of a new range of chemically bonded --- materials in high-performance LC (112) 171

Packings
Preparation, properties and some applications of bonded ion-exchange --- based on microparticulate silica gel for HPLC (117) 269

Packing
Styragel as --- for aqueous GPC (114) 486

Palladium catalysts
Pulse technique for the chromatographic determination of metal dispersions in --- (111) 443

Pancuronium bromide
TLC of --- and its hydrolysis products (120) 234

Paraquat
Analysis of --- formulations by LC (115) 289

Paraquat
Analysis of --- in urine by HPLC (115) 107

Particle size
Reduction of theoretical plate height in GC by increase of pressure and decrease of --- (112) 377

Partition–chromatography
Development of a combined --- method (112) 353

Partition coefficients
Reversed-phase TLC method for the determination of relative --- of very lipophilic compounds (120) 65

Penicillin
Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171

Penicillium
Pyrolysis GC as an aid to the identification of --- species (116) 107

Pentabromotoluene
Identification of the flame retardant --- in sewage sludge (111) 209

Pentaerythritols
Separations and quantitative determination of trimethylolpropane and --- in industrial synthesis solutions by HPLC (115) 397

Peptides
Analytical isotachophoresis (119) 129

Peptides
Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339

Peptides
GC of amino acids (review) (113) 139

Peptides
Isotachophoretic analysis of --- (119) 369

Peptides
Separation of dinitrophenyl derivatives of neutral di--- by TLC (115) 633

Peptides
4,4′-Tetramethyldiaminodiphenylmethane reagent. Modification of the chloro-*o*-tolidine colour reaction for TLC (120) 224

Peptides
Use of *o*-phthalaldehyde for detection of amino acids and --- on thin-layer chromatography (117) 439

Peptides, tryptophan-containing
Fluorescence of --- on paper or silica gel after treatment with formaldehyde, formaldehyde–ozone or formaldehyde–hydrochloric acid (117) 355

Peptide-hormone hydrolysates
High-performance LC analysis of amino acids and ––– in the picomole range (112) 643
Perazine
GLC determination of –––, thioridazine and thioridazine metabolites in human plasma (120) 123
Perbromate ions
PC study of the reduction of ––– by potassium and hydrogen halides (114) 451
Periodate–Schiff reagents
Reaction of fungal ceramides containing α-hydroxy acids with the ––– (117) 436
Pesticides
Analysis of organophosphorus ––– by capillary GC with flame photometric detection (117) 201
Pesticides
Analysis of paraquat formulations by LC (115) 289
Pesticides
Analysis of paraquat in urine by high-speed LC (115) 107
Pesticides
Causes and effects of sample loss using a dry capsule injection method for the automated GC analysis of ––– samples (117) 59
Pesticides
Chemical derivatization in GC (review) (113) 303
Pesticides
Chromatographic analysis of fungicides (review) (113) 97
Pesticides
Chromatographic separation of herbicide-active *s*-triazines on various polyamide layers (115) 670
Pesticides
Determination of benomyl and 2-(4-thiazolyl)benzimidazole in plant tissues by HPLC using fluorimetric detection (120) 449
Pesticides
Extractants for organochlorine insecticides and polychlorinated biphenyls from water (120) 369
Pesticides
Fluorimetric detection of ––– on aluminium oxide layers (117) 129
Pesticides
GC determination of thiabendazole in fruits as its methyl derivative (117) 149
Pesticides
GC identification of some organochlorine ––– and their photoalteration products by means of Kovats' retention indices (119) 385
Pesticides
GC–MS identification of phenylurea herbicides after N-methylation (115) 682
Pesticides
Hgih-speed LC of polychlorinated biphenyls and related compounds (116) 353
Pesticides
Improved recovery of hexachlorobenzene in adipose tissue with a modified micro multi-residue procedure (117) 143
Pesticides
Isolation and GC characterization of some toxaphene components (114) 361
Pesticides
Possibilities and limitations of capillary GC and MS in the analysis of polychlorinated biphenyls (119) 271
Pesticides
TLC detection of some systemic fungicides and their metabolites (111) 197
Petroleum fractions
GC determination of thiols in gaseous ––– on the basis of thiol concentration by sodium *o*-hydroxymercuribenzoate and sodium *p*-chloromercuribenzoate (119) 599
Petroleum fuels
Recognition and qualitative characterization of commercial ––– and synthetic fuels by a GC fingerprinting technique. I. General considerations (119) 413
Phanquone
Determination of ––– in biological material by GLC (118) 363
Pharmaceuticals
Analytical isotachophoresis (119) 129
Pharmaceuticals
Chemical derivatization in GC (review) (113) 303
Pharmaceuticals
Combined UV–fluorescence detection in HPLC of ––– (111) 365
Pharmaceuticals
LC of dansyl derivatives of some alkaloids and the application to the analysis of ––– (116) 365
Pharmaceutical analysis
High-speed ion-pair partition chromatography in ––– (115) 423
Pharmaceutical compounds
Separation of ––– using HPLC. Influence of water. II. (120) 419

Pharmacokinetics
Use of GC–MS–computer systems in ––– studies (112) 605
Phenanthrene
GC of the system ––––anthracene–carbazole on a column of cadmium chloride modified with Carbowax 20M (119) 181
Phenobarbital
Methylation artifacts in the GC of serum extracts. Competitive suppression with trimethyl-d_9 anilinium hydroxide (116) 321
Phenols
Chemical derivatization in GC (review) (113) 303
Phenols
Investigations of the relationship between molecular structure and chromatographic parameters. VIII. Partition of ––– and their derivatives in systems of the type (cyclohexane + polar solvent)–water (111) 7
Phenols
Rubidium benzenesulphonate as a stationary phase in the GC and separation of isomers of ––– and pyridine bases (115) 250
Phenols
Sensitive monitoring of ––– after LC (111) 470
Phenols
Sensitive monitoring of ––– after LC (111) 472
Phenols
Structural investigation of ––– and alcohols using silylation and GC (120) 103
Phenols
4,4'-Tetramethyldiaminodiphenylmethane reagent. Modification of the chloro-*o*-tolidine colour reaction for TLC (120) 224
Phenols, long-chain
–––. IV. Quantitative determination of the olefinic composition of the component phenols in cashew nut-shell liquid (111) 277
Phenols, long-chain
–––. V. GC analysis of cashew nut-shell liquid (*Anacardium occidentale*) (111) 285
Phenol alkyl derivatives
Solubility parameters of alkyl derivatives of phenol and resorcinol (116) 1
Phenolic acids
Analysis of ––– and flavonoids by HPLC (116) 271
Phenolic acids
Quantitative analysis for ––– by TLC (115) 123
Phenolic 2-benzoylbenzoic acids
Investigations of the relationship between molecular structure and chromatographic parameters. IX. Extraction of ––– with cyclohexane solutions of *n*-hexanol and oleic acid (111) 21
Phenolic compounds
PC of ––– using buffered acetonitrile (114) 286
Phenolic compounds
Structure-specific reagents for the detection of ––– (117) 445
Phenolic groups
Method for detecting free ––– and indole derivatives in TLC or PC (115) 273
Phenolsilicon compounds, oxidation products
Study of the ––– by molecular LC (116) 169
Phenothiazines
GLC determination of perazine, thioridazine and thioridazine metabolites in human plasma (120) 123
Phenothiazines
Reversed-phase TLC method for the determination of relative partition coefficients of very lipophilic compounds (120) 65
Phentermine
Isolation of drugs with macroreticular resins. Determination of ––– in blood (111) 439
1-(2-Phenyladamant-1-yl)-2-methylaminopropane
Analysis of ––– as its chlorodifluoroacetyl derivative (114) 151
Phenylalkanes
GC and MS analysis of a commercial mixture of ––– (detergent alkylates) (119) 293
1-(1-Phenylcyclohexyl)piperidine
Detection of 1-piperidinocyclohexanecarbonitrile contamination in illicit preparations of ––– and 1-[1-(2-thienyl)-cyclohexyl] piperidine (117) 232
Phenylpropanolamine
Spontaneous formation of 4-methyl-5-phenyloxazolidine-2-thione from ––– (117) 375
Phenylpyruvic acid
High-speed LC determination of ––– (118) 403
Phenylthiohydantoins
Improved separation of the methyl- and ––– of arginine, cysteic acid and histidine by micropolyamide TLC (115) 629
Phenytoin
TLC determination of barbiturates and ––– in serum and blood (115) 493

Pheromones
GC and the structural elucidation of lepidopteran --- (118) 195
Pheromones
LC of lipids. A critical review (review) (113) 231
Phosphatidic acid
Silica gel TLC of acidic phospholipids. II. Chromatographic behaviour of phosphatidylserine and --- applied with different cation composition on adsorbents either free of metal ions or containing a surplus of divalent metal ions (114) 419
Phosphatidylcholines
Analysis of long-chain acids of human plasma --- (lecithins) and cholesteryl esters by glass open tubular capillary column GC for stroke patients and for normal subjects (112) 483
Phosphatidylserine
Silica gel TLC of acidic phospholipids. II. Chromatographic behaviour of --- and phosphatidic acid applied with different cation composition on adsorbents either free of metal ions or containing a surplus of divalent metal ions (114) 419
Phosphazene
GC of fully substituted cyclic alkoxy--- (111) 434
Phospholipids
Determination of plasmalogen contents of --- classes by reaction micro-TLC (115) 645
Phospholipids
Fluorogenic spray for the detection of --- on thin-layer chromatograms (120) 211
Phospholipids
Modified Jungnickel's reagent for detecting --- and other phosphorus compounds on thin-layer chromatograms (115) 246
Phospholipids
Silica gel TLC of acidic ---. II. Chromatographic behaviour of phosphatidylserine and phosphatidic acid applied with different cation composition on adsorbents either free of metal ions or containing a surplus of divalent metal ions (114) 419
Phopsholipid
Universal reagent for --- analysis (114) 129
Phosphorus
Selective flame emission detection of --- and sulphur in high-performance LC (112) 443
Phosphorus compounds
Modified Jungnickel's reagent for detecting phospholipids and other --- on thin-layer chromatograms (115) 246
Phosphorus-containing compounds
Dual-channel flame photometric detector with a separate combustion chamber (120) 285
Phosphorus-containing compounds
GC of nitrogen- and --- (116) 17
Photodensitometer
Experimental high-performance --- for quantitative chromatography. I. Design and construction (115) 335
Photodensitometer
Experimental high-performance --- for quantitative chromatography. II. Preliminary assessment (paper) (115) 349
Photo-electron capture detector
--- (112) 229
o-Phthalaldehyde
Use of --- for detection of amino acids and peptides on thin-layer chromatograms (117) 439
Phthalate esters
Extraction and recovery of --- from water using porous polyurethane foam (115) 383
Physico-chemical index
Qualitative GC analysis and determination of solute properties. Exact equation for the calculation of the retention indices of isoalkanes on squalane (119) 109
Phytoene
Determination of the carotenoid --- in blood by HPLC (120) 457
Piperidine, trimethylsilyl derivatives
Search for new silylating agents. I. Comparative GLC evaluation of ---, pyrrolidine and morpholine (116) 315
1-Piperidinocyclohexanecarbonitrile
Detection of --- contamination in illicit preparations of 1-(1-phenylcyclohexyl)-piperidine and 1-[1-(2-thienyl)cyclohexyl]-piperidine (117) 232
Plasma, human
Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
Plasmalogen
Determination of --- contents of phospholipid classes by reaction micro-TLC (115) 645

Platinum–alumina reforming catalyst
GC determination of effective diffusivities and heats of adsorption of C_5–C_8 hydrocarbons on a commercial --- (116) 431
Polarity factors
General contribution to the theory of retention index systems in GLC. IV. Precalculation of interaction factors on mixed stationary phases in GLC by computer (119) 333
Polyacrylamide gel structure
--- resolved? (114) 455
Polyadenylate binding materials
Comparison of the chromatographic properties of various --- (114) 115
Polyamines
Quantitative TLC of --- (114) 411
Polychlorinated biphenyls
Chromatographic analysis of fungicides (review) (113) 97
Polychlorinated biphenyls
Extractants for organochlorine insecticides and --- from water (120) 369
Polychlorinated biphenyls
High-speed LC of --- and related compounds (116) 353
Polychlorinated biphenyls
Possibilities and limitations of capillary GC and MS in the analysis of --- (119) 271
Polychlorinated dibenzo-*p*-dioxins
---. Separation and identification of isomers by GC–MS (114) 95
Polycyclic aromatic hydrocarbons
Computerized GC–MS analysis of --- in environmental samples (112) 681
Polygalacturonic acid transeliminase
Preparation, separation and degradation of oligouronides produced by the --- of *Bacillus pumilus* (116) 395
Polymers
Analysis of pyrolysis gas chromatograms using the linear learning machine method (112) 297
Polymers
GPC. XII. Computer-assisted GPC and low-angle laser light-scattering photometry (118) 303
Polymers
GPC of --- on macroporous silicas (116) 99
Polymers
Preparation of diatomaceous surfaces for the synthesis of bonded phases and trace analysis (111) 37
Polymers
Regulated-temperature pyrolyzer for GC. Application to the study of epoxy --- (118) 115
Polymyxin
Improved high-performance LC method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663
Polyols
TLC of --- (115) 267
Polyols
Use of --- as stationary phases for the GC separation of volatile compounds from excess amounts of ethanol (117) 295
Polyoxyethylene
Analysis of --- non-ionic surfactants by coupling GLC and TLC (111) 459
Polypeptide antibiotics
Improved high-performance LC method for --- and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663
Polyphenyl ether
---, a liquid phase for the GC–MS analysis of monoterpene hydrocarbons (111) 419
Polyphenyl ether sulfone liquid phases
High-temperature GLC with a polyphenyl ether sulfone (112) 111
Polysaccharides
Separation of aldoses and --- by cellulose TLC and a new spray reagent for the sensitive detection of these carbohydrates (116) 417
Polysaccharides
TLC method for the quantitative determination of D-mannose, D-glucose and D-galactose in aqueous solution (115) 477
Polystyrenes
GPC of polymers on macroporous silicas (116) 99
Polystyrene gels
Styragel as packing for aqueous GPC (114) 486
Polyurethane foam, porous
Extraction and recovery of phthalate esters from water using --- (115) 383
Porasil
Preparation of octadecyl --- for reversed-phase LC (116) 182
Porous adsorbents
Application of inverse GC to the determination of the surface area of macro- --- and meso- --- (119) 483

Porphyrins
Applications of HPLC and field desorption MS in studies of natural --- and chlorophyll derivatives (115) 325
Potential gradient detector
Sensitivity of a newly designed --- for isotachophoresis (119) 605
5α-Pregnan-3,20-dione
Separation of --- and progesterone on Sephadex LH-20 (115) 244
Prenazone
GC analysis of 4-prenyl-1,2-diphenyl-3,5-pyrazolidinedione (---) at therapeutic levels in human plasma (114) 159
4-Prenyl-1,2-diphenyl-3,5-pyrazolidinedione
GC analysis of --- (prenazone) at therapeutic levels in human plasma (114) 159
Preparative gas chromatography
---. Computer program for the study on the relationship between efficacy, resolution and the purity of products (118) 1
Pressure
Reduction of theoretical plate height in GC by increase of --- and decrease of particle size (112) 377
Probenecid
GC assay for --- and its metabolites in biological fluids (115) 222
Progesterone
Separation of 5α-pregnan-3,20-dione and --- on Sephadex LH-20 (115) 244
Progesterone
Simple GLC method with electron capture detection for the determination of --- in the blood of humans and domestic animals (111) 125
Programmed multiple development
---. Brief review and study of extended programs (review) (113) 267
Propranolol
Simultaneous determination of --- and 4-hydroxy--- in plasma by mass fragmentography (114) 351
Prostaglandins
LC of lipids. A critical review (review) (113) 231
Proteases
Resolution in affinity chromatography. Effect of the heterogeneity of immobilized soybean trypsin inhibitor on the separation of pancreatic --- (120) 391
Proteins
Analytical isotachophoresis (119) 129
Proteins
Applications of GLC in --- chemistry. Determination of C-terminal sequences on nanomolar amounts of --- (116) 305
Proteins
Chromatographic hydrophobic parameters in correlation analysis of structure–activity relationships (review) (113) 1
Proteins
Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
Proteins
GC of amino acids (review) (113) 139
Proteins
Prevention of adsorption of --- on controlled-pore glass with amino acid buffer (111) 214
Proteins
Purification of *Escherichia coli* B-specific *p*-aminobenzoate "pick-up" --- to homogeneity by affinity chromatography (115) 205
Proteins
Serum --- fractionation by isotachophoresis using amino acid spacers (118) 35
Proteins
Use of controlled-pore glass for adsorption chromatography of --- (120) 206
Protein hydrolysates
Ion-exchange chromatography of the more basic amino acids of --- using stepwise changes of buffers containing borate ions (115) 612
Protein–protein coupling reactions
Application of gel filtration TLC in the rapid assessment of --- (118) 337
Protein–sodium dodecyl sulphate complexes
Controlled pore glass chromatography of --- (111) 397
Proteoglycan, chicken
Application of the sorption properties of Spheron gels in high-resolution column LC of naturally occurring macromolecular species (119) 549
Purine bases
GLC analysis of trimethylsilyl derivatives of pyrimidine and --- and nucleosides (119) 355

Purine bases
TLC of --- and pyrimidine bases and deoxyribonucleoside analogues. II. (115) 673
Purine bases, methylated
High-resolution LC analysis of methylated purine and pyrimidine bases in transfer RNA (116) 83
Purine 3',5'-cyclic nucleotides
Separation of --- and nucleosides by TLC on PEI cellulose (116) 465
Purine nucleosides
Separation of purine 3',5'-cyclic nucleotides and --- by TLC on PEI cellulose (116) 465
Purity
Preparative GC. Computer program for the study on the relationship between efficacy, resolution and the --- of products (118) 1
Pyrenes
Comparison of GC and fluorimetric determination of 3,4-benzopyrene (118) 270
Pyridine bases
Rubidium benzenesulphonate as a stationary phase in the GC and separation of isomers of phenols and --- (115) 250
Pyridostigmine
Quantitative GLC method for the determination of neostigmine and --- in human plasma (120) 349
Pyrimidine bases
GLC analysis of trimethylsilyl derivatives of --- and purine bases and nucleosides (119) 355
Pyrimidine bases
TLC of purine and --- and deoxyribonucleoside analogues. II. (115) 673
Pyrimidine bases, methylated
High-resolution LC analysis of methylated purine and pyrimidine bases in transfer RNA (116) 83
Pyrimidine oligodeoxyribonucleotides
Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
Pyrolysis gas chromatography
Analysis of pyrolysis gas chromatograms using the linear learning machine method (112) 297
Pyrolysis–gas chromatography
Elucidation of reaction mechanisms for thermal eliminations and ring closures by ----MS (112) 301
Pyrolyzer, regulated-temperature
--- for GC. Application to the study of epoxy polymers (118) 115
Pyrophosphate
Paper electrophoretic study of ion-pair formation. XII. Interaction between Co(III) complexes and solutions of orthophosphate, --- and metaphosphate (117) 464
Pyrrolidine, trimethylsilyl derivatives
Search for new silylating agents. I. Comparative GLC evaluation of trimethylsilyl derivatives of piperidine, --- and morpholine (116) 315

Q

Quadrupole mass spectrometer
Special techniques in the combination of GC and MS (112) 343
Quantitation
--- in high-performance micro-TLC (112) 81
Quantitative chromatography
Experimental high-performance photodensitometer for ---. I. Design and construction (115) 335
Quantitative chromatography
Experimental high-performance photodensitometer for ---. II. Preliminary assessment (paper) (115) 349
Quantitative gas chromatography
Study on the effect of detector dynamics on the peak heights in --- (114) 179
Quinidine
TLC method for the quantitative determination of --- in human serum (111) 463
Quinolizidine derivatives
TLC and short-column chromatography of epimeric alcohols of some --- (116) 235
5,6-Quinone-4,7-phenanthroline
Determination of phanquone in biological material by GLC (118) 363

R

Radioassay
High-sensitivity --- by GC (112) 637
Radio-gas chromatography
--- analysis of molecules containing labile tritium (114) 23
RDX explosives
HPLC separation of --- and HMX explosives on adsorptive polymers (118) 157
Reaction chromatography
Moment analysis for --- (117) 1
Reaction gas chromatography
Dual-channel micro-reactor for --- (119) 620
Reaction gas chromatography
---: a method for the rapid estimation of reaction parameters. I. Amidations and N-acylations (115) 311
Reaction gas chromatography
Simple device for --- (119) 613
Reaction kinetics
Analytical isotachophoresis (119) 129
Reaction parameters
Reaction GC: a method for the rapid estimation of ---. I. Amidations and N-acylations (115) 311
Rescinnamine
New GC method for the estimation of reserpine and --- (116) 263
Reserpine
New GC method for the estimation of --- and rescinnamine (116) 263
Resolution
Preparative GC. Computer program for the study on the relationship between efficacy, --- and the purity of products (118) 1
Resorcinol alkyl derivatives
Solubility parameters of alkyl derivatives of phenol and resorcinol (116) 1
Retention behaviour
Molecular structure and ---. V. Calculation of adsorption energies for aromatic hydrocarbons on graphitized carbon black (115) 299
Retention data
Utilization of GC --- in combination with elemental analysis for substance identification (119) 423
Retention index
Accuracy in the determination of the Kováts ---. Mathematical dead time (118) 13
Retention indices
Determination of the boiling points of C_{10} isoalkanes in an *n*-decane isomerizate from GC retention indices (115) 553
Retention indices
GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' --- (119) 385
Retention indices
--- in GSC (119) 233
Retention indices, calculation
Qualitative GC analysis and determination of solute properties. Exact equation for the --- of isoalkanes on squalane (119) 109
Retention indices of alkylbenzenes
Capillary GC of alkylbenzenes. I. Some problems encountered with the precision of the --- (119) 505
Retention index systems
General contribution to the theory of --- in GLC. I. Pre-calculation of retention indices of alkanes on the basis of their molecular structures and thermodynamics in GLC (119) 307
Retention index systems
General contribution to the theory of --- in GLC. II. Additivity of GC interactions expressed by retention indices (119) 321
Retention index systems
General contribution to the theory of --- in GLC. III. Contribution to the polarity of GC stationary phases expressed by retention indices (119) 327
Retention index systems
General contribution to the theory of --- in GLC. IV. Pre-calculation of interaction factors on mixed stationary phases in GLC by computer (119) 333
Retention times
Graphical method for the determination of --- in column LSC from TLC data (118) 91

Retention volume
Direct measurement of GC --- using an on-line mini-computer. I. Principles (111) 265
Retention volume
Direct measurement of GC --- using an on-line mini-computer. II. Apparatus (115) 57
Retention volumes
Influence of vapour pressure, activity coefficient and structure on the --- of branched-chain nonanes (116) 249
Ribonucleic acid
Separation of the methylated nucleoside constituents of --- by two-dimensional TLC (111) 403
Ribonucleotides
Simple ion-exchange column fractionation of --- (115) 240
Ring closures
Elucidation of reaction mechanisms for thermal eliminations and --- by pyrolysis–GC–MS (112) 301
R_M–adsorbent–porosity relationship
Comparison of theoretical and experimental R_M values in adsorption TLC on silica gel adsorbents of different porosity (116) 125
RNA
Determination of 5-fluorouridine and 5-fluorocytidine in --- hydrolysates using high-performance ion-exclusion chromatography (111) 242
tRNA
High-resolution LC analysis of methylated purine and pyrimidine bases in --- (116) 83
Ro 7-9957
Determination of 7-iodo-1,3-dihydro-1-methyl-5-(2′-fluorophenyl)-2H-1,4-benzodiazepin-2-one (---) and its major biotransformation products in blood and urine by electron capture–GLC (118) 371
Rohrschneider scheme
Extension to the ---. II. Substance polarity factors of homologous esters (118) 183
Rubidium benzenesulphonate
--- as a stationary phase in the GC and separation of isomers of phenols and pyridine bases (115) 250

S

Saccharides
Chemical derivatization in GC (review) (113) 303
Sample dilution
Investigation of pre-column --- in chromatographic systems with packed capillary columns (111) 409
Sample introduction system
Questions related to GC systems with glass open-tubular columns (119) 187
Scanning electron microscopy
Improved technique for observing the inner surface of open-tubular columns for GC using --- (114) 190
Scanning of zones on thin-layer chromatograms
Dual-wavelength point zig-zag --- as a tool for quantitative assay (116) 29
Schiff bases
GC determination of the lower aliphatic primary amines as their --- (115) 596
Scissors
--- for segmentation of instant thin-layer or paper chromatograms (111) 195
Secoiridoid glucosides
Studies on monoterpene glucosides and related natural products. XXXI. GC and GC–MS of iridoid and --- (118) 201
Selective flame emission detection
--- of phosphorus and sulfur in HPLC (112) 443
Selenalysine
Chromatographic separation of lysine, thialysine and --- (114) 291
Selenocysteine
Ion-exchange chromatography of S-(carboxymethyl)cysteine and Se-(carboxymethyl)--- (120) 221
Selenodiamines
Ion-exchange chromatography of some --- (115) 621
Sephadex gels
Behaviour of microbial cells on columns of some types of --- (114) 463
Sepharose
Agar derivatives for chromatography, electrophoresis and gel-bound enzymes. IV. Benzylated dibromopropanol cross-linked --- as an amphophilic gel for hydrophobic salting-out chromatography of enzymes with special emphasis on denaturing risks (111) 373
Sequential simplex method
Optimization strategies for the development of GLC methods (112) 267
Silica, bonded phase prepared through reaction with chlorodimethyl(4-phenylbutyl)silane
Preparation and chromatographic evaluation of chemically bonded ion-exchange stationary phases. I. Strong anion-exchanger (119) 25
Silica, modified macroporous
LC on --- by layers of carbon and weakly polar polymers (117) 257
Silica gels
Physico-chemical and GSC evaluation of surface-modified --- (114) 29
Silica gel
Preparation, properties and some applications of bonded ion-exchange packings based on microparticulate --- for HPLC (117) 269
Silica micro particles
LC on impregnated --- (116) 343
Silicate anions, trimethylsilylated
GC retention characteristics of --- (119) 173
Silicic acid
Investigation and purification of carbohydrates contaminated with --- (118) 250
Silicic acids, trimethylsilylated
GC retention characteristics of trimethylsilylated silicate anions (119) 173
Silicium tetrahalogenides
GC analysis of the --- (118) 104
Silicon
Preparation of diatomaceous surfaces for the synthesis of bonded phases and trace analysis (111) 37

Silicone stationary phases, phenyl contents
General contribution to the theory of retention index systems in GLC. III. Contribution to the polarity of GC stationary phases expressed by retention indices (119) 327
Silochrom
GC and LC on --- modified with a surface film of melone (116) 63
Silver(I)
Paper partition chromatography of inorganic ions. II. Behaviour of copper(I), --- and iron(II) in butanol–hydrochloric acid mixtures (114) 488
Silylating agents
Search for new ---. I. Comparative GLC evaluation of trimethylsilyl derivatives of piperidine, pyrrolidine and morpholine (116) 315
Silylating agents
Search for new ---. II. Comparative GLC evaluation of N-trimethylsilylacetanilide and its *p*-ethoxy derivative (117) 431
Simplex method
Minimizing the time for GC analysis. Search for optimal operational parameters by a --- (119) 215
Skin surface lipid
Methylation of --- free fatty acids. Comparison of methods (115) 283
Sodium iodide
Chromatography of $Na^{125}I$ on Sephadex gels (118) 75
Sodium stearoyl lactylate
TLC detection of calcium and --- in the presence of other emulsifiers in food (115) 639
Solid injection method
Simple --- for qualitative and quantitative estimation of essential oils (116) 468
Solid support surface effects
--- on the chromatographic behavior of a liquid crystal stationary phase (112) 145
Solubility data
Comparison of static and GC --- (119) 157
Solubility parameters
--- of alkyl derivatives of phenol and resorcinol (116) 1
Solute parameters
Factor analysis of --- in ether–stationary phase interactions (115) 139
Solute–phase interactions
Solute interactions with the mobile and stationary phases in LSC (112) 425
Solute switching
--- and detection by synchronous demodulation in GC (112) 29
Solution enthalpies
Determination of --- and adsorption enthalpies in systems with mixed mechanisms (111) 1
Solvents
Evaluation and selection of optimal --- and solvent combinations in TLC. Application of the method to basic drugs (115) 1
Solvent combinations
Evaluation and selection of optimal solvents and --- in TLC. Applications of the method to basic drugs (115) 1
Solvent–solute characterization
Application of GC head-space analysis for the characterization of non-ideal solutions by scanning the total concentration range (112) 287
Sorbents
GC and LC on Silochrom modified with a surface film of melone (116) 63
Sorbents
GPC of polymers on macroporous silicas (116) 99
Sorbents
Influence of the molecular structure of aromatic hydrocarbons on their adsorptivity on silica gel (117) 117
Sorbents
LC on macroporous silica, modified by layers of carbon and weakly polar polymers (117) 257
Sorbents
Polar macroporous --- for GC (114) 335
Sorbents
Preparation of octadecyl Porasil for reversed-phase LC (116) 182
Sorbents
Preparation, properties and some applications of bonded ion-exchange packings based on microparticulate silica gel for HPLC (117) 269
Sorbents
Retention of hydrocarbons on GC --- containing an organo-clay (116) 9
Sorption
Determination of solution and adsorption enthalpies in systems with mixed mechanisms (111) 1
Spacers, amino acid
Serum protein fractionation by isotachophoresis using --- (118) 35
Spheron gels
Application of the sorption properties of --- in high-resolution column LC of naturally occurring macromolecular species (119) 549

Spheron gels
Chromatography of biopolymers and their fragments on ion-exchange derivatives of the hydrophilic macroporous synthetic --- (119) 339
Spheron P-1000
Determination of some GPC parameters of the gel --- (116) 457
Spiro ethers
Sample and rapid LC determination of *cis*- and *trans*---- in *Matricaria chamomilla* (114) 215
Spot shape
Programmed multiple development. Brief review and study of extended programs (review) (113) 267
Stanozolol
GC determination of --- in veterinary suspensions (115) 687
Stationary phases
Adsorption effects in gas–liquid partition chromatography (114) 1
Stationary phase
Determinaion of the amount of --- in packings for GLC. Stationary phases for use at high temperatures (114) 204
Stationary phases
Evaluation of primary, secondary and tertiary aminosilanes as --- in GC (112) 135
Stationary phases
GC with anisotropic liquids. Partition coefficients at the mesophase–isotropic phase transition point (112) 165
Stationary phases
General contribution to the theory of retention index systems in GLC. III. Contribution to the polarity of GC --- expressed by retention indices (119) 327
Stationary phases
General contribution to the theory of retention index systems in GLC. IV. Precalculation of interaction factors on mixed --- in GLC by computer (119) 333
Stationary phase
GLC determination of the complexation constant between two non-volatile complexing agents in the ---: (114) 47
Stationary phases
GLC on fluorinated ---. II. Fluorinated compounds containing a functional group (114) 87
Stationary phases
High-temperature GLC with a polyphenyl ether sulfone (112) 111
Stationary phases
Methionine dipeptide --- for the resolution of enantiomers (112) 197
Stationary phase
Nearest neighbour technique as a means of indicating --- selectivity (117) 23
Stationary phases
Physico-chemical and GSC evaluation of surface-modified silica gels (114) 29
Stationary phases
Preparation and chromatographic evaluation of chemically bonded ion-exchange ---. I. Strong anion-exchanger (119) 25
Stationary phases
Properties of binary --- in partition GLC. Complex association systems (119) 91
Stationary phases
Separation of enantiomers on packed columns containing optically active diamide phases (112) 121
Stationary phase
Solid support surface effects on the chromatographic behavior of a liquid crystal --- (112) 145
Stationary phase, chemically bonded
--- for carbohydrate analysis in LC (117) 206
Stearoyl lactylate
TLC detection of calcium and sodium --- in the presence of other emulsifiers in food (115) 639
Steranes
Chromatography of saturated steroid hydrocarbons (---) on alumina (116) 207
Stereoisomers
TLC separation of diaminodicarboxylic acid --- and their dansyl derivatives (115) 635
Steric hindrance to charge transfer
Study of charge transfer complexation by GLC (review) (113) 47
Sterigmatocystin
HPLC of --- and other metabolites of *Aspergillus versicolor* (118) 414
Sterigmatocystin
TLC separation of ---, 5-methoxysterigmatocystin and O-methylsterigmatocystin (116) 490
Sterling FT
Comparison of physical and GC properties of --- and Carbopack C graphitized carbon blacks (120) 307
Steroids
Analysis of ---. XXVI. Transformation of 3-methoxy-2,5(10)-diene --- during their GC analysis (118) 411

Steroids
Anomalous chromatographic behaviour of some C_{27}---- hydroperoxides (115) 648
Steroids
Application of over-run TLC and GLC in the separation of closely related $C_{19}O_2$ --- (115) 177
Steroids
Chemical derivatization in GC (review) (113) 303
Steroids
Cholesterol oxidase. Further studies of substrate specificity in relation to the analytical characterisation of --- (112) 499
Steroids
Convenient biological synthesis of 19-hydroxy[4-^{14}C]androstene-3,17-dione from [4-^{14}C]4-androstene-3,17-dione with sow ovarian 19-hydroxylase (114) 473
Steroids
Detection of A-ring-hydroxylated estrogens and their methyl ethers on ascorbic acid-impregnated paper and thin-layer chromatograms (120) 239
Steroids
Determination of trenbolone and trenbolone acetate by TLC in combination with a fluorescence colour reaction (114) 244
Steroids
Extraction of --- diconjugates using Amberlite XAD-2 resin (115) 625
Steroids
GLC studies of reactions and structural relationships of ---. IV. Substitution in the pregnane side-chain (115) 161
Steroids
HPLC of free and conjugated 17-ketosteroids (118) 283
Steroids
LC of lipids. A critical review (review) (113) 231
Steroids
Liquid ion exchangers in reversed-phase systems for chromatography of steroidal glucosiduronic acids (120) 435
Steroids
Method for the measurement of plasma dehydroepiandrosterone by GLC with electron capture detection (116) 163
Steroids
New derivative for the GLC with electron capture detection of steroidal secondary alcohols (111) 238
Steroids
New PC systems for the separation of conjugated corticosteroids (111) 200
Steroids
Separation and characteriaztion of the reduced metabolites of the 18-hydroxydeoxycorticosterone hormone by GLC–MS. Occurrence of stereoisomeric forms in rat adrenals and liver (112) 617
Steroids
Separation and identification on unsaturated --- by combined GC–MS with Silanox-type glass open tubular columns (116) 173
Steroids
Separation of C_{19} and C_{21} dihydroxy--- by open-hole tubular glass columns and lipophilic gel chromatography (118) 135
Steroids
Separation of free and protein-bound ligands in the radioimmunoassay by gel filtration–centrifugation (119) 167
Steroids
Separation of 5α-pregnan-3,20-dione and progesterone on Sephadex LH-20 (115) 244
Steroids
Separation of some androgens and estrogens by TLC (119) 625
Steroids
Simple GLC method with electron capture detection for the determination of progesterone in the blood of humans and domestic animals (111) 125
Steroids
--- and related studies. XXXII. TLC of some lactam, tetrazole, basic and quaternary aza--- (114) 270
Steroids
Structural requirements for the electron capturing properties of ecdysones (115) 587
Steroids
Studies on ---. CIII. A new type of derivative for electron capture–gas chromatography of ketosteroids (114) 81
Steroids
Studies on ---. CIX. O-ω-Haloalkyloximes, new derivatives for GC–MS of oxosteroids (118) 127
Steroids
Study on the efficiency of support-coated open-tubular columns for --- analysis (119) 99
Steroid diconjugates
Extraction of --- using Amberlite XAD-2 resin (115) 625
Steroid glycosides
TLC separation of --- from *Agava americana* L. (116) 482

Steroid hydrocarbons
Chromatography of saturated --- (steranes) on alumina (116) 207
Steroid hydroperoxides, C_{27}
Anomalous chromatographic behaviour of some --- (115) 648
Steroid metabolites
High-resolution biomedical GC. Determination of human urinary --- using glass open tubular capillary columns (112) 581
Steroid oestrogens
Gel chromatography of --- on Sephadex LH-20 (111) 159
Sterols
Further data on a histochemical reaction as applied to the TLC of --- (115) 183
Sterols
--- of scallop. I. Application of hydrophobic Sephadex derivatives to the resolution of a complex mixture of marine --- (115) 153
Sterols, C_{27}, C_{28} and C_{29}
Separation of --- by reversed-phase HPLC on small particles (116) 281
Street drugs
Rapid screening procedures for some --- by TLC (115) 678
Stripping method
Stripping of trace organic substances from water. Equipment and procedure (117) 285
Structure
Influence of vapour pressure, activity coefficient and --- on the retention volumes of branched-chain nonane (116) 249
Structure–activity relationships
Chromatographic hydrophobic parameters in correlation analysis of --- (review) (113) 1
Structure–retention index relationships
Empirical quantum chemical approach to GC ---. II. Cyclohexane derivatives (117) 105
Styragel®
--- as packing for aqueous GPC (114) 486
Styrene epoxide hydratase
Specific GC method for the determination of microsomal styrene monooxygenase and --- activities (118) 387
Styrene monooxygenase
Specific GC method for the determination of microsomal --- and styrene epoxide hydratase activities (118) 387
Substance identification
Utilization of GC retention data in combination with elemental analysis for --- (119) 423
Substance polarity factors
Extension to the scheme of Rohrschneider. II. --- of homologous esters (118) 183
Sugars
Hydrophobic interaction in --- solutions. Results from gel interaction study (116) 177
Sugars
pH Cycling zone separation of ---. Preparative separation technique for countercurrent distribution and chromatography (114) 369
Sugars
Separation of --- on silica microparticles by HPLC (117) 216
Sugar acids
Fluorescence densitometric method for the determination of gluconic and lactobionic acids (---) in pharmaceutical preparations (117) 337
Sulfa drugs
High-performance ion-pair partition chromatography of ---. Study and optimization of chemical parameters (119) 523
Sulfonamides
High-performance ion-pair partition chromatography of sulfa drugs. Study and optimization of chemical parameters (119) 523
Sulfonamides, primary
N-Dimethylaminomethylene derivatives for the GLC of --- (112) 513
Sulfonyl chlorides
New spray for the detection of --- (116) 211
Sulfur
Selective flame emission detection of phosphorus and --- in high-performance LC (112) 443
Sulfur, elemental
Selective method for --- analysis by high-speed LC (117) 71
Sulphonates
Reversed-phase ion-pair partition chromatography of carboxylates and --- (115) 411
Sulphinic acids, aromatic
Detection of --- (119) 616
Sulphonic group
Ion exchange at high concentrations of the mobile phase. V. Role of the --- at the sorption of anionic thallium(III) complexes from hydrobromic acid solution by cation exchangers (116) 407

Sulphur compounds
Analysis of --- in environmental samples with specific detection and selective columns (120) 200
Sulphur compounds
Chemical derivatization in GC (review) (113) 303
Sulphur-containing compounds
Dual-channel flame photometric detector with a separate combustion chamber (120) 285
Supports
Adsorption effects in gas–liquid partition chromatography (114) 1
Supports
Comparison of the chromatographic properties of various polyadenylate binding materials (114) 115
Supports
LC on impregnated silica micro particles (116) 343
Supports
Use of oxiranes in the preparation of bonded phase --- (120) 321
Surfaces
Preparation of diatomaceous --- for the synthesis of bonded phases and trace analysis (111) 37
Surfactants
Analysis of polyoxyethylene non-ionic --- by coupling GLC and TLC (111) 459
Synchronous demodulation
Solute switching and detection by --- in GC (112) 29
Syringe-type pumps
Use of --- in LC in order to achieve a constant flow-rate (112) 399

T

Tellurate, radioactive
Column chromatographic separation of ---, tellurite, iodide and iodate (114) 389

Tellurite, radioactive
Column chromatographic separation of radioactive tellurate, ---, iodide and iodat: (114) 389

Template chromatography
--- on immobilized oligonucleotides. Synthesis and application of oligodeoxyadenosine-5'-phosphate–DEAE-cellulose (115) 461

***Tenebrio molitor* L.**
Affinity column purification of amylases on protein inhibitors from wheat kernel (114) 109

C-Terminal sequences
Applications of GLC in protein chemistry. Determination of --- on nanomolar amounts of proteins (116) 305

Tetracyclines
Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171

4,4'-Tetramethyldiaminodiphenylmethane
--- reagent. Modification of the chloro-*o*-tolidine colour reaction for TLC (120) 224

Tetraphenylporphyrin chelates
Separation by TLC of trace metals as their --- (115) 581

3-(5-Tetrazolyl) thioxanthone 10,10-dioxide
Determination of --- in human plasma, urine and faeces (115) 93

Tetryl
Quantitative determination of --- and its degradation products by HPLC (114) 261

Thallium(III)
Ion-exchange at high concentrations of the mobile phase. VI. Influence of the degree of crosslinking on the sorption of anionic complexes of --- and Fe(III) by sulphonic cation exchangers (120) 399

Thallium(III) complexes
Ion exchange at high concentration of the mobile phase. V. Role of the sulphonic group at the sorption of anionic --- from hydrobromic acid solution by cation exchangers (116) 407

Theobromine
Separation of caffeine, theophylline and --- by HPLC (114) 480

Theophylline
Rapid GC determination of underivatized --- in whole blood (117) 393

Theophylline
Separation of caffeine, --- and theobromine by HPLC (114) 480

Theophylline
Specific TLC method for the determination of --- in plasma in the presence of some other drugs (115) 501

Theoretical plate height, reduction of
--- in GC by increase of pressure and decrease of particle size (112) 377

Thermolytic reactions
Elucidation of reaction mechanisms for thermal eliminations and ring closures by pyrolysis–GC–MS (112) 301

Thermostating water jacket
True full-length --- for Swagelok-terminated HPLC columns (117) 424

Thiabendazole
GC determination of --- in fruits as its methyl derivative (117) 149

Thialysine
Chromatographic separation of lysine, --- and selenalysine (114) 291

Thiamphenicol
GC determination and GC–MS analysis of chloramphenicol, --- and their metabolites (111) 355

Thiamphenicol
TLC of chloramphenicol and --- (114) 266

Thiazide diuretics
Separation of --- and antihypertensive drugs by TLC (114) 329

2-(4-Thiazolyl)benzimidazole
Determination of benomyl and --- in plant tissues by HPLC using fluorimetric detection (120) 449
1-[1-2(2-Thienyl)cyclohexyl] piperidine
Detection of 1-piperidinocyclohexanecarbonitrile contamination in illicit preparations of 1-(1-phenylcyclohexyl)piperidine and --- (117) 232
Thin-film chromatography
Thickness of the mobile phase in --- (119) 85
Thiols
Application of tributyltin chloride to the separation and column chromatography of --- (117) 47
Thiols
4,4'-Bis(dimethylaminodiphenylcarbinol), a sensitive spray reagent for the detection of --- and carboxylic acids (118) 240
Thiols
GC determination of --- in gaseous petroleum fractions on the basis of --- concentration by sodium *o*-hydroxymercuribenzoate and sodium *p*-chloromercuribenzoate (119) 599
Thioridazine
GC determination of perazine, --- and --- metabolites in human plasma (120) 123
Thioxanthone
Determination of 3-(5-tetrazolyl) ---10,10-dioxide in human plasma, urine and faeces (115) 93
Thymidine
Separation of the four diastereoisomers of 6-hydroxy-5,6-dihydro--- formed by γ-radiolysis of --- in deaerated aqueous solution (115) 191
Thyroid hormones
Chemical derivatization in GC (review) (113) 303
Tin(IV) tungstoarsenate
Synthesis and ion-exchange properties of --- (118) 175
α-Titanium phosphate
Lithium ion exchange on --- (118) 263
α-Tocopherol
Concurrent determination of --- and free fatty acids in human plasma by glass open tubular capillary column GC (112) 465
Toluene
Quantitative analysis of mixtures of --- and its side-chain-chlorinated derivatives by GC (114) 247
Toluenesulphonic acid
Qualitative and quantitative determination of --- isomers (117) 471
Toluic esters
Steric factor in the GLC retention of --- and methoxybenzoic esters (111) 117
Toluidines
GC study of the reactivity of --- towards an active diester (119) 409
Toxaphene components
Isolation and GC characterization of some --- (114) 361
Trace analysis
--- of organic volatiles in water by GC–MS with glass capillary columns (112) 701
Trace enrichment
New considerations in detector–application relationships (112) 389
Trace impurities in gases
Determination of --- by their equilibrium accumulation in volatile liquids (112) 311
Trace metals
Separation by TLC of --- as their tetraphenylporphyrin chelates (115) 581
Transition metals
Elution behaviour of --- with eluents containing ethanol on mixed ion-exchange columns (115) 276
Trapping
Aspects of double-column GC with glass capillaries involving intermediate --- (112) 205
Trazodone
GC–mass fragmentographic determination of --- in rat plasma (112) 631
Trehalose
Simple method for the detection and determination of --- by spot elution PC (111) 466
Trenbolone
Determination of --- and trenbolone acetate by TLC in combination with a fluorescence colour reaction (114) 244
Trenbolone acetate
Determination of trenbolone and --- by TLC in combination with a fluorescence colour reaction (114) 244
Triamcinolone acetonide
HPLC analysis for --- in rice starch (115) 232
s-Triazines
Chromatographic separation of herbicide-active --- on various polyamide layers (115) 670

Tributyltin chloride
Application of --- to the separation and column chromatography of thiols (117) 47
Tricyclic antidepressants
Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171
Trimethylolpropane
Separation and quantitative determination of --- and pentaerythritols in industrial synthesis solutions by HPLC (115) 397
N-Trimethylsilylacetanilide
Search for new silylating agents. II. Comparative GLC evaluation of --- and its *p*-ethoxy derivative (117) 431
Trimethylsilylation capacity
Control of trimethylsilylation potential and --- by the use of colour indicators (115) 591
Trimethylsilylation potential
Control of --- and trimethylsilylation capacity by the use of colour indicators (115) 591
N-Trimethylsilyl-*p*-ethoxyacetanilide
Search for new silylating agents. II. Comparative GLC evaluation of N-trimethylsilylacetanilide and its *p*-ethoxy derivative (117) 431
2,3,5-Triphenyltetrazoliumhydroxide
--- a colour reagent for glycosides (114) 235
Tris III
Effect of the amount of --- on silica gel on the separation of polycyclic aromatic hydrocarbons by LC (118) 47
Tritium-labelled compounds
Radio-gas chromatography analysis of molecules containing labile tritium (114) 23
Tropane
High-speed ion-pair partition chromatography in pharmaceutical analysis (115) 423
Tropane alkaloids
HPLC of some --- (120) 203
Trypsins
Resolution in affinity chromatography. Effect of the heterogeneity of immobilized soybean --- inhibitor on the separation of pancreatic proteases (120) 391
Tryptophan
Determination of free and bound plasma --- (117) 236
Tryptophan
Fluorescence of tryptophan-containing peptides on paper or silica gel after treatment with formaldehyde, formaldehyde–ozone or formaldehyde–hydrochloric acid (117) 355
Tryptophan
Studies on the interaction between small molecules by gel filtration in Sephadex LH-20 (116) 93
Tyramines
Separation and identification of trimethylsilyl derivatives of --- and methoxytyramines by GLC (120) 477

U

Ultraviolet-absorption detectors
Capillary isotachophoresis with UV detection. Some quantitative aspects (119) 539
Unsaturated esters
GC of homologous esters. IX. Structure–retention increments of --- (111) 171
Urinary steroid metabolites
High-resolution biomedical GC. Determination of human --- using glass open tubular capillary columns (112) 581
Urines
GC–MS study of volatile organic metabolites in --- of patients with *diabetes mellitus* (112) 539
Urine
TLC screening and confirmation of basic drugs of abuse in --- (115) 519

V

Vanilmandelic acid
Determination of --- and homovanillic acid in urine by high-speed LC (116) 240
Vapour pressure
Influence of ---, activity coefficient and structure on the retention volumes of branched-chain nonanes (116) 249
Vapours as mobile phases
GC in ---. A short review (112) 373
Vertical electron affinities
Study of charge transfer complexation by GLC (review) (113) 47
Vertical ionization potentials
Study of charge transfer complexation by GLC (review) (113) 47
Vinylogous acyl compounds
---. XV. TLC detection of 2-halovinyl ketones with toxicological relevance (117) 137
Vioform®
Determination of clioquinol in biological materials by extractive alkylation and GLC (117) 407
Vitamins
Performance and selected applications of a new range of chemically bonded packing materials in HPLC (112) 171
Vitamins, lipid-soluble
LC of lipids. A critical review (review) (113) 231
Vitamin A acetate
Determination of vitamin D_3 and its isomers in D_3 resins and in mixtures with --- (115) 447
Vitamin D_3
Determination of --- and its isomers in D_3 resins and in mixtures with vitamin A acetate (115) 447
Vitamin D_3 metabolites
Separation of --- and their analogues by HPLC (119) 227
Volatiles
Trace analysis of organic --- in water by GC–MS with glass capillary columns (112) 701
Volatiles
Use of polyols as stationary phases for the GC separation of --- compounds from excess amounts of ethanol (117) 295
Volatile metabolites
Automated high-resolution GC system for recording and evaluation of metabolic profiles (112) 559
Volatile metabolites
Micro method for the determination of --- in biological samples. A preliminary report (112) 533
Volatile metabolites
Specific detection of --- in urines of normal subjects and patients with *diabetes mellitus* using computerized mass fragmentography (112) 551
Volatile organic metabolites
GC–MS study of --- in urines of patients with *diabetes mellitus* (112) 539

W

Water
Separation of pharmaceutical compounds using HPLC. Influence of ---. II. (120) 419
Wetting characteristics of organic liquids
Manufacture of glass open-tubular columns by dehydration of the surface (119) 495
Wheat germ agglutinin
Affinity adsorbent for the rapid purification of --- (114) 223
Whisker-walled open tubular glass columns
--- for GC. Techniques for inducing whisker growth (112) 97

X

Xanthones
HPLC of naturally occurring --- (116)
201

Z

Zeolites
Study of the selectivity of different types of --- towards some non-ferrous metals (120) 155
Zirconium phosphates
Gas adsorption studies on ion-exchanged forms of crystalline --- (118) 319
Zymogram technique
Preparative capillary isotachophoresis. Principle and some applications (119) 9

RECENTLY PUBLISHED BIBLIOGRAPHIES IN CHROMATOGRAPHY

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1970-1973

And Survey of Applications

edited by K. MACEK, I.M. HAIS, J. KOPECKÝ, V. SCHWARZ, J. GASPARIČ, *and* J. CHURAČEK.

Supplementary Volume No. 5, published in conjunction with the Journal of Chromatography.

1976. xviii + 744 pages.
US $76.95/Dfl. 200.00.
ISBN 0-444-41299-9
Subscription price:
US $47.95/Dfl. 125.00

This volume is the continuation of earlier bibliographies covering developments of both paper and thin-layer chromatography. It contains 5601 references of authors and titles of papers or books (translated titles for papers in languages other than English, French or German), appearing from the beginning of 1970 to the middle of 1973. A General Part covers general reviews and books and provides a detailed classification of techniques and applications. A Special Part is subdivided into approximately 500 chapters according to the chemical structure of the compound, or exceptionally, according to their biological activity (vitamins, antibiotics, pesticides, pharmaceuticals), physical properties (dyes), or technical importance (plastics, antioxidants). Cross references are given in cases where papers contain data which could be included in several chapters. The subject matter is gathered from a systematic search of journals which regularly publish papers of chromatographic interest, as well as from material available in other journals, reprints, etc. The bibliography contains an author index and an extensive list of 20,000 compounds chromatographed.

BIBLIOGRAPHY OF ELECTROPHORESIS 1968-1972

And Survey of Applications

edited by Z. DEYL, J. KOPECKÝ, J. DAVÍDEK, M. JURICOVÁ *and* R. HELM.

Supplementary Volume No. 4, published in conjunction with the Journal of Chromatography.

1975. xvi + 862 pages.
US $76.95/Dfl. 200.00.
paperback.
ISBN 0-444-41225-5
Subscription price:
US $47.95/Dfl. 125.00

This volume complements preceeding publications on paper, thin-layer and column chromatography and presents many diverse problems of electrophoretic separations. It contains exhaustive information on theoretical separational techniques selected from work scattered throughout various journals. The reader is provided with a quick reference to the particular compound of his interest, consequently saving many hours of disastrous literature search. In the first section special emphasis is laid on the electrophoretic estimation of molecular weight of macromolecular substances. Papers dealing with instrumentation, and those dealing with new media for electrophoresis are presented. The second part concentrates on application, and contains specialised chapters stressing the vast area of application of electrophoretic techniques in biochemistry, clinical chemistry, physiology as well as biology. This comprehensive work should be a welcome asset to the libraries of investigators and research workers in the field. The bibliography contains an author index and an extensive list of compounds electrophoresed.

BIBLIOGRAPHY OF COLUMN CHROMATOGRAPHY 1967-1970

And Survey of Applications

compiled by Z. DEYL, J. ROSMUS†, M. JURICOVÁ, *and* J. KOPECKÝ.

Supplementary Volume No. 3, published in conjunction with the Journal of Chromatography.

1973. xix + 1067 pages.
US $69.25/Dfl. 180.00.
Subscription price:
US $51.95/Dfl. 135.00.
paperback.
ISBN 0-444-41008-2

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1966-1969

And Survey of Applications

compiled by K. MACEK, I.M. HAIS, J. KOPECKÝ, J. GASPERIČ, V. RABEK, *and* J. CHURAČEK.

Supplementary Volume No. 2, published in conjunction with the Journal of Chromatography.

1972. xvi + 992 pages.
US $76.95/Dfl. 200.00.
Subscription price:
US $57.50/Dfl. 150.00.
ISBN 0-444-40953-X

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1961-1965

And Survey of Applications

edited by K. MACEK, I.M. HAIS, J. KOPECKÝ *and* J. GASPARIČ.

Supplementary Volume No. 1, published in conjunction with the Journal of Chromatography.

1968. only available in microfilm
US $57.50/Dfl. 150.00.

ELSEVIER SCIENTIFIC PUBLISHING COMPANY

P.O. Box 211, Amsterdam, The Netherlands

Distributed in the U.S.A. and Canada by:
ELSEVIER/NORTH-HOLLAND INC.,
52 Vanderbilt Avenue, New York, N.Y. 10017

The Dutch guilder price is definite. US $ prices are subject to exchange rate fluctuations

1925 E

PUBLICATION SCHEDULE FOR 1976

Journal of Chromatography (incorporating *Chromatographic Reviews*)

MONTH	D 1975	J	F	M	A	M	J	J	A	S	O	N	D
JOURNAL	115/1 115/2	116/1 116/2	117/1 117/2	118/1 118/2	118/3 119	120/1 120/2	121/1 121/2	122 123/1	123/2	124/1 124/2 125/1	125/2 125/3	126 128/1	128/2 129
REVIEWS*					127/1				127/2			127/3	

* Volume 127 will consist of *Chromatographic Reviews*. The issues comprising this volume will not be published consecutively, but will appear at various times in the course of the year.

GENERAL INFORMATION

(A leaflet *Instructions to Authors* can be obtained by application to the publisher.)

Types of Contributions. (a) Original research work not previously published in a generally accessible language in other periodicals (Full-length papers). (b) Review articles. (c) Short communications and Notes. (d) Book reviews; News; Announcements. (e) Bibliography of Paper Chromatography, Thin-Layer Chromatography, Column Chromatography, Gas Chromatography and Electrophoretic Techniques. (f) Chromatographic Data.

Submission of Papers. Three copies of manuscripts in English, French or German should be sent to: Editorial office of the Journal of Chromatography, P.O. Box 681, Amsterdam, The Netherlands. For *Review articles*, an outline of the proposed article should first be forwarded to the Editorial office for preliminary discussion prior to preparation.

Manuscripts. The manuscript should be typed with double spacing on pages of uniform size and should be accompanied by a separate title page. The name and the complete address of the author to whom proofs are to be sent should be given on this page. Authors of papers in French or German are requested to supply an English translation of the title. A short running title of not more than 50 letters (including spaces between the words) is also required for Full-length papers and Review articles. All illustrations, photographs, tables, etc., should be on separate sheets.

Heading. The title of the paper should be concise and informative. The title should be followed by the authors' full names, academic or professional affiliations, and addresses.

Summary. Full-length papers and Review articles should have a summary of 50–100 words. In the case of French or German articles an additional summary in English, headed by an English translation of the title, should also be provided. (Short communications and Notes will be published without a summary.)

Illustrations. The figures should be submitted in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper. Particular attention should be paid to the size of the lettering to ensure that it does not become unreadable after reduction. Sharp, glossy photographs are required to obtain good halftones. Each illustration should have a legend, all the *legends* being typed together on a *separate sheet*. Coloured illustrations are reproduced at the author's expense.

References. References should be numbered in the order in which they are cited in the text and listed in numerical sequence on a separate sheet at the end of the article. The numbers should appear in the text at the appropriate places using superscript numerals. In the reference list, periodicals[1], books[2], and multi-author books[3] should be cited in accordance with the following examples:

1 A. T. James and A. J. P. Martin, *Biochem. J.*, 50 (1952) 679.
2 L. R. Snyder, *Principles of Adsorption Chromatography*, Marcel Dekker, New York, 1968, p. 201.
3 R. D. Marshall and A. Neuberger, in A. Gottschalk (Editor), *Glycoproteins*, Vol. 5, Part A, Elsevier, Amsterdam, 2nd ed., 1972, Ch. 3, p. 251.

Abbreviations for the titles of journals should follow the system used by *Chemical Abstracts*.

Proofs. Two sets of proofs will be sent to the author to be carefully checked for printer's errors. Corrections must be restricted to instances in which the proof is at variance with the manuscript. "Extra corrections" will be inserted at the author's expense.

Reprints. Fifty reprints of Full-length papers, Short communications and Notes will be supplied free of charge. Additional reprints can be ordered by the authors. An order form containing price quotations will be sent to the authors together with the proofs of their article.

News. News releases of new products and developments, and information leaflets of meetings should be addressed to: The Editor of the News Section, Journal of Chromatography, Elsevier Scientific Publishing Company, P.O. Box 330, Amsterdam, The Netherlands.

Subscription orders. Subscription orders should be sent to: Elsevier Scientific Publishing Company, P.O. Box 211, Amsterdam, The Netherlands.

Publication. The *Journal of Chromatography* (including *Chromatographic Reviews*) appears fortnightly and has 14 volumes in 1976. The subscription price for 1976 [Vols. 115–128 and Supplementary Vol. 5 (Bibliography of Paper and Thin-Layer Chromatography 1970–1973)] is Dfl. 1470.00 plus Dfl. 180.00 (postage) (total US $ 660.00). Subscribers in the U.S.A., Canada and Japan receive their copies by air mail. Additional charges for air mail to other countries are available on request. Back volumes of the *Journal of Chromatography* (Vols. 1 through 114) are available at Dfl. 100.00 (plus postage).

Advertisements. Advertisement rates are available from the publisher on request. The Editor of the journal accepts no responsibility for the content of the advertisements.

DESAGA for UV Lamp



New

DESAGA HP - UVIS

Daylight-Cabinet for visual evaluation of thin-layer chromatograms in long and shortwave UV light

A full line of UV lamps for all kinds of applications
Some methods of application:

A) Fluorescence detection on the lamp platform
e.g. for TLC plates or gels

B) Fluorescence detection in free geometry
e.g. for LC columns or material tests

C) Fluorescence Quenching

D) Visualization in transmission mode

E) Photo documentation

F) Rapid DESAGA print documentation

G) Photopolymerization
e.g. of PAA gels

UVIS
for A, C, D, E, F, G — Lamp with base plate, two reflectors with short and long UV-light, daylight illuminated plate for transmission mode, photostand
DESAGA No. 13 11 00

MinUVIS
for A, B, C — Lamp with base plate, one removable reflector with short and long UV-light
DESAGA No. 13 12 00

HP-UVIS
for A, C — Lamp with two inclined base plates for short and high intensity long UV-light, shielded against interfering room light
DESAGA No. 13 12 20

High intensity UV-Source
for A, B — High pressure mercury discharge lamp for high intensity long UV-light. Removable reflector
DESAGA No. 13 10 00

Light Box
for D, F, G — Daylight illuminated plate for transmission mode. 42 x 50 cm
DESAGA No. 13 10 10

DESAGA
Founded in 1840

World Hallmark of Thin-layer Chromatography and Electrophoresis

C. DESAGA GmbH
Nachf. Erich Fecht
D 69 Heidelberg 1 · P.O.B. 10 19 60
Telephone (0 62 21) 8 10 13
Telex 04-61 736

ref. no. 121